

Test Execution Report

13 Nov 2022, 16:45:19

Start : Nov 13, 4:45:17.439 pm

End : Nov 13, 4:45:17.570 pm

Duration : 0.131 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Search and place the order for Products</u>	0.131 s	2	0	2	0	8	0	2	6

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Sanity	2	0	2	0	1	0	1	0
@Regression	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Search and place the order for Products</u>	2	0	2	0	0.131 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Search and place the order for Products</u>	<u>Serach Experience for product serach in both home and offers page</u>	4	0	1	3	0.091 s
2	<u>Search and place the order for Products</u>	<u>Serach Experience for product serach in both home and offers page</u>	4	0	1	3	0.110 s

Search and place the order for Products

FAILED	DURATION - 0.131 s	Scenarios		Steps	
/ 4:45:17.439 pm // 4:45:17.570 pm /		Total - 2		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 6	



Serach Experience for product serach in both home and offers page

FAILED	DURATION - 0.091 s		Steps	
/ 4:45:17.452 pm // 4:45:17.543 pm /			Total - 4	
Search and place the order for Products			Pass - 0	
@Sanity @Regression			Fail - 1	
			Skip - 3	

#	Step / Hook Details	Status	Duration
1	<p>Given User is on Greenkart Lending Page</p> <pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefinitions.LendingPageStepDefinition at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) </pre>	FAILED	0.024 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 32 more Caused by: java.lang.NullPointerException: Cannot read field "pageObjectManager" because "testContextSetup" is null at stepDefinitions.LendingPageStepDefinition.<init>(LendingPageStepDefinition.java:35) at stepDefinitions.LendingPageStepDefinition.<init>(LendingPageStepDefinition.java:27)		
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot read field "testBase" because "this.testContextSetup" is null at stepDefinitions.Hooks.getScreenshot(Hooks.java:43)	FAILED	0.004 s
2	When user serached with Shortname Beet and extracted the actual product name	SKIPPED	0.002 s
3	Then user serached for Beet shortname in offers page	SKIPPED	0.001 s
4	And validate product name in offers page matches with Lending page	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.closeBrowser() java.lang.NullPointerException: Cannot read field "testBase" because "this.testContextSetup" is null at stepDefinitions.Hooks.closeBrowser(Hooks.java:36)	FAILED	0.003 s

Serach Experience for product serach in both home and offers page

<div>FAILED</div> <div>DURATION - 0.110 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 4:45:17.460 pm // 4:45:17.570 pm /				
Search and place the order for Products				
@Sanity @Regression				

#	Step / Hook Details	Status	Duration
1	Given User is on Greenkart Lending Page io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefinitions.LendingPageStepDefinition at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)	FAILED	0.017 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 32 more Caused by: java.lang.NullPointerException: Cannot read field "pageObjectManager" because "testContextSetup" is null at stepDefinitions.LendingPageStepDefinition.<init>(LendingPageStepDefinition.java:35) at stepDefinitions.LendingPageStepDefinition.<init>(LendingPageStepDefinition.java:27)		
	AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot read field "testBase" because "this.testContextSetup" is null at stepDefinitions.Hooks.getScreenshot(Hooks.java:43)	FAILED	0.003 s
2	When user serached with Shortname Tom and extracted the actual product name	SKIPPED	0.001 s
3	Then user serached for Tom shortname in offers page	SKIPPED	0.010 s
4	And validate product name in offers page matches with Lending page	SKIPPED	0.008 s
	AFTER - stepDefinitions.Hooks.closeBrowser() java.lang.NullPointerException: Cannot read field "testBase" because "this.testContextSetup" is null at stepDefinitions.Hooks.closeBrowser(Hooks.java:36)	FAILED	0.005 s