

Test Execution Report




| Feature | | | | nario | | Step | | | |
|---|----------|----------|---|-------|---|----------|---|---|---|
| Name | Duration | <i>T</i> | P | F | S | <i>T</i> | P | F | S |
| Search and place the order for Products | 20.303 s | 2 | 1 | 1 | 0 | 8 | 7 | 1 | 0 |

| Tag | Scenario | | | | | Fea | Feature | | |
|-------------|----------|---|---|---|---|-----|---------|---|--|
| Name | T | P | F | S | T | P | F | S | |
| @Sanity | 2 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @Regression | 2 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | |

FEATURES SUMMARY -- 4



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Search and place the order for Products | 2 | 1 | 1 | 0 | 20.303 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|----------|
| 1 | Search and place the order for Products | Serach Experience for product serach in both home and offers page | 4 | 4 | 0 | 0 | 20.284 s |
| 2 | Search and place the order for Products | Serach Experience for product serach in both home and offers page | 4 | 3 | 1 | 0 | 18.343 s |

Search and place the order for Products

| FAILED | DURATION - 20.303 s | Scenarios | | Steps | |
|------------------------|---------------------|-----------|---|-----------|-----|
| | | Total - 2 | | Total - 8 | |
| / 12:49:31.465 pm // 1 | 12:49:51.768 pm / | Pass - 1 | 2 | Pass - 7 | 8 |
| | | Fail - 1 | | Fail - 1 | , i |
| | | Skip - 0 | | Skip - 0 | |
| | | Skip - 0 | | Skip - 0 | |

Serach Experience for product serach in both home and offers page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Greenkart Lending Page | PASSED | 12.178 s |
| 2 | When user serached with Shortname Tom and extracted the actual product name | PASSED | 2.009 s |
| 3 | Then user serached for Tom shortname in offers page | PASSED | 5.539 s |
| 4 | And validate product name in offers page matches with Lending page | PASSED | 0.001 s |

Serach Experience for product serach in both home and offers page

| FAILED DURATION - 18.343 s | 10 | | | | | | | Steps | |
|---|-----|--|-----|---|---|---|---|-----------|---|
| (40.40.40.40.40.45 | 8 - | | | | | | | Total - 4 | |
| / 12:49:31.502 pm // 12:49:49.845 pm / | 6 - | | | | | | | | |
| Search and place the order for Products | 4 - | | | | | | | | 4 |
| | 2 - | | | | | | | Skip - 0 | |
| @Sanity @Regression | 0 - | | - | | 2 | - | | | |
| | | | - 1 | l | Z | 3 | 4 | | |

DETAILED SECTION --- 7 -

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Greenkart Lending Page | PASSED | 9.156 s |
| 2 | When user serached with Shortname Beet and extracted the actual product name | PASSED | 1.945 s |
| 3 | Then user serached for Beet shortname in offers page | PASSED | 6.115 s |
| 4 | And validate product name in offers page matches with Lending page | FAILED | 0.026 s |
| | java.lang.AssertionError: expected [No data] but found [Beetroot] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.fail(NotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:655) at org.testng.Assert.assertEquals(Assert.java:665) at stepDefinitions.OfferPageStepDefinition.validate_product_name_in_offers_page_matches_with_lending_page(OfferPageStepDefinition. java:45) at ?.validate product name in offers page matches with Lending page(file:///C:/Users/user/eclipse-workspace/CucumberFramework/src/test/resources/Features/searchProduct.feature:27) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepDefinitions.Hooks.getScreenshot(io.cucumber.java.Scenario) java.lang.NoClassDefFoundError: org/apache/commons/io/FileUtils at stepDefinitions.Hooks.getScreenshot(Hooks.java:44) Caused by: java.lang.ClassNotFoundException: org.apache.commons.io.FileUtils at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188) at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520) at stepDefinitions.Hooks.getScreenshot(Hooks.java:44) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:77) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66) at io.cucumber.java.lnvoker.invoke(Invoker.java:66) at io.cucumber.java.lnvoker.invoke(Invoker.java:64) at io.cucumber.java.Java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinition.java:21) at io.cucumber.core.runner.TestStep.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.PickleStepTestStep.run(FickleStepTestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(FickleStepTestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.java:84) | FAILED | 0.369 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | $at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda \$run Test Case \$5 (Cucumber Execution Context. java: 129)$ | | |
| | $at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$ | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | $at\ io. cucumber. testng. Abstract TestNGC ucumber Tests. run Scenario (Abstract TestNGC ucumber Tests. java: 35)$ | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | $at\ or g. testng. in ternal. invokers. Method Invocation Helper. invoke Method (Method Invocation Helper. java: 139)$ | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) | | |
| | $at\ or g. testng. in ternal. invokers. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 80)$ | | |
| | $at\ or g. testng. in ternal. invokers. Test Method With Data Provider Method Worker. call (Test Method With Data Provider Method Worker. java: 17)$ | | |
| | at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) | | |
| | at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539) | | |
| | at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) | | |
| | at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) | | |
| | at java.base/java.lang.Thread.run(Thread.java:833) | | |