

Assignment 12

MinJae Jo

2025-11-13

Exercise 1

- i. 70000
- ii. 28x28
- iii. 10 classes

Exercise 2


```
train_dl <- dataloader(  
  dataset = train_ds,  
  batch_size = 32,  
  shuffle = TRUE  
)
```

Exercise 3

```
## [1] 32 784
```

Exercise 4

-The image corresponds to the character “re.”-



Exercise 5

```
valid_dl <- dataloader(  
  dataset = valid_ds,  
  batch_size = 32,  
  shuffle = FALSE  
)  
  
test_dl <- dataloader(  
  dataset = test_ds,  
  batch_size = 32,  
  shuffle = FALSE  
)
```

Exercise 6

```
net <- nn_module(  
  initialize = function() {  
    self$fc1 <- nn_linear(784, 128)  
    self$fc2 <- nn_linear(128, 10)  
  },  
  forward = function(x) {  
    x %>%  
      self$fc1() %>%  
      nnf_relu() %>%  
      self$fc2()  
  }  
)
```

Exercise 7

```
model1 <- setup(  
  net,  
  loss = nn_cross_entropy_loss(),  
  optimizer = optim_adam,  
  metrics = list(luz_metric_accuracy())  
)
```

Exercise 8

```
## Epoch 1/5  
## Train metrics: Loss: 1.7791 - Acc: 0.498  
## Valid metrics: Loss: 1.2179 - Acc: 0.6934  
## Epoch 2/5  
## Train metrics: Loss: 1.0243 - Acc: 0.7334  
## Valid metrics: Loss: 0.7945 - Acc: 0.7988  
## Epoch 3/5  
## Train metrics: Loss: 0.735 - Acc: 0.7998  
## Valid metrics: Loss: 0.6014 - Acc: 0.8457  
## Epoch 4/5  
## Train metrics: Loss: 0.5771 - Acc: 0.8506  
## Valid metrics: Loss: 0.4803 - Acc: 0.8828  
## Epoch 5/5  
## Train metrics: Loss: 0.4688 - Acc: 0.8828  
## Valid metrics: Loss: 0.386 - Acc: 0.9102
```

Exercise 9

Exercise 10