

Notice Inviting Tender

SUB REGIONAL OFFICE

EMPLOYEES' STATE INSURANCE CORPORATION

Civil Char Rasta, Ring Road, Surat, 395 001

INVITATION FOR BIDS FOR PROVIDING ANNUAL REPAIRS AND MAINTENANCE OF ELECTRICAL WORKS FOR THE YEAR 2014-15 FOR THE FOLLOWING BUILDINGS:-

1. ESI Hospital & Staff Qtrs, at Ring Road, Surat.
2. ESI Dispensary-7, in the compound of above said hospital.
3. SUB REGIONAL OFFICE, Surat in the compound of above said hospital.
4. ESI Dispensary -2 & Staff Qtrs. at Maliniwadi, Salabatpura, Surat.
5. ESI Dispensary -3 / D-5 and Branch office at Salabatpura (Maliniwadi), Surat including its Staff Qtrs.
6. ESI Dispensary -6 and Branch office, at Lal Darwaja, Surat, including its Staff Qtrs..
7. ESI Dispensary -10 & Staff Qtrs., at Pandesara, Surat.

Sealed Offers under two envelope system are invited from eligible and registered E 1 Class Contractors of C.P.W.D. / State P.W.D. / M.E.S. / B.S.N.L. Elect. wing for Providing Annual Repair and Maintenance Works/Services listed above under scope of work in this Bid Document

Details of the project for which tenders are invited:

Nature of Facility: – Hospitals / Dispensaries / Offices / Residential / Others of
E.S.I. Corporation under SRO, Surat.

Total No. of Complex :- 7 nos.

Total Plinth area of the above buildings:-34758.12 Sq. meter

Scope of Services to be provided:-

The agency will be responsible for Repairs and Maintenance of following categories of works:

1. Replacement of fuses (all types), repair / replacement of faulty switches, holders, screws etc.
2. Oiling, greasing repairing / replacement of fans (ceiling and exhaust) as and when required.
3. Cleaning and spray painting of ceiling fans, main switch boards, tube lights fittings and likes.
4. Rewinding of fans wherever required/replacement of fans.
5. Repair and replacement of tube lights, chokes & starters.
6. Rewiring of circuit wiring wherever required.
7. Checking of earthing system to make it functional and effective.
8. Rewiring of point wiring when required.
9. Change of oil & servicing of Transformer

Bid Document:-

The blank Tender documents for Annual Repairs and Maintenance works can be obtained from the office of the Director (Construction), Employee's State Insurance Corporation, Sub Regional Office, ESI Hospital Compound, Civil Char Rasta, Ring Road, Surat during all working days from **19/05/2014 to 30/05/2014** between **11 A.M. to 4 P.M.** on payment of **Tender fee of Rs. 500/- (Non-refundable).**

The last date of submission of Tender is 12/06/2014 up to 2.00 P.M.

The Tenders shall be opened in the presence of the Tenderers, who desired to remain present on the same date at **3.00 P.M.** in the Conference Room of this office.

(DIRECTOR I/c)

E.S.I. CORPORATION

SUB REGIONAL OFFICE, SURAT

INSTRUCTIONS TO THE TENDERERS

1. Sealed offers under envelope systems (1) Technical bid (2) Financial bid in the prescribed forms are invited from eligible tenderers for Providing Annual Repairs and Maintenance for Electrical works for the year 2014-15 for the Buildings listed as per the notice inviting tender.
2. **The estimated cost for the above work is Rs. 9,00,000/-**
3. The amount of **Earnest Money Deposit (EMD) of Rs. 18,000/-** (Rs. Eighteen thousand only) shall be in the form of deposit at call receipt of a scheduled Bank/Fixed Deposit receipt of Scheduled Bank/Demand Draft of scheduled Bank issued in drawn in favour of ESI FUND ACCOUNT No.1, **payable at Surat.**
4. The **Earnest Money shall be placed in separate sealed cover** by writing the name of work on the envelope. If the Earnest Money found not as per the prescribed manner as mentioned at Sr. no 3 above then, Technical/Financial Bid shall not be opened.
5. Tender form duly signed in all respect with necessary Earnest Money Deposit in the prescribed manner as mentioned above shall only be considered. **Incomplete tenders and tenders without Earnest Money Deposit shall not be considered.**
6. The **blank Tender forms can be obtained** from The Director, (Construction), Employees Sate Insurance Corporation, Civil Char Rasta, Ring Road, Surat **on any working day from 19/05/2014 to 30/05/2014 on working day up to 16.00 hrs.**
7. **Last date of submission of tender is 12/06/2014 up to 14.00 Hrs.**
8. **Date of opening of tender is 12/06/2014 at 15.00 Hrs.**
9. Each and every page of the tender documents should bear the stamp and signature of the person in whose name registration exists or he shall be authorized legally or any representative clearly by mentioning the name and stating that the person can sign the tender documents on his behalf. Format I, II & III enclosed shall be filled without exception. The tender shall also enclose the latest Income Tax Clearance certificate and proof of VAT/ Works Contract Tax Registration where applicable.
- 9.a When there is a difference between the rates in figures and in words, the rates which corresponding to the amount worked out by the contractor shall be taken as correct.
- 9.b When the amount of an item is not worked out by the contractor or it does not correspond with the rate written either in figures or in words, then the rate quoted by the contractor in words shall be taken as correct.

- 9.c When the rate quoted by the contractor in figures and in words tallies, but the amount is not worked out correctly, the rate quoted by the contractor shall be taken as correct and not the amount.
10. The site for the work can be seen on any working day during office hours by contacting Director (Construction), Employee's Sate Insurance Corporation, Civil Char Rasta, Ring Road, Surat. The tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting the tenders, the form and nature of site, the means of access to the site. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed.
11. The **competent authority** on behalf of ESIC **does not bind himself to accept the lowest or any other tender, and reserves the right to reject any or all of the tenders without assigning any reasons thereof.** All the tenders, in which any of the prescribed conditions is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer, shall be summarily rejected.
12. Canvassing whether directly or indirectly, in connection with tenders strictly prohibited and the tenders submitted by the **contractors who resort to canvassing will be liable to rejection.**
13. The **competent authority on behalf of ESIC reserves with himself the right of accepting the whole or any part the tender** and the tenderer shall be bound to perform the same at the rate quoted.
14. The work shall remain open for acceptance for a period of Sixty days from the date of opening of tenders. If any tenderer withdraws his tender before the said period, or issue of letter of acceptance/Indent whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable by the ESIC and, shall be without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money.
15. The contractor whose tender is accepted for **amount exceeding Rs 6.00 lacs** (Rs six lacs only) will be **required to furnish an irrevocable PERFORMANCE GUARANTEE of 5% (Five percentage) of the tendered amount in addition to other deposit mentioned elsewhere in the contract for his proper performance of the contract,** (not withstanding and /or without prejudice to any other provisions in the contract) **within 15 days of issue of letter of acceptance of tender.** The guarantee shall be in the form of Fixed Deposit Receipts or Guarantee Bonds of any scheduled bank or the

State Bank of India. In case a fixed deposit receipt of any bank is furnished by the contractor to ESIC as a part of performance guarantee and the bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to ESIC to make good the deficit.

Letter of acceptance of tender shall be issued in the first instance informing that the successful tender in the decision of the competent authority to accept his tender and commencement of work award letter shall be issued only after the performance Guarantee in the prescribed form is received. In case of failure of the contractor to furnish the Performance Guarantee within the specified period, the ESIC shall without prejudice to any other right or remedy available in Law, be at liberty to forfeit the earnest money absolutely.

The contractor shall permit ESIC at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 5% of gross amount of each running bill till the sum along with the sum already deposited as earnest money, will amount to security deposit of 5% of the tendered value of the work. Such deductions will be made and held by ESIC by way of Security Deposit.

The performance Guarantee shall be initially valid for a period up to sixty days beyond the stipulated date of completion. In case the time for completion of work gets extended, the contractor shall get the validity of performance Guarantee extended, at his own cost to cover such extended time for completion of work.

In case of works with estimated cost put to tender is up to and above Rs 6.00 Lacs (Rs. Six Lacs), then **total security Deposit deducted shall be 10 (Ten)%** instead of 5 (Five % of the tendered value of the work. **Security Deposit shall be recovered @ 10% of the gross amount of each running bill** till the sum along with the sum already deposited as earnest money, will be converted in to the amount of security deposit of 10 % of tender value of the work.

16. All rates shall be quoted in the tender form and the amount for each item should be worked out and requisite totals be given. Special care should be taken to write the rates in figures as well as in words and the amount in figures only, in such a way that interpolation is not possible. The total amount should be written both in figures and in words. In case of figures, the word Rs. should be written before the figure and word P

after the decimal figure e.g. Rs 2.15 P and in case of words, Rupees should be preceded and the word Paise should be written in the end, unless the rate is whole rupees and followed by the word only.

17. On acceptance of the tender, the name of the accredited representative (s) of the contractor, who would be responsible for taking instructions from the Engineer shall be communicated in writing to the ESIC.

18. Sales tax, Purchase tax, Turn over tax, Service tax or any other tax, labour cess, in respect of the contract, payable by the contractor. The ESIC, will not entertain any claim whatsoever in respect of the same.

19. Item Rates quoted shall be deemed to have been inclusive of cost of manpower, material, machinery, tools and plants, etc. & all taxes (including Service tax), duties and levies, insurance etc. No escalation of whatsoever nature, shall be payable.

20. The tenderers shall produce of their valid enlistment, Service Tax registration and EPF registration with the appropriate authority.

21. Rates quoted by the agency shall also be inclusive of 1% (one percent) cess on the work done as applicable on the building & other construction workers welfare act 1966 due to the introduction of "The building & other construction works (Regulation of Employment & Conditions of Services Act 1966)".

22. Earnest money given by all the contractors except the three lowest tenderers shall be refunded within a week from the date of receipt of the tenders. The earnest money given by the other two tenderers (except the one whose tender is accepted) should also be refunded within 15 days of the acceptance of the tender.

23. The envelope containing tender document shall be sealed and clearly superscribed the name of work and the name and address of the tenderer.

24. Eligibility Criteria:

a. Registration Certificate of proper class and the tenderer should have **minimum two years experience** in works of similar nature. The tenderers should have undertaken/completed the similar works in the last 3 years.

b. One similar work of value not less than Rupees.6.00 lacs per annum.

Or

Two similar works of value not less than Rupees 3.00 lacs per annum.

c. The tenderer would be required to establish his office within the site of the work in the space provided by the Employees' State Insurance Corporation, Surat.

d. Pan No.

e. P.F. Registration Certificate.

f. Last 2 years I T Returns.

g. Service tax registration certificate.

h. Electrical Contractor License Certificate.

25. **Submission of bids:**

Proposals should be submitted in **two separate envelopes namely 'Technical Bid' and 'Financial Bid'**. The technical and financial bids duly sealed in separate envelope and be kept inside a single third envelope which shall clearly superscribed as **"Tender for Providing Annual Repairs and Maintenance of (Electical)" Surat, during Year 2014-15, due date 12/06/14 up to 14.00 hours.** The envelope should be clearly marked as 'Technical Bid' (Envelope-I) and 'Financial Bid' (Envelope-II). The third envelope shall contain the Earnest Money Deposited with covering letter.

26. **Evaluation of Technical Bids :**

Bids received and found valid will be evaluated by the Employees' State Insurance Corporation to ascertain the best-evaluated bid for the complete work/services, under the specifications and documents. The tenderer should take care to submit all the information sought by the Employees' State Insurance Corporation in prescribed formats.

a. Firm's relevant 2 years experience and strength – Profile of agency, Registration details, experience of similar works, annual turnover, total manpower employed.

b. Qualification of the proprietor/s or partner/s and related experience of works.

27. **Financial Bid :**

The financial bid of the tenderers, **whose technical bid is found to be suitable, will be opened in** the presence of the tenderers, who desire to attend the opening of financial bid. Minimum two days notice will be given to the tenderer for this purpose by suitable communications.

28. **Award of work :**

(1.) The selection of the agency will be at the sole discretion of the Employees State Insurance Corporation, who reserves the right to accept one or to reject any or all the tenders without assigning any reasons thereof.

(2.) The contract for Providing Annual Repairs and Maintenance shall be awarded to the best qualified responsive tender.

(3.) Upon evaluation of offers, the written notification for award of contract will be intimated to the successful tenderer to start the work.

29. Duly filled offer document shall be delivered by Hand Delivery in the office of Employees State Insurance Corporation at the following address:

**Sub Regional Office
Employees State Insurance Corporation
Civil Char Rasta,
ESI Hospita Campus, Ring Road, Surat- 395001
Tel (0261)2233600, 2233201, 2233195
Fax: (0261)2235621**

**Director I/c
Employees' State Insurance Corporation, Surat**

Sign of Contractor:

Date:

Place:

GENERAL CONDITIONS OF CONTRACT

Definitions and Interpretation

1.Definitions

- a. In the Contract (as hereinafter defined) the following words and expressions shall have the meanings hereby assigned to them except where the context otherwise requires :
- i. **“Employer”** means the Employees' State Insurance Corporation and the legal successors in title to Employees' State Insurance Corporation.
 - ii. **“Engineer”** means the person appointed by Employees' State Insurance Corporation to act as an Engineer for the purpose of the Contract.
 - iii. **“Contractor”** means an individual or firms (proprietary or partnership) whether incorporated or not, that has entered into contract (with the employer) and shall include his/its heirs, legal representatives, successors and assignees. Changes in the constitution of the firm, if any, shall be immediately brought to the notice of the employer, in writing and approval obtained for continued performance of the contract.
- b. (i) **“Contract”** means the conditions, the Specifications, the Bill of Quantities, the Tender, the Letter of acceptance, the Contract Agreement (if completed) and such other documents as may be expressly incorporated in the Letter of Acceptance or Contract Agreement.
- (ii) **“Specification”** means the specification of the works included in the contract and any modification thereof. The items of works shall be executed in strict accordance of CPWD specifications.
- (iii) **“Drawings”** means all the completion drawings, calculations and technical information of a like nature provided by the Engineer to the Contractor under this contract and all drawings, calculations, samples, patterns, models, Repair/Repairs and Maintenance manuals and other technical information of a like nature submitted by the Contractor and approved by the Engineer.
- (iv) **“Bill of Quantities”** means the priced and completed bill of quantities forming part of the Tender and may be submitted as in Performa attached along with measurement sheet.

(v) **“Tender”** means the Contractor's priced offer to the Employer for the execution and satisfactory completion of the works and the remedying of any defects therein in accordance with the provisions of the Contract, Specification as accepted by the Letter of Acceptance. The word Tender is synonymous with “Bid” and the words “Tender Documents” with “Bidding Documents”.

(Vi) **“Letter of Acceptance”** means the formal acceptance of the tender by Employees' State Insurance Corporation in writing.

(vii) **“Contract Agreement”** means the contract agreement (if any) referred to in Sub-Clause (1.a.iii)

(viii) **“Appendix to Tender”** means the appendix comprised in the form of Tender annexed to these Conditions.

c. (i) **“Commencement Date”** means the date on which the Contractor received the notice to start the works.

(ii) **“Time for Completion”** means the time period for which the contract for “Annual Repair and Maintenance” has been awarded by the employer to the contractor.

d. **“Taking Over Certificate”** means a certificate issued by employer evidencing successful and satisfaction completion of the awarded work.

e. (i) **“Contract Price”** means the sum stated in the Letter of Acceptance as payable to the Contractor for the execution and completion of the Works the remedying of any defects therein in accordance with the provisions of the Contract.

(ii) **“Retention Money”** means the aggregate of amount retained by the Employer as **“Security Deposit”**

f. (i) **“Works”** means the Permanent Works and the Temporary Works of either of them to be executed in accordance under the contract and contract specifications.

(ii) **“Site”** means the places provided by the Employer for Repair and Maintenance to the Contractor as per list annexed with the tender.

(iii) “**Cost**” means all expenditure properly incurred or to be incurred, whether on or off the Site, including over head and other charges but does not include any allowance for profit.

ENGINEER

1. Engineer's Duties and Authority

(a) The Engineer shall carry out the duties specified in the Contract.

2. Custody and Supply of Drawings and Documents

The Drawings shall remain in the sole custody of the Employer/Engineer, but copies as required thereof shall be provided to the Contractor free solely for the purpose of this contract.

3. Sufficiency of Tendered

The Contractor shall be deemed to have based his Tender on the data made available by the Employer and on his own inspection and examination of this site conditions. The acceptance of tender is deemed to have visited the site and made themselves conversant with the type of works incorporated in this tender.

4. Contractor's Employees

The Contractor shall provide round the clock services with qualified and experienced technical staff on site of work in connection with the Repair and Maintenance and the remedying of any defects therein.

5. Engineer at Liberty to Object

The Engineer shall be at liberty to object to remove forthwith from the Works, any person provided by the Contractor who, in the opinion of the Engineer, misconducts himself, or is incompetent or negligent in the proper performance of his duties, or whose presence on site is otherwise considered by the Engineer to be undesirable, and such person shall not be again allowed upon the Works without the consent of the Engineer. Any person so removed from the Works shall be replaced immediately.

6. Safety, Security and Protection of the Environment

The Contractor shall, throughout the execution and till completion of the Works and the remedying of any defects therein :

- i) Have full regard for the safety of all persons entitled to be upon the site and keep the site (so far as the same is under his control) and the Works (so far as the same are not completed or occupied by the Employer) in an orderly state appropriate to the avoidance of danger to such persons, and
- ii) Provide and maintain at his own cost all lights, guards, fencing, warning signs and watching, when and where necessary or required by the Engineer or by any duly constituted authority for the protection of the Works or for the safety and convenience of the public or others, and
- iii) Take all reasonable steps to protect the environment on and off the Site and to avoid damage or nuisance to persons or to property of the public or others, resulting from pollution, noise or other causes arising as a consequence of his methods or Repair.
- iv) All safety rules prescribed by the Government shall be strictly observed to execute the work and safety of manpower deployed.

7. (A) Insurance of work by the Contractor for his liability :

- (i) During the Repair and Maintenance period for loss or damage to the property and life arising from a cause for which contractor is responsible.
- (ii) For loss or damage occasioned by the Contractor in the Course of any Repairs and Maintenance carried out by him for the purpose of complying with his obligations.

It shall be the responsibility of contractor to notify the Insurance Company of any charge in the nature and extent of the works and to ensure the adequacy of the Insurance cover at all times during the period of contract.

B) Damage to Persons and Property

The Contractor shall, except if and so far as the Contract provides otherwise, indemnify the Employer against all losses and claims in respect of :

- (a) death of or injury to any person, or
- (b) loss or damage to any property (other than the Works):

Which may arise out of or in consequence of the Repair and Maintenance of the works and the remedying of any defects therein, and against all claims, proceedings, damages, costs, charges and expenses whatsoever in respect thereof.

8. Accident or Injury to Workmen

The Employer shall not be liable for or in respect of any damages or compensation payable to any workman under Compensation – Act for death or injury resulting from any act or default of the contractor. The contractor shall indemnify and keep indemnified the Employer against all such damages and compensation and expenses whatsoever in respect thereof or in relation thereto.

9.1 Evidence and Terms of Insurance

The contractor shall take out appropriate insurance to cover his work and workers and staff employed by him fully. The contractor shall provide evidence to the Engineer/Employer as soon as practicable after the respective insurance have been taken out but in any case prior to the start of work at the Site that insurance required under the Contract have been effected.

9.2 Compliance with Statutes, Regulations

The Contractor shall conform in all respects, including by the giving of all notices and the paying of all fees, with the provision of :

- (a) Any National or State Statute, Ordinance, or other Law, or any regulation, or bye-law of any local or other duly constituted authority in relation to the execution and completion of the Works and the remedying of any defects therein, and
- (b) The rules and regulations of all public bodies and companies whose property or rights are affected or may be affected in any way by the Works, and the Contractor shall

keep the Employer indemnified against all penalties and liability of every kind for breach of any such provision.

(c) Any changes required for approval due to revision of the local laws.

10. Default contractor in Compliance

In case of default on the Contractor in carrying out such instruction within the time specified therein or, if none, within a reasonable time, the Employer shall be entitled to employ and pay other persons to carry out the same and all costs consequent thereon or incidental thereto shall, be determined by the Engineer and shall be recoverable from the Contractor by the Employer, and may be deducted by the Employer from any payments due, or to become due, to the Contractor and the Engineer shall notify the Contractor accordingly.

11. Time for Completion

The Repair and Maintenance work shall be for a period of - -2014 to 31-3-2015 or as mentioned in the letter of commencement and shall start from the date of issue of letter and shall stand terminated after the expiry of one year or for the period as stipulated in the accepted contract agreement and detail sub work order issued by the competent authority and to be completed in time limit given in it.

12. Extension of Time for Completion

The Repair and Maintenance contract may be extended on the written mutual consent of both Employer and Contractor for a further period of one year. However, employer reserves its right to terminate the Repair and Maintenance contract by giving 15 days notice at any time during the currency of the contract if the services of the agency are not found satisfactory as per the opinion of employer or his representative for which, no claims or compensation shall be entertained by the Employer.

13. Defect Identification and its rectifications

Agency shall immediately attend the defects and complaints noticed and the agency shall provide and develop a system for regular Repair and Maintenance of all the services which includes defects identifications and its immediate rectification thereto, so that services are not effected. It shall be the sole responsibility of the Repair and

Maintenance agency that all the services are kept in functional condition round the clock during the currency of the contract.

Defect Liability period shall be six months from the date of completion of work under Bill Of Quantities for measurable works. The contractor shall rectify at his own expenses, any defect in the work carried out by him during this period. On failure of the contractor to do so, the same shall be completed by the Employer at the risk and cost of the contractor.

14. Penalty for Delay

If the Contractor fails to attend any complaint or defect in due course of time and if in the opinion of Engineer, the delay is on the part of Repair and Maintenance agency, the employer can impose liquidated damages on the contractor as details in the particular conditions. If he delays the work beyond completion date mentioned in petty job work order the penalty charged will be as below

1. Delayed up to 7 days - Penalty will be 2% of Item Cost
2. Delayed up to 7 to 15 days – Penalty will be 5% of Item Cost
3. Delayed up to 15 to 30 days – Penalty will be 10 % of Item Cost
4. Delayed up to 30 to 90 days – Penalty will be 25% of Item Cost

15. Contractor's Failure to Carry out Instructions

In case of default on the part of the Contractor in carrying out defect rectification works, the Employer/Engineer shall be entitled to employ and pay other persons to carry out the same and if such work, in the opinion of the Engineer, the Contractor was liable to do at his own cost under the Contract, then all costs consequent thereon or incidental thereto shall be determined by the Engineer and shall be recoverable from the Contractor by the Employer, and may be deducted by the Employer from any payment due or to become due to the Contractor.

16. Instruction for Variations

Quantities given in the Bill of Quantity and it may increase or decrease are estimated quantities. The quantity of any particular item may vary to any extent. Variation in quantity in particular items or overall cost, does not entitle contractor to claim for any extra cost.

17. Method of Measurement

The works shall be measured net, notwithstanding any general or local custom, except where otherwise provided in the Contract. The method shall be followed as per the CPWD Norms.

CERTIFICATES AND PAYMENTS

18. Monthly Statement:

The Contractor shall submit the details of the complaints attended by him in the prescribed Enclosure -I by the 5th of every month along with the Bill to the Engineer of the ESIC, Surat.

19.1 Deduction of Income Tax

The amount to be deducted towards the income tax shall be at the rate applicable.

19.2 Labour welfare cess

@ 1.0 (One) percentage on the work done shall be deducted from the each bill. (if applicable)

20. Monthly Payments

The Bills must be submitted on or before fifth of proceeding month in the form attach here with. (Abstract and measurement sheet attached)

21. Performance Guarantee:

Within Two weeks of issue of letter of intent of work, the Contractor shall submit a Performance Security Bank Guarantee Bond for proper performance of the Contract in the format enclosed as Enclosure III.

The Performance guarantee shall be valid for the duration of the contract period plus 60 days.

The performance security can be encashed by the Employer to recover any amount which is payable by the contractor to the Employer on any account for a cause arising out of the contract.

22. Correction of Certificates:

The Engineer may have issued any Interim Payment Certificate, the correction or modification in any previous Interim Payment Certificate which has been issued by him, and shall have authority, if any work is not being carried out to his satisfaction, to omit or to reduce the value of such work in any Interim Payment Certificate.

23. Final Certificates:

Within 28 days after receipt of the Final Statement, and the written discharge, the Engineer shall issue to the employer (with a copy to the contractor) a Final Certificate stating :

(a) The amount which, in the opinion of the Engineer, is finally due under the Contractor, and

(b) After giving credit to the Employer for all amounts previously paid by the Employer and for all sums to which the Employer is entitled under the contract.

24. Default of Contractor:

If the performance of the contract and is not satisfactory and not corrected within 15 days of receiving notice, then employer shall be at liberty to terminate the contract and get the work executed through other means at the risk and cost of the Contractor.

25. Amicable Settlement of Dispute:

The party shall use their best efforts to settle amicably all disputes arising out of or in connection this contract or the interpretation thereof.

26. Arbitration:

Any dispute and differences relating to the meaning of the specifications, designs, drawings and instructions herein before mentioned and as to the quality of workmanship of materials used in the work or as to any other question, claim, right, matter or thing whatsoever in any way arising out of or relating to the contract, designs, drawings, specifications, estimates, instructions or these conditions or otherwise concerning the works or the execution of failure to execute the same whether arising during the progress of the work or after the completion or abandonment thereof in respect of which amicable settlement has not been reached

shall be referred to the Sole Arbitrator appointed by the Chief Engineer, Employees' State Insurance Corporation, who shall proceed as per the Arbitration Act, 1996.

27.1 The Work under the contract shall continue, during the Arbitration proceedings.

27.2 The award of the Arbitrator shall be final, conclusive and binding on both the parties.

28. Payment on Termination :

In the event of termination of the contract, employer shall be at liberty to get balance work done at the risk and cost of the contractor and due payment of the contractor, if any, shall be released after the completion of whole of the works.

(Director)

Employees' State Insurance Corporation, Surat

Sign of Contractor:

Date:

Place:

Particular Conditions of Contract

- CPWD specifications shall be followed. Where not available, BIS/Engineering practice as directed by the Engineer shall be followed. The materials shall be got approved prior to its use for ARM from the Engineer I/C of the ESIC.
- Complaints shall be made in the format (Enclosure-I).
- A complaint register (format at Enclosure-II) shall be maintained in the Repair and Maintenance Office of the contractor in which all complaints received shall be documented.
- Formats of Performance Guarantee and Contract Agreement are at Enclosure III and IV respectively.
- All Repair and Maintenance related complaints shall be attended to within **two hour failing which a recovery of Rs. 100 per event per hour** shall be made from the subsequent payment certificate of the contractor.
- As the work will have to be carried out in building and area in use the **contractor shall ensure :-**
 - a) That the normal functioning of Employees' State Insurance Corporation activity is not effected as far as possible.
 - b) That the work is carried out in an orderly manner without noise and obstruction to flow of traffic.
 - c) That all replaced and defective electrical item should be deposited with ESIC Sub Regional Office Surat and the place is left clean and orderly at the end of a each day work.
 - d) The Contractor shall ensure that his Repair and Maintenance staff is qualified and licensed for their part of work. He shall be responsible for their conduct. The staff should behave in a courteous manner. The contractor shall be held responsible for any loss or damage to Employees' State Insurance Corporation property.
 - e) The contractor shall ensure safety of his workers and others at site of work and shall be responsible for any consequence arising out of execution of the Repair and Maintenance work.
 - f) When instructed to do so, the contractor shall ensure proper record keeping and storing of irreparable / dismantled material.
 - g) Water and electricity shall be made available free of cost at near by source of work. The contractor has to make his own arrangement for use of the same including extending temporarily lines etc. **The responsibility for following relevant rules, regulations and loss in the regard shall be entirely that of the contractor.**

IMPORTANT NOTE: -

The contractor shall take the complaint from the Director/Dy. Director / MED. Supdt. /I. M.O(I/C)/Branch Manager/ Allottee and attend the same immediately as per the direction. After attending the complaint he will show the Diary of complaint / certificate from users in token of work has been attended. All the materials and T&P required shall be arranged by the agency and nothing shall be paid extra on that account.

If the agency fails to attend the complaint in the specified time as mentioned, then the department may get the complaint attended by engaging labour and obtaining material from the open market and twice the amount shall be recovered from the agency.

Sign of Contractor:

Date:

Place:

(Director I/c)

Employees' State Insurance Corporation, Surat

CONTRACT AGREEMENT

This CONTRACT (hereinafter called the “Contract”) is made on theday of the month of, 2014 between Employees' State Insurance Corporation, Surat on the one hand (hereinafter called the Employer) and on the other hand..... (Hereinafter called the Contractor).

WHEREAS

- a. The Client has accepted the offer of the Contractor to provide certain services for Annual Repairs and Maintenance of Hospitals/ Dispensaries/Offices/Residential Colony etc. under Employees' State Insurance Corporation, Surat.
- b. The Contractor, having represented to the client that they have the required professional skills, personnel and technical resources, have agreed to provide the services and execute the works on the terms and conditions set forth in this Contract Agreement.

Now therefore the parties hereto/hereby agree as follows:

1. The following documents attached hereto shall be deemed to form an integral part of this contract:

1	Notice Inviting Tender & Instructions to Tenderers	<i>Annexure 'A'</i>
2	General Conditions of Contract	<i>Annexure 'B'</i>
3	Particular conditions of contract along with Enclosure I, II, III, & IV Format No. I & II	<i>Annexure 'C'</i>
4	Format of Contract Agreement	<i>Annexure 'D'</i>
5	Schedule of Items	<i>Annexure 'E'</i>

The mutual rights and obligations of the Employer and the Contractor shall be as set forth in the contract in particular:

- a. The Contractor shall carry out the services in accordance with the provisions of the contract and,
- b. The Client shall make payments to the contractor in accordance with the provisions of the contract.

In witness whereof, the parties hereto have caused this contract to be signed in their respective names as of the day and year first above written.

FOR AND ON BEHALF OF

[CLIENT/EMPLOYER]

(Director I/c)

Employees' State Insurance Corporation, Surat

FOR AND ON BEHALF OF

[CONTRACTOR]

Sign of Contractor.....

Date:

Place:.....

COMPLAINT REGISTRATION FORM

Date_____

Time_____

Nature of complaint_____

Complainant's name _____Signature: _____

Address : _____

(To be filled by the Complainant Only)

(Part -B)

Complaint attended on (date)_____Time _____ From _____ To _____

I (name of the Complainant) _____

certified that the complaint has been satisfactorily attended and following items/materials replaced/ used by the contractor.

Details of Materials/Items replaced/used

1.

2.

3.

4.

Signature of Complainant

Date :

=====

Contractor Complaint No. _____ Date: _____

Contractor's Signature _____

NOTE :- 1. To be submitted along with running bills.

2. Part-A & B should be filled by the complainant only.

MAINTENANCE COMPLAINT REGISTER

<i>Sl. No.</i>	<i>Date & Time</i>	<i>Complaint</i>	<i>Nature of Complaint</i>	<i>Complaint attended Date & Time</i>	<i>Signature of Contractor</i>	<i>Remarks</i>

FORM OF PERFORMANCE SECURITY BANK GUARANTEE BOND

In consideration of the Employees' State Insurance Corporation having agreed under the terms and conditions of the Agreement no. dated made between Employees' State Insurance Corporation and Second Party (here in called the said Construction Agency for the work hereinafter called the said agreement) to production of irrevocable bank guarantee for Rs. (Rs. only) as a Security/Guarantee from the Construction Agency for compliance of his obligations in accordance with the terms and conditions in the said agreement.

1. We..... (hereinafter referred as to "The Bank" hereby) (indicate the name of the bank) Undertake to pay to the Employees' State Insurance Corporation an amount not exceeding Rs..... (Rs. only) on demand by the Employees' State Insurance Corporation.

2. We do hereby undertake to pay the amounts due and payable under this Guarantee without any demure, merely on a demand from the Employees' State Insurance Corporation stating that the amount claimed is required to meet the recoveries due or likely to be due from the Second Party. Any such demand made on the Bank shall be conclusive as regards the amount due and the payable by the bank under this Guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs..... (Rs. only)

3. We, the said bank further undertake to pay to the Employees' State Insurance Corporation any money that is demanded notwithstanding any dispute or disputes raised by the Second Party in any suit or proceeding pending before any court or Tribunal relating thereto, a liability under this present being absolute and unequivocal.

The payment so made by us under this bond shall be a valid discharge of a liability for payment there under and the Second Party shall have no claim against us making such payment.

4. We further agree that the guarantee herein contained shall remain in full force and effect during the period that would taken for the performance of the said agreement and that it shall continue to enforceable till all the dues of the Employees' State Insurance Corporation under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or Engineer-in-charge on behalf of the Employees' State Insurance Corporation certified that the terms and conditions of the said agreement have been fully and properly carried out by the said Second Party and accordingly discharges this guarantee.

5. We(indicate the name of Bank) further agree with the Employees' State Insurance Corporation that, the Employees' State Insurance Corporation shall have the fullest liberty without our consent and without effecting in any manner our obligations hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said contractor(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the Employees' State Insurance Corporation against the said Second Party and to bear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said contractor or for any forbearance, act of omission on the part of the Employees' State Insurance Corporation or any indulgence by the Employees' State Insurance Corporation to the said contracts or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

6. This guarantee will not be discharged due to the change in the constitution of the Bank of the contractor,

7. We..... lastly undertake not to revoke this guarantee except with the previous consent of the Employees' State Insurance Corporation in writing.

8. This guarantee shall be valid up to..... Unless extended on demand by Employees' State Insurance Corporation. Notwithstanding anytime mentioned above, our liability against this guarantee is restricted to Rs..... (Rs. only) and unless a claim in writing is lodged with us within six months of the date of expiry of the extended date of expiry of this guarantee all our liabilities under this guarantee shall stand discharged.

**Dated the..... Day of..... For.....
(indicate the name of Bank)**

Yard Stick for (ELECT) Repair and Maintenance Work

Sl. No.	Item of work	Periodicity	Qty to be executed during the financial year
1.	Earth Testing	Once in a year	100.00%
2.	Insulation Test	Once in a year	100.00%
3.	Cleaning of Electrical Installation		
	a) Residential Building	Once in a year	100.00%
	b) Non residential Building.	Once in a year	100.00%
4.	Painting of E.I.		
	a) Residential Building.	Once in 3 years	33.33%
	b) Office building.	Once in 2 year	50%
	c) hospital/Dispensary	Once in a year	100.00%
5.	Oiling and Greasing/repair/replacement of fans.	As and when required	As and when required
6.	Spray painting of ceiling fans with finishing enamel conforming to IS 2932-1974 or its latest amended/revised code.	Once in 5years	20.00%
7.	Checking of switch boards (switch, socket outlets regulators)checking of louvers of exhaust fans, connecting wires including ceiling rose, SDB/BDB/Main board etc.	Once in a years	100.00%
8.	Replacement of sub main, circuit wiring, point wiring (to a limited extent as plausible) and replacement/repairs of switches , sockets. MCB's/isolators, other control and switch gear.	As and when required	As and when required
9.	Polarity Test	Once in 5years	20.00%

Format I

BRIEF DESCRIPTION OF THE FIRM

(With an outline of the experience of the firm for similar works during last three years)

a) Name of the firm. _____

b) Year of registration. _____

c) Type of firm (Individual/Proprietary/Limited Company or any other)

d) In house facilities available in following fields.

Sl.No.	Category of works / Fields	Manpower with more than 10 years experience	Manpower with 5 to 10 years experience	Manpower with lesser than 5 years experience
1	Original/Annual repair works (Elect.)			
2	Original/Repair and Repairs and Maintenance of water supply, plumbing & sewerages, drainage			
3	Elect. Works. a. Degree Engineer b. Dip. Engineer c. Helpers			

NOTE :-

Provide documents in support of the details provided like Degree/Dip. Certificate, letter of appointment & pay scale etc. in above format, failing which the authenticity of the information may not be accepted.

Sign of Contractor:

Date:

Place:

Format II

EXPERIENCE OF COMPANY

Experience of similar work of construction, pipe laying/annual Repair and Maintenance completed during last three years preceding March 2013 details of completed and on going works, works tendered for etc. **Use separate sheet for each work.**

1	Project title & Location :	
2	Name of the Client and Address :	
3	Describe area of participation (Specific Work done/services rendered by the applicant)	
4	Period of work Done/Services rendered for the project	
5	Total cost of work of Annual Repairs and Maintenance for Civil works	
6	Date of start of the work and the present status	
7	Any other details	

NOTE:-

Supporting authenticated documents, like certificates from the client in support of each of the above works/project to be furnished in original when asked for.

Sign of Contractor:

Date:

Place:

FINANCIAL BID (PART B)

Name of work: Providing Annual Repairs and Maintenance of Buildings (Elect.) under Employees' State Insurance Corporation, Surat. Group II (Elect.)

ABSTRACT OF COST

Sl. No.	Description of Items	Qty	Rate	Unit (per)	Amount (Rs.)
1.	Maintaining & Repairing of buildings of Employees' State Insurance Corporation including attending day to day necessary, Maintenance, work and Annual Repairs, Maintenance work as per the yard stick enclosed in the Annexure (s).	Hospital. 20336.73 Sqm. Staff Qtrs: 9373.39 Sqm. Office Bldg. 1973 Sqm. Dispensary. 3075 Sqm.		One Sq meter One Sq meter One Sq meter	
2	TOTAL				

NOTE: - The lowest rate will be calculated on the basis of over all total amount.

Sign of Contractor with seal:.....

Date:

Place:

(Director I/c)
Employees' State Insurance Corporation, Surat

Schedule of Rate Items

For

FOR THE WORK OF PROVIDING ANNUAL REPAIRS AND MAINTENANCE (ELECT.)

OF ESIC BUILDINGS FOR THE YEAR 2014-2015 OF ESIC - SURAT

(A) Electrical Maintenance Providing and fixing of the items to be attended by the round the clock services :-

Sr. No	Details of Items	Unit	Quantity	Rate		Amount (Rs.)
				In figure	In Word	
1	a. Overhauling of Ceiling and Exhaust Fan	Each	1			
	b. Replacement of Fan Capacitor		1			
	c. Removing of Fan Winding (Copper wire) & Fixing		1			
	d. Fan Spray enamel paintings		1			
	e. Replacement of Ball Bearing		1			
	f. Replacement of Fan Regulator Resistance Type		1			
	g. Replacement of Fan Regulator Electronic		1			
2	Cutting & threading down rod of G.I. pipe heavy gauge down rod as required	Each	1			
3	Replacement of MCCB 4 Pole	Each	1			
	a. 200 A 25KA b. 400 A 25KA		1			
4	a. Replacement of MCB's SP(6-32) A	Each	1			
	b. Replacement of MCB's SPN (6-32) A		1			
	c. Replacement of 4 Pole MCB's 32A		1			
	d. Replacement of 4 Pole MCB's 40 A		1			
	e. Replacement of 4 Pole MCB's 63 A		1			
	f. Replacement of 4 Pole MCB,s 100 A		1			
5	Replacement of PVC conduit pipe with clamp dia .size 25 mm ²	M	1			
6	Replacement of Switch 5/6 Amp	EACH	1			
7	Replacement of SOCKET 5/6 Amp	Each	1			
8	Replacement of Switch 15/16 Amp	Each	1			

9	Replacement of SOCKET 15/16 Amp	Each	1			
10	Replacement of Switch & Socket Unit 15 Amp	Each	1			
11	Replacement of Metal Clad 20 Amp. 3 Pin Socket	Each	1			
12	Replacement of Metal Clad 20 Amp. 3 Pin Top	Each	1			
13	Tube Light Full Fitting with Cover 40w (ISI Approved)	Each	1			
14	Replacement of Tube light General 40W (ISI Approved)	Each	1			
	a) Starter	Each	1			
	b) Choke	Each	1			
	c) Rotary holder for tube light (ISI Approved)	Each	1			
	d).Tube light Starter holder (ISI Approved)	Each	1			
	e).Normal Repairing on checking	Each	1			
15	Tube light Full Fitting with cover 40 watt (ISI Approved)	Each	1			
16	Replacement of Tube light 40 W (ISI Approved)	Each	1			
	a. Choke (ISI Approved)	Each	1			
	b. Rotary holder for tube light (IAI Approved)	Each	1			
	c. Normal Repairing or checking	Each	1			
17	Replacement Bell Push (ISI make)	Each	1			
18	Buzzer (ISI Approved)	Each	1			
19	Replacement Ding Dong Bell (ISI Approved)	Each	1			
20	Replacement 2.5 MFD Capacitor (ISI Approved)	Each	1			
21	Replacement 3.5 MFD Capacitor (ISI Approved)	Each	1			
22	Replacement 4 MFD Capacitor (ISI Approved)	Each	1			
23	Replacement Ceiling Fan 48" (ISI Make)	Each	1			
24	Replacement Angle Holder (ISI make)	Each	1			
25	Replacement Batten Holder (ISI make)	Each	1			

26	Replacement Ceiling Rose (ISI make)	Each	1			
27	Replacement PVC Insulated flexible cable 3 core x 1.5 sq. mm	Each	1			
	3 core x 2.5 sq. mm	Each	1			
	4 core x 4 sq. mm	Each	1			
28	Replacement PVC Pipe 19 mm (ISI Approved)	Each	1			
29	Replacement PVC elbow 19 mm (ISI Approved)	Each	1			
30	Replacement PVC Tee 19mm (ISI Approved)	Each	1			
31	Replacement PVC pipe 25 mm (ISI Approved)	Each	1			
32	Replacement PVC elbow 25 mm (ISI Approved)	Each	1			
33	Replacement PVC Tee 25mm (ISI Approved)	Each	1			
34	Replacement One way J.B. 19 mm (ISI Approved)	Each	1			
35	Replacement Two way J.B 19 mm (ISI Approved)	Each	1			
36	Replacement Three way J.B 19mm (ISI Approved)	Each	1			
37	Replacement four way J.B 19mm (ISI Approved)	Each	1			
38	Replacement Saddle 19mm (ISI Approved)	Each	1			
39	Replacement Wodden board with sunmica sheet Suitable for 15 A S+S	Each	1			
	a) 1S+1P BOARD	Each	1			
	b) 2S+2P BOARD	Each	1			
	c) 3S+3P BOARD	Each	1			
	d) 4S+4P BOARD	Each	1			
	e) 5S+5P BOARD	Each	1			
	f) 3S+3P+15A+S+S	Each	1			
40	Replacement pvc gang box (ISI Approved)	Each	1			
	2S+2P	Each	1			
	3S+3P	Each	1			

41	Replacement BKDP Switch 32 Amp. (ISI make)	Each	1			
----	---	------	---	--	--	--

(B) Providing & Fixing electrical Installation & Earthing Work

Sr. No	Details of Items	Unit	Quantity	Rate		Amount (Rs.)
				In figure	In Word	
1	Wiring for Circuit/submain wiring along with earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/recessed PVC conduit as required.					
	a. 2x1.5 sq.mm. + 1x1.5 sq.mm earth wire	Mtr.	1			
	b. 2x2.5 sq.mm + 1x2.5 sq.mm earth wire	Mtr.	1			
	c. 2x4 sq.mm + 1x4 sq.mm earth wire	Mtr.	1			
	d. 2x6 sq.mm + 1x6 sq.mm earth wire	Mtr.	1			
	e.3x4 sq.mm + 1x4 sq.mm earth wire	Mtr.	1			
	f.3x6 sq.mm + 1x6 sq.mm earth wire	Mtr.	1			
	g.4x6 sq.mm + 1x6 sq.mm earth wire	Mtr.	1			
2	Wiring for li2x6 sq.mm + 1x6 sq.mm earth wireght point /exhaust fan point/call bell point with 1.5 sq.mm FR PVC insulated copper conductor Single Core cable etc as required	Point	1			
3	Wiring for twin Control light point with 1.5 sq.mm FR PVC Insulated Copper conductor Single Core Cable in surface/ recessed medium class PVC conduit,2 way piano type switch,phenolic laminated sheet,suitable size MS box and earthing the point with 1.5 sq mm. FR PVC insulated copper conductor single core cable etc as required	Point	1			
4	Providing and fixing suitable size surface box with modular plate wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core	Point	1			

	cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required.					
5	S/F Pre-wired SP MCB DB. Providing & fixing following way, and pole and neutral, sheet, MCB distribution board, 240 volts, on surface/recess, complete with tinned copper busbar neutral busbar, earth bar, din bar, detachable gland plate, interconnections, phosphatized and power printed including earthing etc. as required (but without MCB/RCCB/Isolator)	Each	1			
	a. 4 way, single door, Horizontal type 240 v SPN MCB DB	Each	1			
	b. 6 way (4+18) single door, 250v, SPN MCB DB	Each	1			
	c. 8 way single door, 250v, SPN MCB DB	Each	1			
	d. 14 way single door, 250v, SPN MCB DB	Each	1			
	e. 6 way single door, 415v TPN MCB DB	Each	1			
6	Supplying and fixing following rating & pole residual current breaker (RCCB) having a sensitivity current up to 300 mA in the existing MCB DB complete with connection testing & commissioning etc. as required. 40 amps Four pole (TPN), 415 Volts 25 amps SPN, 240 Volts.	Each Each	1 1			
7	Providing and fixing 5 amp to 32 amps rating 240/415 volts "C" Curve MCB Suitable for inductive load of following ports in the existing MCB DB Complete with connection testing commissioning etc as required a)Single Pole b)Single pole and neutral c)double pole d)Triple Pole	Each Each Each Each	1 1 1 1			

	e)Triple Pole & Nutral	Each				
8	Supplying & Fixing 20 Amp 240V SPN industrial socket outlet with two pole & earth metal inclosed plug top along with 20 Amp (c series signal pole) MCB in sheet steel enclosure on surface or in recess with chain metal over for socket outlet additional complete with connection testing commissioning etc as required. (Havel,s/indoasian)	Each	1			
9	Supplying and fixing following rating double pole 240 volts Isolator in the existing MCBDB complete with connection testing and commissioning etc. a)40 amps b)63 amps	Each	1			
10	Earthing with G.I. earth pipe 4.5 mt. long 40 mm dia including accessories and providing masonary enclosure with cover plats having locking arrangement and watering pipe etc. (but with charcol or coke & salt) as required.	Set	1			
11	Extra for using salt & charcoal for pipe earth electrode as required	Set	1			
12	Providing and laying earth connection from earth electrode with 6 swg. G.I. wire in 15 mm. dia G.I. pipe from earth electrode as required.	Mtr.	1			
13	Providing and fixing 6 swg dia. G.I. wire of surface or in recess for loop earthing along with cable as required.	Mtr.	1			
14	Earthing with G.I. earth plate 600 mm X 600 mm X 6 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke and salt as required	Set	1			
15	Earthing with copper earth plate 600 mm X 600 mm X 3 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke and salt as required.	Set	1			
16	Supplying and laying 25 mm X 5 mm copper strip at 0.50 metre below ground as strip earth electrode, including connection/	Set	1			

	terminating with nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of brass nut bolt & spring washer spaced at 50mm)					
17	Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm)	Metre	1			
18	Providing and fixing 25 mm X 5 mm copper strip in 40 mm dia G.I. pipe from earth electrode including connection with brass nut, bolt, spring, washer excavation and re-filling etc. as required.	Metre	1			
19	Providing and fixing 25 mm X 5 mm G.I. strip in 40 mm dia G.I. pipe from earth electrode including connection with G.I. nut, bolt, spring, washer excavation and re-filling etc. as required.	Metre	1			
20	a. Replacement / repairing of Al. PVC Cable size 4 x 25 mm ²	M ²	1			
	b. Replacement / repairing of Al. PVC Cable size 4 x 50 mm ²		1			
	c. Replacement / repairing of Al. PVC Cable size 4 x 95 mm ²		1			
	d. Replacement / repairing of Al. PVC Cable size 3.5 x 70 mm ²		1			
	e. Replacement / repairing of Al. PVC Cable (Armored) size 3.5 x 150 mm ²		1			
	f. Replacement / repairing of Al. PVC Cable (Armored) size 3.5 x 300mm ²		1			
	g. Replacement / repairing of Al. PVC Cable (Armored) size 3.5 x 300 mm ²		1			
	h. Replacement / repairing of Al. PVC Cable size 4 x 70 mm ²		1			
20	a. Complete cable joint with labour of size 4 x 95 mm ²	M ²	1			
	b. Complete cable joint with labour of size 3.5 x 150 mm ²		1			
	Complete cable joint with labour of size 3.5 x 300 mm ²		1			
21	a. Al. Socket / Thimble dia. size 95	Each	1			

	mm					
	b. Al. Socket / Thimble dia. size 150 mm		1			
	c. Al. Socket / Thimble dia. size 300 mm		1			
22	Al. End Terminal Joint Kit for Cable Size		1			
	a. 3.5X300 mm ²	KIT	1			
	b. 3.5X300 mm ²		1			
23	Replacement of existing wiring of copper Flexible wire size a) 1.5mm ²	M				
	b) 2.5mm ²	M				
	c) 4mm ²	M				
	d) 6mm ²	M				
24	Replacement of existing wiring of FR Copper Flexible wire size a) 1.5mm ²	M				
	b) 2.5mm ²	M				
	c) 4mm ²	M				
	d) 6mm ²	M				
25	P/F Wodden board with sunmica sheet Suitable for 15 A S+S	Each	1			
	a) 1S+1P BOARD	Each	1			
	b) 2S+2P BOARD	Each	1			
	c) 3S+3P BOARD	Each	1			
	d) 4S+4P BOARD	Each	1			
	e) 5S+5P BOARD	Each	1			
	f) 3S+3P+15A+S+S	Each	1			

(C) Street Light

Electrical Maintenance Providing and fixing of the items to be attended by the round the clock services

Sr.	Details of Items	Unit	Qu	Rate	Amount
-----	------------------	------	----	------	--------

No			ant ity	In figure	In Word	(Rs.)
1	Replacement of MLL-N lamp 160W	Each	1			
2	Paint of Poles	Each	1			
3	Complete Halogen Fitting 250 W with toughen glass ,weather proof with tube	Each	1			
4	Complete Halogen Fitting 250 W with toughen glass ,weather proof with tube	Each	1			
5	Top Glass Doom	Each	1			
6	Full Unit	Each	1			
7	Replacement of HPSV lamp 70W	Each	1			
	160W	Each	1			
	250W	Each	1			
8	Replacement of HPSV Porcelain Screw type lamp holder 70W	Each	1			
	160W	Each	1			
	250W	Each	1			
9	Replacement of HPSV Capacitor 70W	Each	1			
	160W	Each	1			
	250 W	Each	1			
10	Replacement of HPSV igniter 70W	Each	1			
	160W	Each	1			
11	Repair/Replacement of HPSV lamp choke 70W	Each	1			

	250W	Each	1			
12	Supplying & erecting XLPE (IS:7098) i-88 ISI Marked unarmoured aluminum cable 1.1 Kv grade with necessary clamps on wall of following size. a. 4 core 4 sq. mm	Mtr.	1			
13	Supplying & erecting approved make SMC press moulded composite FRP. (plastic) loop-in, loop-out box approx 207mm thick complete with bakelite connector strip 4 way & hinged doors having locking arrangements with mounting clamp with nuts, bolts & washers suitable for erection on pole with cable clamps & earth bolt of following size of box. 150mm x 125mm x 200mm	Each	1			
14	Providing single arm bracket comprising main light class G.I. tube of 4.2 cms outside dia. complete with suitable M.S. sleeve tubing of approx 30 cms length and suitable for 76.5/80 mm or require size pole top having 5 nos. fasteners for fixing the brackets and having suitable rise as per site condition as directed and spread of 2 mtr. with suitable welded stiffener reduced and with check nut complete painted. Suitable for side entry fitting.	Each	1			
15	Supplying & erecting XLPE (IS:7098) (I)-88 ISI marked flexible copper cable 1.1 KV grade with necessary clamps on wall of following size. 3 Core 1.5 sq. mm	Mtr.	1			
16	Making trench in soft soil of suitable width of 90 cms deep for laying cable or locating the fault all over the run and back filling the same and making the surface as normal ground Up to 25 sq. mm cable	Mtr.	1			
	TOTAL					

(D) PUMPS

Sr. No	Details of Items	Unit	Quantity	Rate		Amount (Rs.)
				In figure	In Word	
1	Replacement of Starter type					
	MK 1	1	Each			
	MK2	1	Each			
	Start delta starter for 10 HP Pump	1	Each			
2	Replacement of TPN Switch Amp415 Vol. a)32 Amps b)63 Amps c)100 Amps	1	Each			
3	TPN Switch 100 Amp Amp415 Vol.	1	Each			
4	Replacement/Laying/Lowering of flat PVC insulated cable size	1	mtr			
	a)4sq.mmX3 core	1	mtr			
	b)6sq.mmX3 Core	1	mtr			
	c)10sq.mm X 3 Core	1	mtr			
5	Overload Relay 6-32 AMP	1	Each			
6	Rewinding of following capacity Submersible pump and certifugal mono block pump set and suitable insulation and strip.The cost includes removing and Refixing at same place including loading unloading and transportation complete testing commissioning etc. required	1	Each			
	3HP	1	Each			
	5HP	1	Each			
	7.5HP	1	Each			
	10HP	1	Each			
7	To Apply air Pressure in Pipe and	1	job			

	removing the excess sand etc increase the flat up 150 ft depth					
8	Painting of Monoblock quantity pumps up to 7.5 HP	1	Each			
9	Servicing of Monoblock pumps includes replacement of bearing and transportation a) 3HP b) 5HP c) 7.5HP	1	Each			
10	Servicing of Submericible pump up to 10 hp includes removing and refitting and transportation	1	Each			
11	Single phase Garden Sub Pump Motor removing rewinding and refitting back including transportation charges	1	Each			
12	Single Phase Garden Grass Cutting moter 1 HP removing Rewinding and refitting back including transportation	1	Each			

(E) LIFT MAINTAINANCE WORK

Sr. No	Details of Items	Quan tity	Unit	Rate		Amount (Rs.)
				In figure	In Word	
1	Servicing of Lift	3 times	Nos			
2	Replacing of Gearbox oil	1	Litre			
3	Replacing of overhead Relay	1	Each			
4	Replacing of Contractor	4	Each			
5	Inter Lock doors switch	4	Each			
6	Rewinding of Break Coil	1	Each			
7	Rewinding of main moter	1	Each			
8	Replacement of fuses	6	Mtr			
9	Repairs of Internal Doors	2	Each			
10	Repairs of Collapseable door	2	Each			
11	Replacement of Break Liner	1	Each			
12	Replacement of Push button	1	Each			

	Indoor/ Outdoor					
13	Replacement of grasskit of Gear box	1	Each			

(F) SUBSTATION EQUIPMENT

Sr. No	Details of Items	Quantity	Unit	Rate		Amount (Rs.)
				In figure	In Word	
1	Transformer oil filtration includes breakdown test	1	JOB			
2	Replacement of silica gel of transformer	1	Nos			
3	HT Circuit breaker preventive maintainance & Oil testing with filtration	1	Nos			
4	LT Circuit Breaker P/M and oil Testing and filtration	1	Nos			

Notes:

- 1) No extra charges will be paid for transportation & filtration of machine
- 2) Additional oil to be brought by the party.

(G) SUPPLY OF ELECTRICAL MATERIALS :-

Electrical Maintenance Providing and fixing of the items to be attended by the round the clock services

Sr. No	Details of Items		Quantity	Unit	Rate	Amount (Rs.)
1	Tube light Starter holder	Anchor/Starco	1	Each		
2	5 Amp one way switch	Anchor	1	Each		
3	5 Amp three pin swocket	Anchor	1	Each		
4	15 amp one way switch	Anchor	1	Each		
5	Tube light Starter	Philips/Crompton	1	Each		
6	40 watt tube light choke	Philips/Crompton	1	Each		
7	Rotary holder for tube light	Anchor	1	Each		
8	Bell Push	Anchor	1	Each		
9	5 amp three pin top plug	Anchor	1	Each		
10	15 amp three pin top plug	Anchor	1	Each		
11	2.5 MFD Capacitor	ISI Approved	1	Each		
12	3.15 MFD Capacitor	ISI Approved	1	Each		
13	Fan Regulator (Electronic)	Crompton/Usha/Orient	1	Each		
14	Angle Holder	Anchor	1	Each		

15	Bater Holder	Anchor	1	Each		
16	PVC Insulation tape roll	Anchor	1			
17	Flexible Wire 15/20 24/20 32/20	ISI Approved	1	90 Mtr Roll Each		
18	PVC Insulated copper wire	ISI Approved	1	Each		
	1.50 sq. mm					
	2.50 sq. mm					
	4.00 sq. mm					
	6.00 sq. mm					
19	PVC Insulated flexible Copper wire 3 core X 1.5 sq. mm 3 core X 2.5 sq. mm		1 1	Mtr Mtr		
20	MCP S.P. 5 – 32A (ISI Approved)	ISI Approved	1	Each		
21	MCB D.P. 5 – 32 A (ISI Approved)	ISI Approved	1	Each		
22	MCB T.P. 40 amp (ISI Approved)	ISI Approved	1	Each		
23	MCB T.P.N. 62 amp (ISI Approved)	ISI Approved	1	Each		
24	Roll Plug (ISI Approved)	ISI Approved	1	Each		
25	Screws 25 X 8 mm 35 X 8 mm 60 X 8 mm	ISI Approved	1	Pkt		
26	PVC pipe 19 mm (ISI Approved)		1	Mtr		
27	PVC elbow 19 mm (ISI Approved)		1	Each		
28	PVC Tee 19 mm (ISI Approved)		1	Each		
29	PVC Pipe 25 mm (ISI Approved)		1	Mtr		
30	PVC Pipe 25 mm Elbow (ISI Approved)		1	Each		
31	PVC Tee 25 mm (ISI Approved)		1	Each		
32	One way J. B. 19 mm (ISI Approved)		1	Each		
33	Two way J.B. 19 mm (ISI Approved)		1	Each		

34	Three way J.B. 19 mm (ISI Approved)		1	Each		
35	Four way J.B. 19 mm (ISI Approved)		1	Each		
36	Saddle 19 mm (ISI Approved)		1	Each		
37	Wooden board with Sunmica Sheet 1S + 1P Board 2S + 2P Board 3S + 3P Board 4S + 1 P Board 5S + 1 P Board 15amp S+S 3S+3P+15AS+S		1 1 1 1 1 1 1	Each		
38	15 amp combined S/S (ISI Approved)		1	Each		
39	PVC gang box (ISI Approved)		1	Each		
40	Flexible wire 24/36 (ISI Approved)	90 mtr role	1	Each		
41	BKDP switch (ISI make)		1	Each		
42	Buzzer (ISI make)		1	Each		
43	Ding dong bell (ISI make)		1	Each		
44	40 W complete tube light fitting with top cover		1	Each		
45	T5 28 W complete Tube Light Fitting With top cover		1	Each		
46	40 W Full Tube Light Fitting		1	Each		
47	T5 28 W Full Tube Light Fitting		1	Each		
48	Ceiling rose (ISI make)		1	Each		

Round the Clock Services to be provided

Sr. No.	In Rupees	
Monthly Charges		

Total Cost of Tender

Total		
Total (A+B+C+D+E+F+G)		
In Words Rs.		

Condition :-

1. Item may vary in quantities as per volume of work.
2. DSR rates will be applicable for works not included in the tender, if required.
3. All rates should be quoted other wise tender can be rejected.
4. Qty for the above work can vary from Nil to maximum (0 to no limit).
5. Round the clock power without any interruption in the hospital, offices & staff quarters are must. Any sudden breakdown would be attended and rectified by the agency is mandatory.
6. Manpower must require sufficient Knowledge about equipment, Power line and repairing and maintenance work including required certificates, ITI or diploma of repute.
7. All safety rules and regulations of IEE will be strictly followed by the agency. If not, legal action will be taken and work would be cancelled without any further clarifications.
8. Only ISI materials and reputed would be used by the agency for electrical work.
9. Any emergency electrical break down / shutdown would be attended by contractor immediately as the hospital having emergency operation regarding medicals, for that emergently man power should be deputed by on his own cost. if failure, legal action will be taken & contract will be terminated without any further notice.

Note :- All materials to be used must be got approved before taking up the work.

I have filled in the rates after verifying from market and also have visited all locations of E.S.I.C. as mentioning in the Tender where General Hospital/ Staff Qrts. / Sub- Regional Office/ Dispensaries (total 07 locations) are existing as well as read & accepted the above mentioned conditions.

Date:

Place:

Sign of Contractor with seal:.....

(Director I/c)

Employees' State Insurance Corporation, Surat