Accenture Technical Mock Test — Set 3

45 Questions • Computer Science • Networking • Pseudo Code

Pattern aligned to the supplied Accenture mock materials. Questions are uniquely authored across the 10 sets.

Section 1 — Computer Science

Q1. Two methods named `display` accept different numbers of arguments. Which Java feature allows this?

A. Composition
B. Encapsulation
C. Method overriding
D. Method overloading

Q2. Which data structure is typically used by BFS?

A. Heap
B. Queue
C. Hash table
D. Stack

Q3. Which operator checks equality for primitive values?

A. !=
B. =
C. ==
D. equals-only

Q4. Which JavaScript keyword declares a block-scoped variable that can be reassigned?

A. let
B. var-static
C. define
D. const

Q5. Which concept bundles data and methods while controlling access to the data?

A. Polymorphism
B. Encapsulation
C. Compilation
D. Iteration

Q6. Which SQL aggregate function returns the average value of `balance`?

A. SUM()
B. MAX()
C. AVG()
D. COUNT()

Q7. Which HTML5 element provides native audio playback controls?

A. <audio controls>
B. <sound>
C. <music>
D. <media audio>

Q8. Which constraint prevents NULL values in a column?

A. DEFAULT
B. NOT NULL
C. UNIQUE
D. CHECK

Q9. Which SQL join keeps every product from the right-side `Inventory` table even if no warehouse match exists?

A. LEFT JOIN
B. CROSS JOIN
C. INNER JOIN
D. SELF JOIN

Q10. Which Java collection does not allow duplicate elements?

A. List
B. Queue
C. Map
D. Set

Q11. Which status code indicates a redirect?

A. 400
B. 503
C. 302
D. 201

Q12. Which data structure follows LIFO order?

A. Graph
B. Queue
C. Heap only
D. Stack

Q13. Which database object can speed up searches on selected columns?

A. View
B. Trigger
C. Cursor
D. Index

Q14. A subclass `Dog` redefines the inherited `sound()` method with the same signature. What feature is demonstrated?

A. Method overriding
B. Aggregation
C. Method overloading
D. Constructor chaining

Section 2 — Fundamentals of Networking

Q15. Which protocol is used to securely transfer files over SSH?

A. SFTP
B. FTP
C. SMTP
D. TFTP

Q16. Which protocol provides encrypted web communication?

A. ICMP
B. RIP
C. ARP
D. TLS

Q17. Which network device can enforce access rules based on IP/port and segment traffic?

A. Patch panel
B. Repeater
C. Firewall
D. Hub

Q18. A /26 IPv4 subnet contains how many total addresses?

A. 32
B. 62
C. 64
D. 128

Q19. Which mechanism reduces the sending rate when network congestion is detected?

A. Congestion control
B. Address resolution
C. Name resolution
D. Port forwarding

Q20. Which security approach assumes no implicit trust and continuously verifies access?

A. Zero Trust
B. Perimeter-only security
C. Anonymous access
D. Open Trust

Q21. Which protocol maps an IPv4 address to a local MAC address?

A. DHCP
B. DNS
C. ARP
D. ICMP

Q22. Which DNS record identifies a mail server?

A. TXT only
B. A record
C. MX record
D. PTR record

Q23. Which routing protocol is a distance-vector protocol using hop count?

A. RIP
B. IS-IS
C. BGP
D. OSPF

Q24. Which protocol translates domain names into IP addresses?

A. ARP
B. DHCP
C. DNS
D. FTP

Q25. Which DNS record maps a name to an IPv4 address?

A. CNAME only
B. A record
C. MX record
D. PTR record

Q26. A /27 IPv4 subnet contains how many total addresses?

A. 64
B. 32
C. 16
D. 30

Q27. Which server commonly provides centralized authentication for 802.1X?

A. NTP
B. DHCP

C. RADIUS

D. DNS

Q28. Which device primarily forwards frames using MAC addresses?

A. Switch

B. Router

C. Hub

D. Modem

Section 3 — Pseudo Code

Q29. What value is printed?

```
a ← 3
b ← 10
IF a > b
PRINT a
ELSE
PRINT b
END IF
```

A. 10

B. 13

C. 7

D. 3

Q30. What is printed?

```
n ← 11
fact ← 1
FOR i ← 1 TO n
fact ← fact * i
END FOR
PRINT fact
```

A. 39916789

B. 39916801

C. 121

D. 39916800

Q31. What is the final printed value?

```
n ← 9991
sum ← 0
WHILE n > 0
digit ← n MOD 10
sum ← sum + digit
n ← n DIV 10
END WHILE
PRINT sum
```

A. 29

B. 28

C. 4

D. 91

Q32. What is the output?

```
A ← [10, 20, 5]
sum ← 0
FOR i ← 0 TO 2
sum ← sum + A[i]
END FOR
PRINT sum
```

A. 20

B. 35

C. 5

D. 3

Q33. What is the final value of sum?

```
sum ← 0
FOR i ← 2 TO 18 STEP 4
sum ← sum + i
END FOR
PRINT sum
```

A. 54

B. 16

C. 50

D. 5

Q34. What value is printed?

```
count ← 0
FOR i ← 1 TO 11
IF i MOD 2 = 0
count ← count + 1
END IF
END FOR
PRINT count
```

A. 6

B. 5

C. 11

D. 4

Q35. Using bitwise AND, what is printed?

```
x ← 5
y ← 3
PRINT x & y
```

A. 2

B. 1

C. 8

D. 15

Q36. What is printed by the recursive function for n = 5?

```
FUNCTION F(n)
IF n <= 1
RETURN n
RETURN F(n-1) + F(n-2)
END FUNCTION
PRINT F(5)
```

A. 6

B. 5

C. 4

D. 5

Q37. What position is printed for the target?

```
A ← [10, 4, 7, 1]
target ← 7
FOR i ← 0 TO 3
IF A[i] = target
PRINT i + 1
BREAK
END IF
END FOR
```

A. 4

B. 2

C. 0

D. 3

Q38. What is the output?

```
A ← [2, 4, 6, 8]
sum ← 0
FOR i ← 0 TO 3
sum ← sum + A[i]
```

```
END FOR
PRINT sum
```

A. 8

B. 20

C. 2

D. 4

Q39. How many times is the inner statement executed?

```
count ← 0
FOR i ← 1 TO 5
FOR j ← 1 TO 2
count ← count + 1
END FOR
END FOR
PRINT count
```

A. 7

B. 9

C. 5

D. 10

Q40. What is printed for the string `CIVIC`?

```
s ← "CIVIC"
r ← reverse(s)
IF s = r
PRINT "YES"
ELSE
PRINT "NO"
END IF
```

A. ERROR

B. YES

C. NO

D. EMPTY

Q41. What is printed?

```
x ← 99
PRINT x MOD 12
```

A. 4

B. 12

C. 3

D. 8

Q42. What is the final printed value?

```
n ← 1234
sum ← 0
WHILE n > 0
digit ← n MOD 10
sum ← sum + digit
n ← n DIV 10
END WHILE
PRINT sum
```

A. 10

B. 34

C. 4

D. 11

Q43. What is printed after the assignments?

```
x ← 8
y ← 3
x ← y
y ← 5
PRINT x + y
```

A. 8

B. 11

C. 13

D. -2

Q44. What is printed by the pseudocode?

```
x ← 12
sum ← 0
FOR i ← 1 TO x
sum ← sum + i
END FOR
PRINT sum
```

A. 144

B. 77

C. 79

D. 78

Q45. How many vowels are counted in `ACCENTURE`?

```
s ← "ACCENTURE"
count ← 0
FOR each ch IN s
IF ch is a vowel
count ← count + 1
END IF
END FOR
PRINT count
```

A. 0

B. 5

C. 9

D. 4