Accenture Technical Mock Test — Set 5

45 Questions • Computer Science • Networking • Pseudo Code

Pattern aligned to the supplied Accenture mock materials. Questions are uniquely authored across the 10 sets.

Section 1 — Computer Science

Q1. Which tool category stores versioned build artifacts such as JARs and container packages?

A. Artifact repository
B. Source editor
C. Process scheduler
D. Load balancer

Q2. Which join returns only customers who have a matching row in `Orders`?

A. LEFT JOIN
B. SELF JOIN
C. CROSS JOIN
D. INNER JOIN

Q3. A child class replaces the behavior of a superclass method without changing its signature. What is this called?

A. Aggregation
B. Constructor chaining
C. Method overriding
D. Method overloading

Q4. Which cloud model provides a managed runtime/platform for application deployment?

A. DaaS
B. PaaS
C. SaaS
D. IaaS

Q5. Which access modifier gives visibility only within the same class?

A. public
B. default-public
C. protected
D. private

Q6. Which normal form removes partial dependency on part of a composite key?

A. BCNF only
B. Third Normal Form
C. First Normal Form
D. Second Normal Form

Q7. Which scaling approach adds more instances of an application?

A. Downscaling
B. Static scaling
C. Horizontal scaling
D. Vertical scaling

Q8. Which SQL keyword removes duplicate rows from a result?

A. ONLY
B. DISTINCT
C. UNIQUE
D. DEDUP

Q9. A Java class defines `read()` and `read(String)`. Which OOP feature is demonstrated?

A. Method overloading
B. Composition
C. Encapsulation
D. Method overriding

Q10. Which JavaScript value represents an explicitly absent value?

A. null
B. NaN only
C. undefined? no
D. false only

Q11. Which Java keyword creates an object?

A. new
B. make
C. alloc
D. create

Q12. Which loop is guaranteed to execute its body at least once?

A. enhanced-if
B. while
C. for-each
D. do-while

Q13. Which SQL join includes unmatched rows from both `Students` and `Enrollments`?

A. RIGHT JOIN
B. INNER JOIN
C. CROSS JOIN
D. LEFT JOIN

Q14. Which OS component decides which ready process gets CPU time?

A. Scheduler
B. Shell
C. Linker
D. Loader

Section 2 — Fundamentals of Networking

Q15. Which protocol is commonly used to monitor network devices?

A. SMTP
B. SFTP
C. SNMP
D. NTP

Q16. At which OSI layer does IP routing primarily occur?

A. Transport layer
B. Session layer
C. Network layer
D. Data Link layer

Q17. Which protocol uses UDP ports 67/68 for DHCP?

A. NTP
B. SNMP
C. DNS
D. DHCP

Q18. Which default port is associated with DHCP server messages?

A. 67
B. 69
C. 68
D. 161

Q19. Which protocol is used for directory services such as centralized user lookup?

A. ARP
B. ICMP
C. LDAP
D. TFTP

Q20. Which subnet generally has no direct route from the Internet and is used for backend workloads?

A. Public subnet
B. Broadcast subnet
C. Multicast subnet
D. Private subnet

Q21. Which switch feature prevents unauthorized DHCP servers from replying to clients?

A. Port mirroring
B. STP root guard
C. DHCP snooping
D. ARP cache

Q22. Which protocol is commonly used by clients to retrieve and synchronize email while keeping messages on the server?

A. IMAP
B. TFTP
C. SMTP
D. ARP

Q23. How many usable IPv4 host addresses are normally available in a /24 subnet?

A. 128
B. 254
C. 256
D. 252

Q24. Which mechanism helps prevent IP spoofing by validating source addresses at network edges?

A. NAT loopback
B. DNS round robin
C. Ingress filtering
D. Port mirroring

Q25. Which transport protocol provides reliable, ordered delivery?

A. IP
B. ICMP
C. TCP
D. UDP

Q26. Which port is commonly used by MySQL?

A. 5432
B. 1521
C. 3389
D. 3306

Q27. Which attack inserts an attacker between two communicating parties?

A. SQL injection

B. Man-in-the-middle

C. Brute force

D. Shoulder surfing

Q28. Which wireless security protocol is considered obsolete and insecure?

A. WPA2-AES

B. WEP

C. 802.1X

D. WPA3

Section 3 — Pseudo Code

Q29. How many iterations are performed before n becomes 1 or less?

```
n ← 18
count ← 0
WHILE n > 1
n ← n DIV 2
count ← count + 1
END WHILE
PRINT count
```

A. 9

B. 18

C. 5

D. 4

Q30. What is the final printed value?

```
n ← 7654
sum ← 0
WHILE n > 0
digit ← n MOD 10
sum ← sum + digit
n ← n DIV 10
END WHILE
PRINT sum
```

A. 4

B. 23

C. 54

D. 22

Q31. What is printed?

```
x ← 31
PRINT x MOD 7
```

A. 4

B. 7

C. 3

D. 4

Q32. What is printed by the pseudocode?

```
x ← 9
sum ← 0
FOR i ← 1 TO x
sum ← sum + i
END FOR
PRINT sum
```

A. 81

B. 46

C. 45

D. 44

Q33. What value is printed?

```
a ← 17
b ← 14
IF a > b
PRINT a
ELSE
PRINT b
END IF
```

A. 3

B. 31

C. 14

D. 17

Q34. What is the final value of sum?

```
sum ← 0
FOR i ← 4 TO 16 STEP 4
sum ← sum + i
END FOR
PRINT sum
```

A. 44

B. 40

C. 12

D. 4

Q35. What position is printed for the target?

```
A ← [6, 1, 4, 3]
target ← 1
FOR i ← 0 TO 3
IF A[i] = target
PRINT i + 1
BREAK
END IF
END FOR
```

A. 3

B. 1

C. 0

D. 2

Q36. What value is printed?

```
count ← 0
FOR i ← 1 TO 40
IF i MOD 2 = 0
count ← count + 1
END IF
END FOR
PRINT count
```

A. 21

B. 20

C. 40

D. 19

Q37. How many vowels are counted in `DATABASE`?

```
s ← "DATABASE"
count ← 0
FOR each ch IN s
IF ch is a vowel
count ← count + 1
END IF
END FOR
PRINT count
```

A. 0

B. 4

C. 8

D. 5

Q38. What is printed after the assignments?

```
x ← 10
y ← 2
x ← y
y ← 4
PRINT x + y
```

A. 14

B. 6

C. -2

D. 12

Q39. How many times is the inner statement executed?

```
count ← 0
FOR i ← 1 TO 2
FOR j ← 1 TO 4
count ← count + 1
END FOR
END FOR
PRINT count
```

A. 8

B. 6

C. 7

D. 4

Q40. What is printed?

```
n ← 4
fact ← 1
FOR i ← 1 TO n
fact ← fact * i
END FOR
PRINT fact
```

A. 20

B. 25

C. 16

D. 24

Q41. What is the output?

```
A ← [7, 7, 1, 5]
sum ← 0
FOR i ← 0 TO 3
sum ← sum + A[i]
END FOR
PRINT sum
```

A. 20

B. 1

C. 4

D. 7

Q42. What value is printed?

```
A ← [4, 4, 9, 1]
mx ← A[0]
FOR i ← 1 TO 3
IF A[i] > mx
mx ← A[i]
END IF
END FOR
PRINT mx
```

A. 1

B. 9

C. 4

D. 18

Q43. How many vowels are counted in `NETWORK`?

```
s ← "NETWORK"
count ← 0
FOR each ch IN s
```

```
IF ch is a vowel
count ← count + 1
END IF
END FOR
PRINT count
```

A. 2

B. 7

C. 3

D. 0

Q44. What is the final printed value?

```
n ← 9081
sum ← 0
WHILE n > 0
digit ← n MOD 10
sum ← sum + digit
n ← n DIV 10
END WHILE
PRINT sum
```

A. 19

B. 4

C. 18

D. 81

Q45. Using bitwise OR, what is printed?

```
x ← 6
y ← 2
PRINT x | y
```

A. 12

B. 6

C. 4

D. 8