Accenture Technical Mock Test — Set 9

45 Questions • Computer Science • Networking • Pseudo Code

Pattern aligned to the supplied Accenture mock materials. Questions are uniquely authored across the 10 sets.

Section 1 — Computer Science

Q1. Which CSS property controls the thickness of a border?

A. border-size
B. outline-width
C. edge
D. border-width

Q2. Which HTTP status code means 'Not Found'?

A. 500
B. 403
C. 404
D. 401

Q3. Which SQL aggregate function returns the average value of `salary`?

A. AVG()
B. COUNT()
C. MAX()
D. SUM()

Q4. A Java class defines several methods with the same name but different parameter lists. Which feature is this?

A. Encapsulation
B. Method overriding
C. Composition
D. Method overloading

Q5. Which data structure gives FIFO access?

A. Queue
B. Set
C. Stack
D. Tree

Q6. Which database property ensures a transaction is all-or-nothing?

A. Durability
B. Consistency
C. Atomicity
D. Isolation

Q7. Which statement changes a table definition?

A. ALTER
B. INSERT
C. SELECT
D. UPDATE

Q8. Which key references a primary key in another table?

A. Surrogate value
B. Candidate key
C. Foreign key
D. Composite index

Q9. A derived class redefines a superclass method with the same name and parameter list. Which feature is demonstrated?

A. Aggregation
B. Constructor chaining
C. Method overloading
D. Method overriding

Q10. What is the result of Java expression `"A".repeat(4).length()`?

A. 8
B. 4
C. Compilation error
D. 5

Q11. What is the result of Java expression `"A".repeat(9).length()`?

A. 9
B. 10
C. 18
D. Compilation error

Q12. Which SQL aggregate function returns the average value of `quantity`?

A. AVG()
B. SUM()
C. MAX()
D. COUNT()

Q13. Which DevOps practice automatically builds and tests code whenever changes are integrated?

A. Manual release
B. Continuous Integration
C. Static hosting
D. Cold deployment

Q14. Which concept hides internal implementation details behind a public interface?

A. Inheritance
B. Overloading
C. Recursion
D. Abstraction

Section 2 — Fundamentals of Networking

Q15. Which protocol is used by hosts to discover the MAC address of an IPv6 neighbor?

A. ARP
B. DHCPv4
C. RARP
D. NDP

Q16. Which technology tags VLAN IDs on Ethernet trunks?

A. 802.1Q
B. 802.11
C. 802.1X
D. 802.3af

Q17. Which technology provides private connectivity from a corporate network to a cloud VPC?

A. CDN only
B. Site-to-site VPN
C. SMTP
D. Browser cache

Q18. Which IPv4 range is commonly self-assigned when DHCP fails?

A. 169.254.0.0/16
B. 127.0.0.0/8
C. 224.0.0.0/4
D. 192.0.2.0/24

Q19. Which IPv6 range is link-local?

A. 2000::/3
B. FC00::/7
C. FE80::/10
D. FF00::/8

Q20. Which VPN design permanently connects two office networks?

A. Site-to-site VPN
B. Host-only VPN
C. Loopback tunnel
D. Remote-access VPN

Q21. Which transport is often preferred for live audio/video where some loss is acceptable?

A. TCP
B. UDP
C. SMTP
D. FTP

Q22. Which port is commonly used by PostgreSQL?

A. 25
B. 5432
C. 1433
D. 3306

Q23. Which component distributes incoming traffic across multiple backend servers?

A. Router only
B. Load balancer
C. Switching hub
D. DNS root server

Q24. Which encryption mode is commonly recommended for WPA2?

A. TKIP-only
B. WEP-40
C. DES
D. AES-CCMP

Q25. What is the subnet mask for /26?

A. 255.255.255.0
B. 255.255.255.192
C. 255.255.255.224
D. 255.255.255.128

Q26. Which protocol can provide secure remote desktop access on Windows systems?

A. RDP over TLS
B. FTP
C. SMTP
D. ARP

Q27. Which security control limits which devices may connect to a switch port based on MAC addresses?

A. NAT
B. DNSSEC

C. WPA roaming

D. Port security

Q28. Which TCP flag acknowledges received data?

A. ACK

B. URG

C. SYN

D. PSH

Section 3 — Pseudo Code

Q29. What is the final value of sum?

```
sum ← 0
FOR i ← 3 TO 15 STEP 3
sum ← sum + i
END FOR
PRINT sum
```

A. 48

B. 45

C. 12

D. 5

Q30. How many vowels are counted in `CLOUD`?

```
s ← "CLOUD"
count ← 0
FOR each ch IN s
IF ch is a vowel
count ← count + 1
END IF
END FOR
PRINT count
```

A. 3

B. 0

C. 2

D. 5

Q31. What is printed after the assignments?

```
x ← 7
y ← 9
x ← y
y ← 1
PRINT x + y
```

A. 8

B. 10

C. 8

D. 16

Q32. What value is printed?

```
A ← [7, 13, 2, 10]
mx ← A[0]
FOR i ← 1 TO 3
IF A[i] > mx
mx ← A[i]
END IF
END FOR
PRINT mx
```

A. 4

B. 2

C. 32

D. 13

Q33. What value is printed?

```
a ← 8
b ← 12
IF a > b
PRINT a
ELSE
PRINT b
END IF
```

A. 4

B. 20

C. 8

D. 12

Q34. What is printed?

```
n ← 5
fact ← 1
FOR i ← 1 TO n
fact ← fact * i
END FOR
PRINT fact
```

A. 120

B. 25

C. 121

D. 115

Q35. What position is printed for the target?

```
A ← [5, 3, 8, 6]
target ← 3
FOR i ← 0 TO 3
IF A[i] = target
PRINT i + 1
BREAK
END IF
END FOR
```

A. 0

B. 3

C. 2

D. 1

Q36. How many times is the inner statement executed?

```
count ← 0
FOR i ← 1 TO 2
FOR j ← 1 TO 5
count ← count + 1
END FOR
END FOR
PRINT count
```

A. 5

B. 9

C. 10

D. 7

Q37. What value is printed?

```
count ← 0
FOR i ← 1 TO 31
IF i MOD 2 = 0
count ← count + 1
END IF
END FOR
PRINT count
```

A. 14

B. 16

C. 15

D. 31

Q38. What is printed?

```
x ← 44
PRINT x MOD 9
```

A. 9

B. 9

C. 8

D. 4

Q39. What is the output?

```
A ← [8, 1, 9, 4]
sum ← 0
FOR i ← 0 TO 3
sum ← sum + A[i]
END FOR
PRINT sum
```

A. 4

B. 9

C. 1

D. 22

Q40. What value is printed?

```
n ← 8642
rev ← 0
WHILE n > 0
d ← n MOD 10
rev ← rev * 10 + d
n ← n DIV 10
END WHILE
PRINT rev
```

A. 2

B. 8642

C. 2468

D. 2469

Q41. What is printed by the pseudocode?

```
x ← 25
sum ← 0
FOR i ← 1 TO x
sum ← sum + i
END FOR
PRINT sum
```

A. 325

B. 324

C. 625

D. 326

Q42. Using bitwise XOR, what is printed?

```
x ← 9
y ← 5
PRINT x ^ y
```

A. 45

B. 14

C. 4

D. 12

Q43. What is printed by the recursive function for n = 9?

```
FUNCTION F(n)
IF n <= 1
RETURN n
RETURN F(n-1) + F(n-2)
END FUNCTION
PRINT F(9)
```

A. 9

B. 35

C. 34

D. 33

Q44. What value is printed?

```
n ← 7412
rev ← 0
WHILE n > 0
d ← n MOD 10
rev ← rev * 10 + d
n ← n DIV 10
END WHILE
PRINT rev
```

A. 7412

B. 2147

C. 2148

D. 2

Q45. How many vowels are counted in `ALGORITHM`?

```
s ← "ALGORITHM"
count ← 0
FOR each ch IN s
IF ch is a vowel
count ← count + 1
END IF
END FOR
PRINT count
```

A. 0

B. 3

C. 4

D. 9