# User Stories

CareQueue - Hospital Digital Token and Queue Management System

| Field | Value |
|---|---|
| Document | User Stories with Acceptance Criteria (Product Backlog, part 2 of 2) |
| Product | CareQueue - Hospital Digital Token and Queue Management System |
| Problem statement | Patients wait in queues for registration and billing. Build a digital token and queue-management system that displays the current token and estimated waiting time. |
| Traces to | CareQueue MRD v1.0 and CareQueue PRD v1.0 |
| Version / Status | v1.0 - Draft for hackathon submission |
| Date | 24 October 2026 |
| Team | Future Coders |
| Roles | BA: Sam Austin<br>Dev: Ashik Rasool<br>UI/UX Designer: Nishandhini<br>QA Tester: Rogasree |

## 1. Story Summary

Priority comes from the PRD (MoSCoW). Size: S = under 2 hours, M = 2-4 hours, L = more than 4 hours. Acceptance criteria are written as Given / When / Then and numbered so QA can mark each one pass or fail.

| ID | Story | Epic | Priority | PRD | Size |
|---|---|---|---|---|---|
| US-01 | Issue a token for the right queue | E1 | Must | M1 | M |
| US-02 | Number tokens in order, reset daily | E1 | Must | M1 | S |
| US-03 | Refuse missing or invalid details | E1 | Must | M1 | S |
| US-04 | Send a patient on to billing | E1 | Should | S4 | M |
| US-05 | Call the next patient with one click | E2 | Must | M2 | S |
| US-06 | Show now-serving on the waiting-room display | E2 | Must | M2 | M |
| US-07 | Skip or recall an absent patient | E2 | Should | S1 | S |
| US-08 | Announce the called token | E2 | Should | S2 | S |
| US-09 | Show an estimated wait for every token | E3 | Must | M3 | M |
| US-10 | Learn from real service times | E3 | Must | M3 | M |
| US-11 | Serve from more than one counter | E3 | Should | S5 | L |
| US-12 | Print or download the token slip | E4 | Could | M1 | S |
| US-13 | Track my token on my phone | E4 | Should | S3 | M |
| US-14 | Sign in as patient or receptionist | E5 | Should | S6 | M |
| US-15 | See today's queue summary | E6 | Could | C2 | M |
| US-16 | Find the busiest hour and export the day | E6 | Could | C2 | S |
| US-17 | Call priority patients first | E1 | Could | C1 | M |

| ID | Story | Epic | Priority | PRD | Size |
|---|---|---|---|---|---|
| US-18 | See and hear the queue in Tamil | E2 | Could | C3 | M |
| US-19 | Get an alert when my turn is near | E4 | Could | C4 | S |
| US-20 | Rate my visit | E6 | Could | C2 | S |
| US-21 | Tell patients when the doctor is delayed | E3 | Could | M3 | M |
| US-22 | Hold my place while I step out | E2 | Could | S1 | M |
| US-23 | Share my token with family | E4 | Could | S3 | S |
| US-24 | Check how accurate the wait estimates are | E6 | Could | M3 | M |
| US-25 | Find the best time to visit | E6 | Could | C2 | S |

# E1 - Token issue

## US-01 Issue a token for the right queue

**As a** receptionist, **I want** to enter a patient's name, choose Registration or Billing and issue a token, **so that** every patient gets a clear place in the right queue.

Priority: **Must** | Epic: E1 | PRD: M1 | MRD: MR-1 | Size: M

| AC | Given | When | Then |
|---|---|---|---|
| AC-01.1 | the staff screen is open | I enter a name, choose Registration and press Issue Token | a token such as R-001 is created and shown on screen with its position in the queue |
| AC-01.2 | the staff screen is open | I choose Billing instead | the token is created in the billing queue with the B prefix (e.g. B-001) |
| AC-01.3 | I am issuing tokens during a normal day | I issue one token | it takes one form submit and no more than 15 seconds from opening the form |

## US-02 Number tokens in order, reset daily

**As a** receptionist, **I want** tokens in each queue to be numbered in order and to start again each day, **so that** patients can see the order is fair and numbers stay short.

Priority: **Must** | Epic: E1 | PRD: M1 | MRD: MR-1 | Size: S

| AC | Given | When | Then |
|---|---|---|---|
| AC-02.1 | R-004 was the last registration token today | I issue a new registration token | it is R-005; billing numbering is unaffected |
| AC-02.2 | tokens were issued yesterday | I issue the first token today | numbering restarts at R-001 / B-001 |
| AC-02.3 | many tokens have been issued today | I look at all of them | no token number appears twice in the same queue on the same day |

## US-03 Refuse missing or invalid details

**As a** receptionist, **I want** the form to stop me when a detail is missing or wrong, **so that** no token is issued with bad data.

Priority: **Must** | Epic: E1 | PRD: M1 | MRD: MR-1 | Size: S

| AC | Given | When | Then |
|---|---|---|---|
| AC-03.1 | the name field is empty or no queue is chosen | I press Issue Token | no token is created and each problem field shows a message saying what to fix |
| AC-03.2 | I enter an optional phone number | it is not 10 digits starting with 6-9 | the form shows an error for the phone field and does not issue a token |
| AC-03.3 | I fix every error | I press Issue Token again | the token is issued and the error messages disappear |

## US-04 Send a patient on to billing

**As a** receptionist, **I want** to move a patient who has finished registration into the billing queue with one click, **so that** they keep their place in the flow without re-entering details.

Priority: **Should** | Epic: E1 | PRD: S4 | MRD: MR-1 | Size: M

| AC | Given | When | Then |
|---|---|---|---|
| AC-04.1 | R-012 is being served at registration | I press Send to Billing | a new billing token (e.g. B-007) is created for the same patient and R-012 is marked done |
| AC-04.2 | a billing token was created this way | I look at it in the staff screen | it shows the linked registration token number |

## US-17 Call priority patients first

**As a** receptionist, **I want** seniors (60+), pregnant women and emergencies to get a priority token that is called before the normal line, **so that** the patients who cannot wait long are seen first.

Priority: **Could** | Epic: E1 | PRD: C1 | MRD: MR-1 | Size: M

| AC | Given | When | Then |
|---|---|---|---|
| AC-17.1 | a patient chooses Priority and a reason (Senior 60+, Pregnant, Emergency) | the token is issued | it is marked Priority; Senior is refused if the age is under 60 |
| AC-17.2 | priority and normal tokens are waiting | the receptionist presses Call Next | the earliest priority token is called before any normal token |
| AC-17.3 | a priority token is waiting | the staff screen and display show the queue | it is marked Priority; the display shows no reason, only the mark |
| AC-17.4 | priority tokens join the queue | estimates are recalculated | each token's people-ahead count and wait follow the new calling order |

## E2 - Calling and Now-Serving display

### US-05 Call the next patient with one click

**As a** receptionist, **I want** to press Call Next to call the next waiting token, **so that** I don't have to shout names or manage the crowd.

Priority: **Must** | Epic: E2 | PRD: M2 | MRD: MR-2 | Size: S

| AC | Given | When | Then |
|---|---|---|---|
| AC-05.1 | tokens are waiting in a queue | I press Call Next | the first waiting token becomes 'Now serving' and the previous one is marked done |
| AC-05.2 | no tokens are waiting | I press Call Next | nothing changes and the screen says 'No one is waiting' |
| AC-05.3 | a token was called | I look at the waiting list | the called token is no longer listed as waiting |

### US-06 Show now-serving on the waiting-room display

**As a** patient in the waiting area, **I want** to see the token being served and the next tokens on a big screen, **so that** I know how close my turn is without standing at the counter.

Priority: **Must** | Epic: E2 | PRD: M2 | MRD: MR-2 | Size: M

| AC | Given | When | Then |
|---|---|---|---|
| AC-06.1 | the display is open on a second screen | the receptionist presses Call Next | the display shows the new token as Now Serving within 2 seconds, without a page refresh |
| AC-06.2 | tokens are waiting | I look at the display | it shows the next 5 waiting tokens for each queue in order |
| AC-06.3 | tokens were issued with patient names | I look at the display | only token numbers are shown, never names |
| AC-06.4 | the display is viewed from 6 metres | I read the Now Serving token | the token number is at least 120 px high and readable |

### US-07 Skip or recall an absent patient

**As a** receptionist, **I want** to skip a patient who does not come and recall them later, **so that** one absent patient does not block the line.

Priority: **Should** | Epic: E2 | PRD: S1 | MRD: MR-2 | Size: S

| AC | Given | When | Then |
|---|---|---|---|
| AC-07.1 | the called patient has not come | I press Skip | the token moves to a Missed list and the next token can be called |
| AC-07.2 | a token is in the Missed list | I press Recall on it | it becomes Now Serving again and the display updates |

## US-08 Announce the called token

**As a** elderly patient, **I want** to hear my token number announced when it is called, **so that** I don't miss my turn if I can't see the screen.

Priority: **Should** | Epic: E2 | PRD: S2 | MRD: MR-2 | Size: S

| AC | Given | When | Then |
|---|---|---|---|
| AC-08.1 | the display has sound on | a token is called | a chime plays and a voice says, for example, 'Token R 0 1 2, please come to Registration' |
| AC-08.2 | a token is recalled | it becomes Now Serving again | the announcement plays again |

## US-18 See and hear the queue in Tamil

**As a** Tamil-speaking patient, **I want** the waiting-room display, the voice call and my phone page in Tamil, **so that** I understand when my turn comes even if I do not read English.

Priority: **Could** | Epic: E2 | PRD: C3 | MRD: MR-2 | Size: M

| AC | Given | When | Then |
|---|---|---|---|
| AC-18.1 | the display is open | staff choose Tamil with the language switch | labels, department names and counters are shown in Tamil, and the choice is remembered on that screen |
| AC-18.2 | Tamil is chosen and sound is on | a token is called | the announcement is spoken in Tamil (token number, department and counter); if the device has no Tamil voice, the display says so and speaks English |
| AC-18.3 | I open my phone tracking page | I choose Tamil | the page is shown in Tamil |

## US-22 Hold my place while I step out

**As a** patient, **I want** to tell the queue I am stepping out for up to 15 minutes from my phone, **so that** I can go to the washroom or pharmacy without losing my turn.

Priority: **Could** | Epic: E2 | PRD: S1 | MRD: MR-2 | Size: M

| AC | Given | When | Then |
|---|---|---|---|
| AC-22.1 | I am waiting | I tap 'I'm stepping out' and choose 5, 10 or 15 minutes | the staff list shows 'Away until' my return time and my phone shows a countdown |
| AC-22.2 | I am away and I reach the front of the line | the receptionist presses Call Next | the next patient who is present is called instead and I keep my place at the front |
| AC-22.3 | I come back | I tap 'I'm back', or my time runs out | I can be called again as normal |

## E3 - Waiting-time estimate

### US-09 Show an estimated wait for every token

**As a** patient, **I want** to see my estimated waiting time next to my token, **so that** I can decide to sit down or step out.

Priority: **Must** | Epic: E3 | PRD: M3 | MRD: MR-3 | Size: M

| AC | Given | When | Then |
|---|---|---|---|
| AC-09.1 | AST is 4 min, 1 counter open, the current patient has been served for 1 min and 5 tokens are ahead | the estimate is calculated | it shows 23 min, using EWT = R + N x AST, rounded up to the minute |
| AC-09.2 | tokens are waiting | any queue event happens (issue, call, skip, complete) | every waiting token's estimate is recalculated and shown on the staff screen and display |
| AC-09.3 | a token is Now Serving | I look at it | it shows 'Now serving', not a waiting time |

### US-10 Learn from real service times

**As a** receptionist, **I want** the estimate to use how fast we really serve patients today, **so that** patients get honest numbers instead of a fixed guess.

Priority: **Must** | Epic: E3 | PRD: M3 | MRD: MR-3 | Size: M

| AC | Given | When | Then |
|---|---|---|---|
| AC-10.1 | fewer than 3 tokens have been served in a queue today | the estimate is calculated | it uses the default service time of 3 minutes |
| AC-10.2 | 3 or more tokens have been served | the estimate is calculated | AST is the average of the last 10 served tokens (time from Call to done) in that queue |
| AC-10.3 | the actual waits are compared with the estimates after the first 3 tokens | QA reviews a test run | 80% of tokens are within +/- 5 minutes of their estimate (PRD metric) |

### US-11 Serve from more than one counter

**As a** receptionist, **I want** to open up to 3 counters for a queue, each calling its own patient, and have the estimate know how many are open, **so that** two of us can serve at once and waits are not overstated.

Priority: **Should** | Epic: E3 | PRD: S5 | MRD: MR-3 | Size: L

| AC | Given | When | Then |
|---|---|---|---|
| AC-11.1 | 2 counters are open for a queue | the estimate is calculated | N is divided by 2 in the formula |
| AC-11.2 | a counter is paused | the estimate is recalculated | the paused counter is not counted, and it cannot call patients until it is opened again |
| AC-11.3 | Counter 1 is serving G004 | the receptionist at Counter 2 presses Call Next | G005 is called to Counter 2 and G004 stays at Counter 1 |
| AC-11.4 | a token is called to a counter | the display, voice announcement and patient's phone update | each names the counter, e.g. 'G005, Counter 2' |

### US-21 Tell patients when the doctor is delayed

**As a** receptionist, **I want** to post a short delay notice for a department, such as 'Doctor in surgery, about 20 minutes late', **so that** patients know why the line has stopped and their estimate stays honest.

Priority: **Could** | Epic: E3 | PRD: M3 | MRD: MR-3 | Size: M

| AC | Given | When | Then |
|---|---|---|---|
| AC-21.1 | a department has a delay | the receptionist posts a reason and the minutes | the waiting-room display and every phone tracking page for that department show the notice |
| AC-21.2 | a delay of 20 minutes is posted | estimates are recalculated | every waiting token in that department gets 20 minutes added |
| AC-21.3 | the doctor is back | the receptionist clears the notice, or its time runs out | the notice disappears and estimates return to normal |

## E4 - Patient's token copy

### US-12 Print or download the token slip

**As a** patient, **I want** a copy of my token on paper or on my phone, **so that** I can keep my number with me.

Priority: **Could** | Epic: E4 | PRD: M1 | MRD: MR-1 | Size: S

| AC | Given | When | Then |
|---|---|---|---|
| AC-12.1 | a token has been issued | the receptionist presses Print | one page prints with the token number, queue, time issued and estimated wait |
| AC-12.2 | a token has been issued | the receptionist presses Download | an image of the same slip is saved |

## US-13 Track my token on my phone

**As a** patient, **I want** to scan a QR code on my token and see my position live, **so that** I don't have to keep watching the screen.

Priority: **Should** | Epic: E4 | PRD: S3 | MRD: MR-3 | Size: M

| AC | Given | When | Then |
|---|---|---|---|
| AC-13.1 | I scan the QR code on my slip | the page opens | it shows my token, the token being served, people ahead and my estimated wait, with no app and no login |
| AC-13.2 | I keep the page open | the queue moves | the page updates without refresh |
| AC-13.3 | 2 or fewer patients are ahead of me | the page updates | it shows an 'Almost your turn' alert |

## US-19 Get an alert when my turn is near

**As a** patient, **I want** my phone to alert me when 2 or fewer people are ahead of me and when I am called, **so that** I can step away and come back in time.

Priority: **Could** | Epic: E4 | PRD: C4 | MRD: MR-3 | Size: S

| AC | Given | When | Then |
|---|---|---|---|
| AC-19.1 | I turned on alerts on my phone tracking page | 2 or fewer patients are ahead | the phone plays a chime, vibrates if it can and shows a notification once |
| AC-19.2 | alerts are on | my token is called | I am alerted again with my counter |
| AC-19.3 | I have been alerted for a state | the page keeps updating | I am not alerted again for the same state, and turning alerts off stops them |

## US-23 Share my token with family

**As a** patient, **I want** to send my live token link to a family member through WhatsApp or any app on my phone, **so that** the person waiting outside knows when to come in.

Priority: **Could** | Epic: E4 | PRD: S3 | MRD: MR-3 | Size: S

| AC | Given | When | Then |
|---|---|---|---|
| AC-23.1 | my token has been issued | I press Share on my token card or phone page | my phone's share sheet opens with the tracking link and a short message; where sharing is not available, the link is copied |
| AC-23.2 | a family member opens the shared link | the page loads | it shows the same live token, wait and alerts, with no patient name or phone number |

# E5 - Sign-in and access

## US-14 Sign in as patient or receptionist

**As a** patient or receptionist, **I want** to choose my role on a landing page and sign in, **so that** I reach the right screen and patients cannot open the staff console.

Priority: **Should** | Epic: E5 | PRD: S6 | MRD: MR-1, MR-2 | Size: M

| AC | Given | When | Then |
|---|---|---|---|
| AC-14.1 | the landing page is open | I look at it | I can choose Patient or Receptionist, and no sign-in form shows until I choose |
| AC-14.2 | I chose Patient | I enter my name and a 10-digit phone number and continue | the token page opens with my name already filled in |
| AC-14.3 | I chose Receptionist | I enter the PIN (1234 in the demo) | the staff console opens; a wrong PIN shows an error and keeps me on the landing page |
| AC-14.4 | nobody is signed in | I open the token page or the staff console directly | I am sent back to the landing page |

# E6 - Queue reports

## US-15 See today's queue summary

**As a** hospital administrator, **I want** to see today's tokens, waits and missed patients for every department on one page, **so that** I can tell how the queue is performing without counting slips by hand.

Priority: **Could** | Epic: E6 | PRD: C2 | MRD: MR-3 | Size: M

| AC | Given | When | Then |
|---|---|---|---|
| AC-15.1 | tokens were issued and served today | I open the Reports page | each department shows tokens issued, served, waiting and missed, and the totals match the staff console |
| AC-15.2 | 3 tokens in a department have been called and completed | the report is calculated | it shows the average wait (issued to called) and the average service time (called to done) in minutes |
| AC-15.3 | the Reports page is open | a token is issued or called | the numbers update within 2 seconds without a page refresh |
| AC-15.4 | nobody is signed in as staff | I open the Reports page | I am sent back to the landing page |

## US-16 Find the busiest hour and export the day

**As a** hospital administrator, **I want** to see how many tokens were issued in each hour and download the day's figures, **so that** I can put more staff on at the busiest time and keep a record.

Priority: **Could** | Epic: E6 | PRD: C2 | MRD: MR-3, MR-4 | Size: S

| AC | Given | When | Then |
|---|---|---|---|
| AC-16.1 | tokens were issued at different hours today | I open the Reports page | a bar chart shows tokens issued per hour and the busiest hour is highlighted and named |
| AC-16.2 | the report is on screen | I press Download CSV | a CSV file with one row per department and a total row is saved, with the same numbers and no patient names or phone numbers |

## US-20 Rate my visit

**As a** patient, **I want** to give my visit 1 to 5 stars on my phone page when it is finished, **so that** the hospital learns how patients feel about the wait.

Priority: **Could** | Epic: E6 | PRD: C2 | MRD: MR-3 | Size: S

| AC | Given | When | Then |
|---|---|---|---|
| AC-20.1 | my visit is completed | my phone tracking page updates | it asks 'How was your visit?' with 1 to 5 stars |
| AC-20.2 | I choose a rating and submit | the server saves it | the page thanks me; a second rating for the same token is refused |
| AC-20.3 | patients have rated their visits | the administrator opens Reports | each department shows the average rating and the number of ratings, also in the CSV |

## US-24 Check how accurate the wait estimates are

**As a** hospital administrator, **I want** to see how close each estimate was to the real wait, **so that** we can prove the PRD target of 80% within 5 minutes or see where it slips.

Priority: **Could** | Epic: E6 | PRD: M3 | MRD: MR-3 | Size: M

| AC | Given | When | Then |
|---|---|---|---|
| AC-24.1 | a token is issued | the server saves it | the estimate shown at that moment is stored with the token |
| AC-24.2 | tokens have been called after the first 3 in a department | the administrator opens Reports | each department shows the share of tokens whose real wait was within 5 minutes of the estimate, and the total is compared with the 80% target |
| AC-24.3 | the report is downloaded | the CSV is opened | it includes the accuracy figures |

### US-25 Find the best time to visit

**As a** patient, **I want** to see which hours are usually quiet in each department before I come, **so that** I can choose a time with a short wait.

Priority: **Could** | Epic: E6 | PRD: C2 | MRD: MR-3, MR-4 | Size: S

| AC | Given | When | Then |
|---|---|---|---|
| AC-25.1 | the hospital has records from earlier days | I open the Best time page | each department shows its usual number of tokens per hour and names the quietest hours |
| AC-25.2 | there are fewer than 3 days of records | I open the page | it says there is not enough history yet instead of guessing |
| AC-25.3 | I open the page | it loads | it shows only counts per hour, never patient details, and needs no sign-in |

## Traceability Matrix

| Story | Epic | PRD feature | MRD need | No. of ACs |
|---|---|---|---|---|
| US-01 | E1 | M1 | MR-1 | 3 |
| US-02 | E1 | M1 | MR-1 | 3 |
| US-03 | E1 | M1 | MR-1 | 3 |
| US-04 | E1 | S4 | MR-1 | 2 |
| US-05 | E2 | M2 | MR-2 | 3 |
| US-06 | E2 | M2 | MR-2 | 4 |
| US-07 | E2 | S1 | MR-2 | 2 |
| US-08 | E2 | S2 | MR-2 | 2 |
| US-09 | E3 | M3 | MR-3 | 3 |
| US-10 | E3 | M3 | MR-3 | 3 |
| US-11 | E3 | S5 | MR-3 | 4 |
| US-12 | E4 | M1 | MR-1 | 2 |
| US-13 | E4 | S3 | MR-3 | 3 |
| US-14 | E5 | S6 | MR-1, MR-2 | 4 |
| US-15 | E6 | C2 | MR-3 | 4 |
| US-16 | E6 | C2 | MR-3, MR-4 | 2 |
| US-17 | E1 | C1 | MR-1 | 4 |
| US-18 | E2 | C3 | MR-2 | 3 |
| US-19 | E4 | C4 | MR-3 | 3 |
| US-20 | E6 | C2 | MR-3 | 3 |
| US-21 | E3 | M3 | MR-3 | 3 |
| US-22 | E2 | S1 | MR-2 | 3 |

| Story | Epic | PRD feature | MRD need | No. of ACs |
|---|---|---|---|---|
| US-23 | E4 | S3 | MR-3 | 2 |
| US-24 | E6 | M3 | MR-3 | 3 |
| US-25 | E6 | C2 | MR-3, MR-4 | 3 |

## Test Checklist (for QA)

QA (Rogasree) marks each acceptance criterion as the story lands. This table becomes the submitted test checklist.

| AC | Story | Priority | Pass / Fail | Notes |
|---|---|---|---|---|
| AC-01.1 | US-01 | Must | | |
| AC-01.2 | US-01 | Must | | |
| AC-01.3 | US-01 | Must | | |
| AC-02.1 | US-02 | Must | | |
| AC-02.2 | US-02 | Must | | |
| AC-02.3 | US-02 | Must | | |
| AC-03.1 | US-03 | Must | | |
| AC-03.2 | US-03 | Must | | |
| AC-03.3 | US-03 | Must | | |
| AC-04.1 | US-04 | Should | | |
| AC-04.2 | US-04 | Should | | |
| AC-05.1 | US-05 | Must | | |
| AC-05.2 | US-05 | Must | | |
| AC-05.3 | US-05 | Must | | |
| AC-06.1 | US-06 | Must | | |
| AC-06.2 | US-06 | Must | | |
| AC-06.3 | US-06 | Must | | |
| AC-06.4 | US-06 | Must | | |
| AC-07.1 | US-07 | Should | | |
| AC-07.2 | US-07 | Should | | |
| AC-08.1 | US-08 | Should | | |
| AC-08.2 | US-08 | Should | | |
| AC-09.1 | US-09 | Must | | |
| AC-09.2 | US-09 | Must | | |
| AC-09.3 | US-09 | Must | | |
| AC-10.1 | US-10 | Must | | |
| AC-10.2 | US-10 | Must | | |

| AC | Story | Priority | Pass / Fail | Notes |
|---|---|---|---|---|
| AC-10.3 | US-10 | Must | | |
| AC-11.1 | US-11 | Should | | |
| AC-11.2 | US-11 | Should | | |
| AC-11.3 | US-11 | Should | | |
| AC-11.4 | US-11 | Should | | |
| AC-12.1 | US-12 | Could | | |
| AC-12.2 | US-12 | Could | | |
| AC-13.1 | US-13 | Should | | |
| AC-13.2 | US-13 | Should | | |
| AC-13.3 | US-13 | Should | | |
| AC-14.1 | US-14 | Should | | |
| AC-14.2 | US-14 | Should | | |
| AC-14.3 | US-14 | Should | | |
| AC-14.4 | US-14 | Should | | |
| AC-15.1 | US-15 | Could | | |
| AC-15.2 | US-15 | Could | | |
| AC-15.3 | US-15 | Could | | |
| AC-15.4 | US-15 | Could | | |
| AC-16.1 | US-16 | Could | | |
| AC-16.2 | US-16 | Could | | |
| AC-17.1 | US-17 | Could | | |
| AC-17.2 | US-17 | Could | | |
| AC-17.3 | US-17 | Could | | |
| AC-17.4 | US-17 | Could | | |
| AC-18.1 | US-18 | Could | | |
| AC-18.2 | US-18 | Could | | |
| AC-18.3 | US-18 | Could | | |
| AC-19.1 | US-19 | Could | | |
| AC-19.2 | US-19 | Could | | |
| AC-19.3 | US-19 | Could | | |
| AC-20.1 | US-20 | Could | | |
| AC-20.2 | US-20 | Could | | |
| AC-20.3 | US-20 | Could | | |
| AC-21.1 | US-21 | Could | | |
| AC-21.2 | US-21 | Could | | |

| AC | Story | Priority | Pass / Fail | Notes |
|---|---|---|---|---|
| AC-21.3 | US-21 | Could | | |
| AC-22.1 | US-22 | Could | | |
| AC-22.2 | US-22 | Could | | |
| AC-22.3 | US-22 | Could | | |
| AC-23.1 | US-23 | Could | | |
| AC-23.2 | US-23 | Could | | |
| AC-24.1 | US-24 | Could | | |
| AC-24.2 | US-24 | Could | | |
| AC-24.3 | US-24 | Could | | |
| AC-25.1 | US-25 | Could | | |
| AC-25.2 | US-25 | Could | | |
| AC-25.3 | US-25 | Could | | |