

February '23						
S	S	M	T	W	T	F
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28			

20 FEBRUARY  
2023 | MONDAY

সোমবার

৭ ফাল্গুন ১৪২৯ বাহলা ১৪৪৪ বিজয়ী

1) (a) A system for diabetics and heart patient.

(i) For these kind of system we need micro processor.

A ~~self-care~~ diabetics and heart patient system monitoring system module for coupling with a separately portable microprocessor unit. Microprocessor is used to provide added functionality, often in the areas of control and monitoring. Also we need digital signal processing in this system which resides in the microprocessor.

	1	2	3
4	5	6	7
8	9	10	11
12	13	14	15
16	17	18	19
20	21	22	23
24	25	26	27
28			

21

FEBRUARY

2023 | TUESDAY

৮ ফাল্গুন ১৪২৯ বাংলা ৩০ রজব ১৪৪৮ হিজরী

8 am

9 am

10 am

11 am

12 pm

01 pm

Lunch

03 pm

04 pm

05 pm

06 pm

07 pm

for, designing a <sup>embedded</sup> system we need

several system functions. given below

(i) Using a graphical user interface where the patient can see their previous records.

(ii) Where the graphical user interface has an LCD, keypad,


(iii) The machine needs a strap for diabetic patient to take blood sample and for heart patient it need a wired element.

(iv) The machine delivers the output when the strap is inserted and



8 am - wired element is used.

9 am - (V) Using a universal synchronous  
10 am - bus, for keepin track of patient  
11 am - condition.



8 am

2) (a) thread pdf for thread  
core search google.

9 am

10 am

11 am

(b) embeded computer pdf  
page 10, 11

12 pm

01 pm

Lunch

03 pm

3) (a) GPU pdf page 1

04 pm

05 pm

06 pm

(b) Embeded system that operate  
independently of a host system are  
known as stand alone embeded system.

07 pm

They execute a specific purpose  
much like any other embeded system  
unlike other they do not have to



February '23						
S	S	M	T	W	T	F
			1	2	3	
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28			

**25** FEBRUARY  
2023 | SATURDAY

শনিবার

১২ ফাঙ্কন ১৪২৯ বাংলা ৪ শাবান ১৪৪৪ হিজরী

8 am be a part of a host system.

9 am ~~There could be~~ It takes input

10 am in digital or analog form and

11 am provides the output. As standalone

12 pm embedded system can work by

01 pm ~~him~~ themselves and do not depend

Lunch

03 pm on a host system directly take

04 pm input and give output. It is

05 pm more task specific and time

06 pm specific also minimal user

07 pm interface



February '23						
S	S	M	T	W	T	F
			1	2	3	
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28			

26 FEBRUARY 2023 | SUNDAY

রবিবার

১৩ ফাযুন্ ৫ শাবান  
১৪২৯ বাংলা ১৪৪৪ হিজরী

8 am

4) 1) give in the pdf

9 am

10 am

11 am

6) Steps of embedded system design

12 pm

embedded system design pdf

01 pm

page no. 2, 3

Lunch

03 pm

04 pm

05 pm

06 pm

07 pm

