Corre	tion <b>1</b>	Dura	eted	2025, 11 Thursda 2025, 12 1 hour 4	y, 16 Ja 2:11 PM	nuary
	ect ed ou <sup>s</sup>	t of 1.00 estion				
an in	d dig the g	_	d the f tring.	nsisting requenc	-	
the Co	e give onstr	en num	nber.		ıg, <b>num</b>	which is
All	the	(num) elemer ets and	nts of r	num are	made of	f English
Pri sir diç	int te ngle l git fro	•	ce-sepa noting o <b>9</b> .	arated ir the freq	•	
Sa	-	o5t6 <b>e Outp</b> 1111				
		<b>ation</b> (				
	2	maining	<b>6</b> and	imes. <b>7</b> occur 3 <b>0, 3, 8</b>		
Ar	1 2 3 • 4 5	#inc int {	lude <s< td=""><td>egime: C stdio.h ) str[100 ("%s",s</td><td>n&gt; 00];</td><td></td></s<>	egime: C stdio.h ) str[100 ("%s",s	n> 00];	
	6 7 8 9 • 10 11 12 •	,	int to for(in { to	emp;	str[i] -[i]-'0	
	13 14 15 16 17 • 18 19 20 21	,	{	nt i=0; rintf('	-	
I	✓	Input a1147				pected
P	✓ ✓			338ar0e		2 1 0 1
Corre	ed ou	t of 1.00				
Th ea Wl	ere a ch tr hile N	are mai ee has Monk w	ny tree an Enq vas wal		garden habet o noticed	and n it. I that all
tre He as tre	ees weed decked yees in	rith vov ided to you to n the ga	vels on take o tell him arden.		ot in goo hem. So unt of su	od state. , he ıch
'E'	, ' ', '	O', 'U',	'a', 'e',	letters a 'i', 'o' a s of an		Λ,
int ca Ea ea	eger ses. ch te	T den	oting to e cons er of st	ne numb ists of o ring der	nly one oting th	string, e
Ou	a tre	ee in th	e gard			
lin Co	e. onstr	aints:	case, <sub> </sub>	orint the	count i	ı a new
1 ≤		10 gth of LE INP		≤ 10 <sup>5</sup>		
JH	lkIsni					
2 1	AMPL	E OUT	<b>PUT</b>			
ln	test (	ation case 1, unt=2	a and	o are th	e only v	owels.
	1 2 3 • 4 5	r: (pe #inc int	lude< <pre>! main( int t)</pre>		i>	
	5 6 7 • 8 9 10 11		scanf while { cl ii so	("%d",& (t) nar str nt cour canf("%	[10000 nt=0; ss",str	
	12 v 13 14 15 16 17 18		{ } p	char if(( cour rintf('	c= st c=='a' it++;	
	19 20	}	returi		hari	
	<b>~</b>	JHkIs 2 nBBZL	aosnm nZtTL aosnm	2 1 2 1	2 1 2 1	·
P	asse	JHkIs d all te	nZtTL sts! ~			
Corre Mark	ed ou	t of 1.00				
se	ntend	a sente ce in a	new lii	print ea	nch word	d of the
Th <b>s</b> .		ormat	•			
				e conta	ins a sei	ntence,
Co.	onstr ≤ len	st and (	only lin	e conta	ins a ser	ntence,
Co 1 = Ou Pri lin	onstr ≤ <i>len</i> utput int ea	st and of raints (s) ≤ 1	only lin	ne sente		
Constant of the second of the	onstr ≤ len utput int ea e.	st and of raints  (s) ≤ 1  t Form  ach wo	only lin			
Constant of the second of the	onstrute interestination is is is is is in the interestination in the interestination in the interestination in the interestination is is in the interestination	e Input	only lin			
Constant of the second of the	int each is is is the grant the gran	st and of raints  (s) ≤ 1  t Form  ach wo define the control of th	only lin	he sente	nce in a	new
Constant of the state of the st	int each is	raints  (s) < 1  t Form  ach wo  e Input  C  e Outp  or: (pe  #inc int {	only lin  ooo  at  rd of th  t 0  tring, t  C"]. W  n a new  nalty re  lude<: main( char :	here are le have to v line. egime: 0 stdio.h	three woo print of %)	ords each of
Constant of the state of the st	int each is	raints  (s) < 1  t Form  ach wo  e Input  C  e Outp  or: (pe  #inc int {	only lin  ono  at  rd of th  t 0  tring, t  C"]. W  n a new  nalty re  lude<: main( char s  scanf for(in  for(in  per  p	here are Ye have to v line. egime: Costdio.h	three woo print of some significant states of the source in a second state of the source in a	ords each of
Constant of the state of the st	int each is is is is in the control of the control	raints  (s) < 1  t Form  ach wo  e Input  C  e Outp  vords in  r: (pe  #inc int {	only lin  ono  at  rd of th  t 0  tring, t  C"]. W  n a new  nalty re  lude<: main( char s  scanf for(in {    in	here are 'e have to v line.  egime: Contains ("%[^\r" f (s[i] rintf(') lse rintf(')	three woo print of some significant states of the source in a second state of the source in a	ords each of
Constant of the state of the st	int each is is is is in the graph of the gra	ation (action	only lin  ooo  at  rd of th  t 0  tring, t  C"]. W  n a new  nalty re lude<: main( scanf for(in {     in     p } return	here are 'e have to v line.  egime: Contains ("%[^\r" f (s[i] rintf(') lse rintf(')	three woo print of the second	ords each of
Constant of the constant of th	int each is is is is in the graph of the gra	raints  (s) < 1  Form  This  Input  I	only lin  ooo  at  rd of th  t O  tring, t  C"]. W  nalty re lude<: main( scanf for(in  for(in  per  preture  reture	here are 'e have to v line.  egime: Contains ("%[^\r" f (s[i] rintf(') lse rintf(')	three woo print of the service of the service in a servic	ords each of  ted Go Th is C ng Le
Or Prilin Sa The	int each sis is is is in the construction of t	raints  (s) < 1  Form  This  Input  I	only lin  ooo  at  rd of th  t O  tring, t  C"]. W  nalty re lude<: main( char s  scanf for(in {     in     p     return  return  is C	here are ye have to y line. egime: 0 stdio.h ) s[1000] ("%[^\r i = 0; f (s[i] rintf(' lse rintf(' n 0;	three woo print end of print end end of print end	ords each of  ted Go Th is C
Ou Prilin Sa Th Sa Th is C Ex In [" the Ar P	int each of the control of the contr	ation (all tearns)  at and (all tearns)  at an and (all tearns)  at an and (all tearns)  at an analysis and (all tearns)  at an anal	only lin  ooo  at  rd of th  t O  tring, t  C"]. W  nalty re lude<: main( char s  scanf for(in  for(in  in  scanf for(in  scanf	here are ye have to y line. egime: 0 stdio.h ) s[1000] ("%[^\r i = 0; f (s[i] rintf(' lse rintf(' n 0;	three woo print of %)  ;  is ", s) s[i]!= !=' ') %c", s[ '\n");	rords each of  ted Go Th is C Ing Le C is
Ou Prilin Sa Th Sa Th is C Ex In ["" the Ar Print In	int each is is is is in the graph of the gra	ation ( ation	only lin  ooo  at  rd of th  t O  tring, t  C"]. W  nalty re lude < s  main ( char s  scanf for (in  for (in  for (in  for (in  scanf  for (in	here are ye have to y line. egime: 0 stdio.h ) s[1000] ("%[^\r i = 0; f (s[i] rintf(' lse rintf(' n 0;	three woo print of %)  ;  is ", s) s[i]!= !=' ') %c", s[ '\n");	rords each of  ted Go Th is C Ing Le C is
Prilin Sa Th Sa Th Is C Ex In ["The Ar In	int each of the second of the	e ints  (s) < 1  t Form  ch wo  e Input  cy int  fright  frigh	only lin  only lin  only lin  only lin  to only  tring, t  C'']. We  nalty re  lude<: main( char s  scanf for(in  for(in)  is C  ing C  sts! •  sts! •	here are ye have to y line. egime: 0 stdio.h ) s[1000] ("%[^\r i = 0; f (s[i] rintf(' lse rintf(' n 0;	three wo print of %)  ; is ', s) s[i]!= !=' ') %c", s[ '\n"); and b, ch string and b, ch string	rords each of  ted Go Th is C Ing Le C is fu
Correction Salar The Salar	interest of the parameter of the paramet	ist and of interest in the strong of low and	only line only l	here are the sente the sen	three woo print of the	rords each of  ted Go Th is C Ing Le C is fu
Control of the second of the s	interest of the second and the secon	taints  (s) = 1  taints  (s) = 1  taints  (s) = 1  taints  (a) = Input  (a) = Input  (a) = Input  (a) = Input  (b) = Input  (c) = Input  (d) = Input	only lin  only l	here are to here are to here are to have to have to have to have to have to have the have to have the have to have the h	three woo print of %)  (b)  (c)  (c)  (c)  (c)  (c)  (c)  (c	rords each of ted Go Th is C ing Le C is fu
Control of the second of the s	interest of the second and the secon	taints  (s) = 1  taints  (s) = 1  taints  (s) = 1  taints  (a) = Input  (a) = Input  (a) = Input  (a) = Input  (b) = Input  (c) = Input  (d) = Input	only line	here are the here are the have the have the volume.  egime: Contained the second of the second of the left the left the second of the left the second of the left the	three woo print of %)  (b)  (c)  (c)  (c)  (c)  (c)  (c)  (c	rords each of ted Go Th is C ing Le C is fu
Control of the second of the s	interest in the second and the secon	taints  (s) = 1  taints	only lin  only l	here are the here are the have to have the volume.  egime: Contained the second of the left of the left of the left of the second of the left	three woo print of %)  (b)  (c)  (c)  (c)  (c)  (c)  (c)  (c	rords each of ted Go Th is C ing Le C is fu
Control of the second of the s	onstructions in the second of	ation ( ation	only lin  only l	here are the here are the have to have the volume.  egime: Contained the second of the left of the left of the left of the second of the left	three woo print of %)  (b)  (c)  (c)  (c)  (c)  (c)  (c)  (c	rords each of ted Go Th is C ing Le C is fu
Contain San The San Th	onstructions in the second of	tand  taints  (s) = 1  taints	only lin  only l	here are the here are the have to have the volume.  egime: Contained the second of the left of the left of the left of the second of the left	three woo print of %)  (b)  (c)  (c)  (c)  (c)  (c)  (c)  (c	rords each of ted Go Th is C ing Le C is fu
Constitution of the second of	interest in the second state of the second sta	e ints  (s) = 1  t Form  chain (a)  chain (a	only lin  only l	here are the here are the have to have the volume.  egime: Contained the second of the left of the left of the left of the second of the left	three woo print of %)  (a)  (b)  (c)  (c)  (c)  (c)  (c)  (c)  (c	rords each of ted Go Th is C ing Le C is fu
Control of the second of the s	put F  again to the second to	raints  (s) = 1  t Form  ach wo  e Input  c Yords in  given si  vords in  ration  f Input  This  e given  irst line stively.  ach bod  catena  hach, re ach ach  catena  hach, re ach  catena  hach  catena	only line only l	rings, a line. Eace e Latin c  stdio. r	three woo print of the string property of the	rords each of  ted G Th is C ing Le C is fu  anal b oduced herated here same their
Control of the second of the s	put F  alter and	raints  (s) = 1  t Form  character  characte	only in  onl	rings, a line. Eace e Latin c  stdio. r	three woo print of the string property of the	red Garated a and b oduced he same their
Control of the second of the s	put F  lase	e into  ach wo  ach wo	only line only l	here are to here.  Stdio.r  Strintf('  Strintf(	three woo print of the string property of the	rords each of  ted Gr is cach of  will rs ('a'-  rated a and b  oduced harated here same their
Control of the second of the s	interest of the second of the	taints  (s) = 1  taints  (a) taint  (a) taint  (b) taint  (c) taint  (d) taint  (d) taint  (e) taint  (e) taint  (f) taint	only lin  only l	he sented	three woo print of the string print of the str	ted Go till (a) till
Control of the second of the s	int each of the part of the pa	st and stands  (s) = 1  t Form  ach wo  c Input  c Input  d all te  st of 1.00  estion  f Input  t of 1.00  estion  c Input  t of 1.00  estion	only lin  only l	he sented  he sented  he sented  he sented  he sented  he sented  he reserve  he have to the sented  he sented	three woo print of the string print of the str	ted Garated a and b oduced he same their
Control of the second of the s		at and a aints  (s) = 1  Form  ach wo  at input  at inc  at in	ond  ond  ond  ond  ond  ond  ond  ond	rings, a line. Eace le have to line. legime: Contained of lines  stdio. It is function of lines  two spanning the left of lines  stdio. It is function of lines  two stricts	three woo print of the string property of the	ted Go till (a) till
Plin Sa The Sa T	nstr   le   le   le   le   le   le   le   le	ation  at	onto state of the	rings, a line. Eace line sente li	three woo print of open to the string property of the string propert	ted Go till (a) till