

REQUIREMENT ANALYSIS

2. REQUIREMENT ANALYSIS

2.1 PROJECT REQUIREMENTS

The project requires a ServiceNow environment with administrator access to implement and test Script-Controlled Access Control Lists (ACLs).

2.2 FUNCTIONAL REQUIREMENTS

The system should provide the following functions:

Create a test user named EEE User.

Create custom roles bb1, bb2, bb3, and bb4.

Assign the required roles to the EEE User.

Create the Institution Details table.

Add the required fields to the table.

Create records with different branch values such as ECE, EEE, and CSE.

Create a Read ACL to control record viewing.

Create a Create ACL to control record creation.

Create a Write ACL to control record modification.

Create a Delete ACL to control record deletion.

Allow administrators to retain full access.

These requirements are based on the project instructions provided for the Script-Controlled ACL implementation.

2.3 USER AND ROLE REQUIREMENTS

The project requires a test user and four custom roles:

User: EEE User

Role 1: bb1

Role 2: bb2

Role 3: bb3

Role 4: bb4

The roles are used to control different ACL operations.

2.4 TABLE AND FIELD REQUIREMENTS

The project requires an Institution Details table with the following fields:

Student Roll Number – Auto Number

Student Name – Reference – User

Faculty Name – Reference – User

Branch – Choice (ECE, EEE, CSE)

Email – String

Phone Number – String

Description – Multi String

2.5 SECURITY REQUIREMENTS

The system should:

Allow authorized users to access records according to their roles.

Restrict unauthorized users from accessing records.

Allow EEE branch users to view EEE branch records according to the configured ACL.

Allow administrators to access all records.

Control Read, Create, Write, and Delete operations using ACLs.

2.6 EXPECTED REQUIREMENT

The completed system should provide role-based and field-based record access control in ServiceNow and prevent unauthorized access to protected records.