

[File ▾](#)[Edit ▾](#)[Insert ▾](#)[Generate
Server ▾](#)[Generate
Client ▾](#)[About ▾](#)[Try our
new
Editor ↗](#)

Login API

1.0.0 OAS3[Contact the developer](#)

Servers

http://localhost:8080/api/v1

login

Everything about user login

POST /login sign in api



Parameters

Try it out

No parameters

Request body

application/json

Example Value **Schema**

```
Credentials  {
  description:    user credentials

  username*      string
                  length must be greater than 3 and less than 128

  password*      string
                  length must be greater than 3 and less than 128

}
```

Responses

Code

Description

Links

200

login success

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
LoginResponse {
  description: response when login is processed
  msg* string
}
```

400

Invalid values provided

No links

Media type

application/json

Example Value Schema

```
ErrorResponse {
  description: error response when bad request is sent
  errorMsg* [Error {
    description: standard error message
    msg* [...]
    param* [...]
    location* [...]
    value [...]
  }]
}
```

Code	Description	Links
404	<div>user not found</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><div>LoginResponse</div><div>{</div><div>description:</div><div>response when login is processed</div><div>msg*</div><div>string</div><div>}</div></div>	No links
500	<div>Internal server error</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><div>ServerError</div><div>{</div><div>description:</div><div>response when server error</div><div>errorMsg*</div><div>string</div><div>}</div></div>	No links

Schemas	^

```
Credentials {
  description:      user credentials

  username*        string
                    length must be greater than 3 and less than 128

  password*        string
                    length must be greater than 3 and less than 128
}
```



```
Error {
  description:      standard error message

  msg*             string
  param*           string
  location*        string
  value            string
}
```



```
ErrorResponse {
  description:      error response when bad request is sent

  errorMsg*        [Error {
                    description:      standard error message

                    msg*             string
                    param*           string
                    location*        string
                    value            string
                  }]
}
```



```
LoginResponse {
  description:      response when login is processed

  msg*             string
}
```





```
ServerError {
  description: response when server error
  errorMsg*  string
}
```