1.Write a program to insert, delete,search and display in Doubly Linked list

Programs

```
#include<stdio.h>
#include<stdlib.h>
Struct node
{
   Struct node *prev;
   Struct node *next;
   Int data;
};
Struct node *head;
Void insertion_beginning();
Void insertion_last();
Void insertion_specified();
Void deletion_beginning();
Void deletion_last();
Void deletion_specified();
Void display();
Void search();
Void main ()
{
Int choice =1;
   While(choice!= 9)
   {
      Printf("\n::__Main Menu__::\n");
      Printf("\n Enter any option\n");
      Printf("\n================\n");
```

```
Printf("\n1.Insert in the beginning\n2.Insert at last\n3.Insert at any specific location\n4.Delete from the Beginning\n5.Delete from the last\n6.Delete a specific data\n7.Search\n8.Display\n9.Exit\n");
Printf("\nEnter your choice?\n");
Scanf("\n%d",&choice);
Switch(choice)
{
   Case 1:
      Insertion_beginning();
   Break;
   Case 2:
       Insertion_last();
   Break;
   Case 3:
   Insertion_specified();
   Break;
   Case 4:
   Deletion_beginning();
   Break;
   Case 5:
   Deletion_last();
   Break;
   Case 6:
   Deletion_specified();
   Break;
   Case 7:
   Search();
   Break;
   Case 8:
   Display();
```

```
            Break;
            Case 9:
            Exit(0);
            Break;
            Default:
            Printf("Invalid choice.Please enter valid choice..");
        }
    }
}
Void insertion_beginning()
{
   Struct node *ptr;
   Int item;
   Ptr = (struct node *)malloc(sizeof(struct node));
   If(ptr == NULL)
   {
      Printf("\nOVERFLOW");
   }
   Else
   {
    Printf("\nEnter the value:");
    Scanf("%d",&item);

   If(head==NULL)
   {
      Ptr->next = NULL;
      Ptr->prev=NULL;
      Ptr->data=item;
      Head=ptr;
```

```
  }
  Else
  {
     Ptr->data=item;
     Ptr->prev=NULL;
     Ptr->next = head;
     Head->prev=ptr;
     Head=ptr;
  }
  Printf(“\nNode inserted\n”);
}

}
Void insertion_last()
{
  Struct node *ptr,*temp;
  Int item;
  Ptr = (struct node *) malloc(sizeof(struct node));
  If(ptr == NULL)
  {
     Printf(“\nOVERFLOW”);
  }
  Else
  {
     Printf(“\nEnter the value:”);
     Scanf(“%d”,&item);
      Ptr->data=item;
     If(head == NULL)
     {
```

```
        Ptr->next = NULL;
        Ptr->prev = NULL;
        Head = ptr;
      }
      Else
      {
        Temp = head;
        While(temp->next!=NULL)
        {
           Temp = temp->next;
        }
        Temp->next = ptr;
        Ptr ->prev=temp;
        Ptr->next = NULL;
        }

      }
    Printf("\nNode inserted\n");
   }
Void insertion_specified()
{
  Struct node *ptr,*temp;
  Int item,loc,I;
  Ptr = (struct node *)malloc(sizeof(struct node));
  If(ptr == NULL)
  {
     Printf("\n OVERFLOW");
  }
  Else
```

```
  {
     Temp=head;
     Printf("Enter the location");
     Scanf("%d",&loc);
     For(i=0;i<loc;i++)
     {
        Temp = temp->next;
        If(temp == NULL)
        {
           Printf("\n There are less than %d elements", loc);
           Return;
        }
     }
     Printf("Enter value");
     Scanf("%d",&item);
     Ptr->data = item;
     Ptr->next = temp->next;
     Ptr -> prev = temp;
     Temp->next = ptr;
     Temp->next->prev=ptr;
     Printf("\nNode inserted\n");
  }
}
Void deletion_beginning()
{
   Struct node *ptr;
   If(head == NULL)
   {
      Printf("\n UNDERFLOW");
```

```
    }
    Else if(head->next == NULL)
    {
        Head = NULL;
        Free(head);
        Printf("\nnode deleted\n");
    }
    Else
    {
        Ptr = head;
        Head = head -> next;
        Head -> prev = NULL;
        Free(ptr);
        Printf("\nNode deleted\n");
    }

}
Void deletion_last()
{
    Struct node *ptr;
    If(head == NULL)
    {
        Printf("\n UNDERFLOW");
    }
    Else if(head->next == NULL)
    {
        Head = NULL;
        Free(head);
        Printf("\nNode deleted\n");
```

```
    }
    Else
    {
        Ptr = head;
        If(ptr->next != NULL)
        {
            Ptr = ptr -> next;
        }
        Ptr -> prev -> next = NULL;
        Free(ptr);
        Printf("\nNode deleted\n");
    }
}
Void deletion_specified()
{
    Struct node *ptr, *temp;
    Int val;
    Printf("\n Enter the data to be deleted : ");
    Scanf("%d", &val);
    Ptr = head;
    While(ptr -> data != val)
    Ptr = ptr -> next;
    If(ptr -> next == NULL)
    {
        Printf("\nCan't delete\n");
    }
    Else if(ptr -> next -> next == NULL)
    {
        Ptr ->next = NULL;
```

```
    }
    Else
    {
        Temp = ptr -> next;
        Ptr -> next = temp -> next;
        Temp -> next -> prev = ptr;
        Free(temp);
        Printf("\nNode deleted\n");
    }
}
Void display()
{
    Struct node *ptr;
    Printf("\n Values are :\n");
    Ptr = head;
    While(ptr != NULL)
    {
        Printf("%d\n",ptr->data);
        Ptr=ptr->next;
    }
}
Void search()
{
    Struct node *ptr;
    Int item,i=0,flag;
    Ptr = head;
    If(ptr == NULL)
    {
        Printf("\nEmpty List\n");
```

```
    }
    Else
    {
        Printf("\nEnter the data to be searched?\n");
        Scanf("%d",&item);
        While (ptr!=NULL)
        {
            If(ptr->data == item)
            {
                Printf("\nItem found at location %d ",i+1);
                Flag=0;
                Break;
            }
            Else
            {
                Flag=1;
            }
            I++;
            Ptr = ptr -> next;
        }
        If(flag==1)
        {
            Printf("\nItem not found\n");
        }
    }

}
```

OUTPUT

```
::__Main Menu__::

 Enter any option

================

1.Insert in the begining
2.Insert at last
3.Insert at any specific location
4.Delete from the Beginning
5.Delete from the last
6.Delete a specific data
7.Search
8.Display
9.Exit

Enter your choice?
1

Enter the value:1

Node inserted

::__Main Menu__::

 Enter any option

================

1.Insert in the begining
2.Insert at last
3.Insert at any specific location
4.Delete from the Beginning
5.Delete from the last
6.Delete a specific data
7.Search
8.Display
9.Exit

Enter your choice?
1

Enter the value:2

Node inserted
```

```
::__Main Menu__::

 Enter any option

================

1.Insert in the begining
2.Insert at last
3.Insert at any specific location
4.Delete from the Beginning
5.Delete from the last
6.Delete a specific data
7.Search
8.Display
9.Exit

Enter your choice?
4

Node deleted

::__Main Menu__::

 Enter any option

================

1.Insert in the begining
2.Insert at last
3.Insert at any specific location
4.Delete from the Beginning
5.Delete from the last
6.Delete a specific data
7.Search
8.Display
9.Exit

Enter your choice?
8

 Values are :
3
```