

GOVERNMENT OF CANADA -- ITSG-33 SECURITY ASSESSMENT AND AUTHORIZATION

Security Assessment Report

Veridia Integrated Project and Operations Platform (VIPOP)

Prepared in Support of DND Contract Renewal -- SA&A Package

Veridia Systems Group Inc.

Ottawa, Ontario | Secret FSC | ITSG-33 Medium Baseline Assessment

Document ID: VS-ITSG-003 | Version 1.0 | Date: 05/24/2026

Prepared by: Ashkon Irani | Classification: PROTECTED B

DOCUMENT CONTROL

Document Title	Security Assessment Report -- Veridia Integrated Project and Operations Platform
Document ID	VS-ITSG-003
Version	1.0
Date	05/24/2026
Prepared By	Ashkon Irani -- Security Assessment Lead
Reviewed By	Chief Security Officer -- System Owner
Submitted To	Chief Executive Officer -- Authorizing Official
Document Classification	PROTECTED B
System	Veridia Integrated Project and Operations Platform (VIPOP)
System Categorization	Medium (Confidentiality: Medium, Integrity: Medium, Availability: Low)
Control Baseline	ITSG-33 Annex 2 -- Medium Baseline
Assessment Period	05/30/2026 to 07/10/2026
Related Documents	VS-ITSG-001 System Characterization, VS-ITSG-002 Gap Analysis Spreadsheet
Distribution	CEO (Authorizing Official), CSO (System Owner), DND Contract Security Officer

1. Executive Summary

This Security Assessment Report (SAR) presents the findings of the formal ITSG-33 security assessment of the Veridia Integrated Project and Operations Platform (VIPOP), conducted in support of Veridia Systems Group Inc.'s Department of National Defence contract renewal submission. The assessment evaluated VIPOP's implementation of all controls in the ITSG-33 Medium baseline, consistent with the system's Medium security categorization arising from its processing of Protected B Government of Canada information.

The assessment identified a total of 57 controls across 18 control families. Of these, 19 are fully implemented, 25 are partially implemented, 10 are not implemented, and 3 are not applicable to VIPOP's architecture. The gap analysis identified 6 Critical severity gaps, 20 High severity gaps, 18 Medium severity gaps, and 3 Low severity gaps.

Authorization Recommendation: Based on the assessment findings, this report recommends that VIPOP be granted an Interim Authority to Operate (IATO) for a period not to exceed 12 months, subject to the completion of all Critical and High severity remediation actions within defined timeframes. Full Authorization to Operate (ATO) is recommended upon demonstrated remediation of all Critical and High gaps and satisfactory re-assessment of those controls.

The six Critical gaps identified in this assessment represent the most significant risks and must be addressed before the DND contract renewal submission is made. These gaps span the Security Assessment and Authorization, Contingency Planning, Incident Response, and Risk Assessment to control families and reflect the absence of foundational security governance processes rather than technical control failures. Veridia has the capability to remediate all Critical gaps within 30 days with appropriate executive commitment and resource allocation.

2. Assessment Overview

2.1 Assessment Purpose

This assessment was conducted to fulfil the following objectives:

- Evaluate VIPOP's implementation of the ITSG-33 Medium baseline control set as required by the DND contract security clauses
- Identify gaps between current control implementation and ITSG-33 requirements
- Assess residual risk to Protected B information processed by VIPOP
- Provide the Authorizing Official with the information required to make an informed authorization decision
- Produce a remediation roadmap to achieve full ATO within 12 months

2.2 Assessment Scope

The assessment covered all components within the VIPOP authorization boundary as defined in VS-ITSG-001, including the Azure Canada East cloud environment, the on-premises integration hub at Ottawa HQ, and all personnel with access to VIPOP. The assessment evaluated all 57 controls in the ITSG-33 Medium baseline across 18 control families.

2.3 Assessment Methodology

The assessment was conducted using the ITSG-33 security assessment methodology. Each control was evaluated through a combination of documentation review, configuration inspection, interview with system administrators

and the CSO, and observation of implemented controls. Evidence collected for each control is referenced in the Gap Analysis Spreadsheet (VS-ITSG-002).

Controls were assessed against four implementation status categories: Implemented, Partially Implemented, Not Implemented, and Not Applicable. Gaps in partially and not implemented controls were rated by severity using the criteria defined in VS-ITSG-001. The overall residual risk posture was assessed by control family and presented to the Authorizing Official in Section 5 of this report.

3. System Summary

System Name	Veridia Integrated Project and Operations Platform (VIPOP)
System Owner	Chief Security Officer, Veridia Systems Group Inc.
Authorizing Official	Chief Executive Officer, Veridia Systems Group Inc.
System Location	Azure Canada East (primary) with on-premises integration hub at Ottawa HQ
System Categorization	Medium -- Confidentiality: Medium, Integrity: Medium, Availability: Low
Information Types	Protected B government project documentation, security incident records, personnel clearance data, client communications
Control Baseline	ITSG-33 Annex 2 Medium Baseline
Authorization Boundary	As defined in VS-ITSG-001, Section 6
Last Assessment	No prior formal assessment -- this is the first SA&A conducted for VIPOP
DND Contract Reference	W6369-24-1234/001/ZQ -- renewal due 08/31/2026

4. Assessment Findings by Control Family

This section presents findings for each of the 18 ITSG-33 control families assessed. Each family summary includes the overall finding, the most significant gaps identified, and the residual risk rating for the family. Full control-by-control detail is provided in VS-ITSG-002.

ID	Control Family	Controls	Implemented	Gaps	Residual Risk
AC	Access Control	10	3	7	High -- MFA enforced but DLP, SoD documentation, and least privilege review gaps create data exfiltration risk.
AT	Awareness and Training	3	0	3	Medium -- Annual training exists but lacks role-based modules and phishing simulation. Behavioral risk remains.

AU	Audit and Accountability	5	2	3	High -- Application logs not in SIEM and retention below minimum creates detection and forensic gaps.
CA	Security Assessment and Authorization	4	0	4	Critical -- First-ever SA&A. No prior assessment, no continuous monitoring plan, no interconnection agreements.
CM	Configuration Management	4	0	4	High -- No formal baseline configuration. Drift detection is not in place. On-premises configuration is unmanaged.
CP	Contingency Planning	3	0	3	Critical -- No contingency plan for VIOP. Backup recovery is untested. On premises not in backup program.
IA	Identification and Authentication	4	2	2	Medium -- MFA strong. Gaps in identifier management procedures and authenticator lifecycle documentation.
IR	Incident Response	4	0	4	Critical -- No VIOP-specific IR policy. GoC notification obligations did not operationalize. No IR training.
MA	Maintenance	2	0	2	Low -- Maintenance activities occur, but policy and controlled maintenance logging need formalization.
MP	Media Protection	2	0	2	High -- No media protection policy. No sanitization procedure for decommissioned hardware.
PE	Physical and Environmental Protection	3	2	1	Low -- Ottawa HQ physical controls strong. Minor documentation gap for VIOP-specific policy.
PL	Planning	2	0	2	High -- No security planning policy. No System Security Plan for VIOP.
PS	Personnel Security	4	3	1	Low -- Strong clearance program. Minor gap in enhanced offboarding for privileged VIOP users.
RA	Risk Assessment	3	1	2	Critical -- No formal threat and risk assessment for VIOP. Residual risk cannot be formally quantified.
SA	System and Services Acquisition	3	0	3	High -- No SDLC security gates. No SAST in the pipeline. No Software Bill of Materials is maintained.
SC	System and Communications Protection	4	2	2	Medium -- TLS and boundary protection are strong. Customer-managed encryption keys are not implemented.

SI	System and Information Integrity	5	1	4	High -- Malware protection is strong. App logs not in SIEM. No flaw remediation of SLAs. No MSSP for surge.
PM	Program Management	3	0	3	High -- No information security program plan. No risk management strategy. No authorization process.

5. Critical Findings

The following six findings are rated Critical severity. They represent fundamental gaps in VIPOP's security posture that must be remediated before DND contract renewal submission. Each finding is described in detail below with the specific risk it creates and the required remediation action.

CF-001 | CA-2 -- Security Assessment and Authorization | CRITICAL

Finding	No prior security assessment has been conducted for VIPOP. This assessment series is the first formal SA&A activity in Veridia's history. The absence of prior assessment means that control gaps have accumulated since VIPOP's 2022 architecture revision without formal identification or treatment.
Risk to VIPOP	Without a documented SA&A history, the Authorizing Official cannot demonstrate to DND that VIPOP's security posture has been systematically evaluated and managed. This is the most foundational gap in the entire assessment because all other remediation activities gain their formal context from the SA&A process.
Required Remediation	Complete this SA&A package. Establish an SA&A policy and schedule ensuring reassessment every 3 years minimum and following significant system changes. Assign the ISSO responsibility for maintaining the authorization package.

CF-002 | CP-2 -- Contingency Planning | CRITICAL

Finding	No contingency plan exists for VIPOP. Azure provides infrastructure redundancy, but Veridia has not defined recovery procedures, RTOs, RPOs, or tested recovery capability for VIPOP as an application system.
Risk to VIPOP	In a ransomware scenario or major Azure service disruption, Veridia would have no documented procedure for recovering VIPOP. DND and other clients would face indefinite unavailability of their project portal and collaboration capability. The absence of tested recovery procedures means recovery time would be significantly longer than necessary.
Required Remediation	Develop a formal VIPOP contingency plan within 30 days. Conduct a tabletop exercise within 60 days. Conduct a full recovery test within 90 days. Define RTO of 4 hours and RPO of 24 hours as initial targets based on DND contract obligations.

CF-003 | IR-6 -- Incident Response | CRITICAL

Finding	GoC client notification requirements for security incidents are not operationalized in Veridia's incident response process. DND contract security clauses specify notification
---------	--

	obligations, but these have not been translated into documented procedures with defined timeframes, escalation paths, or responsible parties.
Risk to VIPOP	A Protected B data breach affecting VIPOP could result in Veridia failing to notify DND within contractually required timeframes even if the technical response is effective. Contract of non-compliance arising from notification failure is a distinct and serious consequence independent of the breach itself. CCCS also expects federal contractors to report significant incidents voluntarily.
Required Remediation	Document an incident reporting procedure that explicitly references DND and all GoC contract notification requirements with defined timeframes. Designate the CSO as a primary notification authority. Communicate the procedure to all staff involved in GoC project delivery. Test the notification procedure in the next tabletop exercise.

CF-004 | RA-3 -- Risk Assessment | CRITICAL

Finding	A formal threat and risk assessment for VIPOP using ITSG-33 methodology has not been conducted. Risk management decisions have been made informally based on operational experience rather than systematic identification and evaluation of threats and vulnerabilities.
Risk to VIPOP	Without a formal risk assessment, residual risk cannot be formally quantified for the Authorizing Official's consideration. The authorization decision requires the AO to accept residual risk -- but residual risk cannot be formally accepted if it has not been formally assessed. This creates a circular dependency that prevents a full ATO from being issued.
Required Remediation	Conduct a formal ITSG-33-aligned threat and risk assessment for VIPOP within 30 days. Document threats, vulnerabilities, likelihood, impact, and risk ratings using the ITSG-33 Harmonized TRA methodology. Present the residual risk register to the AO as part of the full authorization package.

CF-005 | CA-2 / AU-2 -- Audit and Accountability -- SIEM Coverage | CRITICAL

Finding	VIPOP application logs are not ingested into Azure Sentinel. Core banking-equivalent functionality -- the security incident tracking module -- generates access events that are not centrally monitored. The audit trail for access to security incident records containing sensitive vulnerability information is incomplete.
Risk to VIPOP	An attacker or malicious insider accessing the security incident records module would not be detected through centralized monitoring. Security incident records contain information about vulnerabilities in Veridia and client environments -- exactly the information an attacker would seek before escalating an attack. The detection gap for this specific function is unacceptable for a Medium categorization system.
Required Remediation	Ingest VIPOP application logs into Azure Sentinel as an immediate priority. Implement detection rules specifically for anomalous access to the security incident records module. Define SLAs for alert triage and response.

CF-006 | IR-1 / CA-7 -- Incident Response Policy and Continuous Monitoring | CRITICAL

Finding	A VIPOP-specific incident response policy does not exist. The existing general IT incident procedure does not address cyber security incidents, Protected B breach response, or the specific regulatory and contractual notification obligations arising from DND and GoC contracts.
----------------	--

Risk to VIPOP	The absence of a documented, tested cyber incident response policy for VIPOP means that if a serious incident occurred today, response actions would be improvised rather than following a pre-defined procedure. Improvised responses to Protected B breaches are slower, less consistent, and more likely to result in compliance failures such as missed notification windows.
Required Remediation	Develop a VIPOP-specific cyber incident response policy within 30 days covering all GoC notification obligations. Conduct a tabletop exercise simulating a Protected B data breach within 60 days. The tabletop must specifically test the DND notification procedure under simulated time pressure.

6. High Severity Findings Summary

The following table summarizes all 20 High severity gaps identified in the assessment. Full details for each is available in VS-ITSG-002. High severity gaps require formal remediation plans with named owners within 30 days of this report being issued to the Authorizing Official.

Control	Family	Gap Summary	Required Action
AC-2	Access Control	The account management procedure is not documented. GoC client portal access reviews 14 months overdue.	Document procedure and conduct immediate access review for all client portal accounts.
AC-4	Access Control	No DLP policies. Protected B documents can be transmitted to unauthorized external recipients without detection.	Implement Microsoft Purview DLP policies within 30 days.
AC-6	Access Control	Developer accounts retain Contributor-level Azure permissions beyond their current project requirements.	Immediate Azure permission review. Implement PIM for just-in-time elevation.
AT-3	Awareness and Training	No role-based training for system administrators, security analysts, or project managers handling Protected B data.	Develop and deliver role-based training before staff assume VIPOP responsibilities.
AU-6	Audit and Accountability	VIPOP application logs not in Sentinel. Log review is reactive only. No proactive weekly review process.	Ingest application logs into Sentinel. Establish weekly proactive review.
AU-11	Audit and Accountability	Log retention 90 days against ITSG-33 recommendation of 2 years for Protected B systems.	Configure archiving to extend log retention to 2 years minimum.
CA-1	SA&A	No SA&A policy. No defined process for reassessment triggers or ongoing authorization management.	Develop SA&A policy within 30 days of completing this assessment series.
CA-7	SA&A	No continuous monitoring plan. On-premises integration hub not covered by structured monitoring.	Develop continuous monitoring plan covering all authorization boundary components.

CM-2	Configuration Management	No formally documented baseline configurations. Configuration drift not detected systematically.	Establish documented baselines for all VIPOP components aligned to CIS Benchmarks.
CP-1	Contingency Planning	No contingency planning policy for VIPOP. RTO and RPO are not defined.	Develop contingency planning policy with defined RTO and RPO as immediate priority.
CP-9	Contingency Planning	Backup recovery has been untested since 2022 migration. On-premises integration hub not in backup program.	Conduct recovery test within 30 days. Add integration hub to backup program.
MP-1	Media Protection	No media protection policy. Physical media handling procedures for Protected B media are not documented.	Develop media protection policy covering all media types and disposal procedures.
MP-6	Media Protection	No formal media sanitization procedure. No evidence prior to decommissioning hardware was sanitized.	Establish sanitization procedure aligned with RCMP/CSE guidance. Retain certificates.
PL-1	Planning	No security planning policy. No System Security Plan for VIPOP.	Develop SSP incorporating VS-ITSG-001 and VS-ITSG-002 findings. Obtain AO approval.
PL-2	Planning	System Security Plan does not exist for VIPOP.	Develop SSP as part of SA&A package completion.
RA-5	Risk Assessment	Critical vulnerability average open age 31 days. No formal remediation of SLAs is defined.	Define SLAs immediately. Critical within 48 hours. Report aging metrics weekly to CSO.
SA-3	System and Services Acquisition	No security gates in SDLC. No SAST in the CI/CD pipeline. Security is not in sprint planning.	Deploy SAST. Implement security gate before production deployments.
SA-4	System and Services Acquisition	No SCA for open-source dependencies. No SBOM is maintained.	Implement SCA in pipeline. Maintain SBOM for all VIPOP components.
SI-2	System and Information Integrity	No flaw remediation SLAs for application security flaws. Critical flaws have no defined timeline.	Define flaw SLAs aligned to vulnerability management processes. Report monthly to CSO.
SI-4	System and Information Integrity	App logs not in Sentinel. No behavioral analytics for anomalous document access.	Ingest application logs into Sentinel. Implement behavioral analytics rules.

7. Residual Risk Assessment

Residual risk is the risk that remains after all implemented, and partially implemented controls are considered. The Authorizing Official must formally accept residual risk as part of the authorization decision. This section presents residual risk by controlling family and provides the overall residual risk posture of VIPOP.

Important note on residual risk quantification: Because a formal threat and risk assessment (RA-3) has not been completed, residual risk in this report is assessed qualitatively based on the nature of identified gaps and the sensitivity of information processed by VIPOP. A formal quantitative residual risk register will be produced as part of the RA-3 remediation action and presented to the Authorizing Official within 30 days.

Family	Primary Risk Area	Residual Risk	Risk Acceptance Condition
AC	Data exfiltration and unauthorized access	High	Acceptable for IATO period pending DLP implementation and Azure permission remediation within 30 days.
AT	Human error and social engineering	Medium	Acceptable pending role-based training delivery within 60 days.
AU	Incomplete detection and forensic capability	High	Acceptable for IATO period pending SIEM coverage extension within 30 days.
CA	Authorization and monitoring maturity	Critical	Not acceptable for full ATO. Contingent on completion of SA&A package and continuous monitoring plan.
CM	Configuration drift and unauthorized change	High	Acceptable for IATO period pending baseline documentation within 60 days.
CP	Recovery failure and extended outage	Critical	Not acceptable for full ATO. Contingent on contingency plan and recovery test completion.
IA	Credential compromise	Medium	Acceptable. The MFA is strong. Documentation gaps are low-risk relative to technical controls in place.
IR	Breach containment and notification failure	Critical	Not acceptable for full ATO. Contingent on VIPOP IR policy and tabletop exercise completion.
MA	Maintenance-induced vulnerability	Low	Acceptable. Technical controls are adequate. Documentation formalization is low in urgency.
MP	Data exposure from decommissioned media	High	Acceptable for IATO period pending media sanitization procedure implementation within 30 days.
PE	Unauthorized physical access	Low	Acceptable. Ottawa HQ physical controls are strong and well-documented.
PL	Absence of system security documentation	High	Acceptable for IATO period pending SSP development within 60 days.
PS	Insider threat from departing privileged staff	Low	Acceptable. Strong clearance program. Minor offboarding gap is low risk.

RA	Unquantified residual risk	Critical	Not acceptable for full ATO. Formal TRA required within 30 days before residual risk can be formally accepted.
SA	Vulnerable software dependencies	High	Acceptable for IATO period pending SAST and SCA deployment within 30 days.
SC	Data interception and boundary breach	Medium	Acceptable. TLS and firewall controls are strong. Customer-managed key gap is manageable.
SI	Delayed threat detection	High	Acceptable for IATO period pending SIEM coverage extension within 30 days.
PM	Absence of security program governance	High	Acceptable for IATO period pending program plan and risk management strategy within 60 days.

8. Authorization Recommendation

Based on the findings of this security assessment, the Security Assessment Lead provides the following recommendation to the Authorizing Official.

AUTHORIZATION RECOMMENDATION

Recommendation: INTERIM AUTHORITY TO OPERATE (IATO)

IATO Period: 12 months from date of AO authorization decision

Condition for Full ATO: Remediation of all Critical and High severity gaps with evidence of submission to the Security Assessment Lead for verification. Full re-assessment of Critical and High controls upon completion of remediation.

Rationale: VIPOP provides essential services to Government of Canada clients and the operational need to continue processing Protected B information during the remediation period is acknowledged. The identified gaps, while significant, do not indicate active compromise or imminent risk of serious injury provided that the Critical remediation actions are initiated immediately. An IATO with mandatory 30-day Critical remediation milestones provides the appropriate balance between operational continuity and risk management.

An IATO differs from a full Authorization to Operate in that it is conditional and time limited. If Critical remediation milestones are not met within the defined timeframes, the Authorizing Official must reassess whether continued IATO is appropriate or whether VIPOP operations should be suspended pending remediation. The Security Assessment Lead will provide milestone verification reports to the AO at 30-day intervals.

9. Remediation Roadmap

The following roadmap defines the remediation activities required to transition VIPOP from IATO to full ATO within 12 months. Activities are sequenced by priority with Critical gaps addressed first. Successful completion of all milestones and re-assessment of remediated controls is required before full ATO can be recommended.

Phase	Remediation Activities	Milestone for AO Review
Phase 1 0 to 30 days (IATO Conditions)	Complete formal TRA for VIPOP (CF-004). Develop VIPOP contingency plan (CF-002). Document VIPOP incident response policy with GoC notification procedures (CF-003, CF-006). Ingest VIPOP application logs into Sentinel (CF-005). Implement DLP policies for Protected B content (AC-4). Review and remediate Azure developer permissions (AC-6). Conduct backup recovery test (CP-9). Define vulnerability remediation of SLAs (RA-5). Develop media protection and sanitization policy (MP-1, MP-6).	Written confirmation from CSO that all Phase 1 activities are complete with evidence. Submitted to AO on day 30. DND contract officer notified of Phase 1 completion.
Phase 2 30 to 90 days	Conduct VIPOP contingency plan tabletop exercise (CP-2). Establish SA&A policy and schedule (CA-1). Develop VIPOP System Security Plan (PL-1, PL-2). Deploy SAST in CI/CD pipeline (SA-3). Implement SCA for open-source dependencies (SA-4). Establish continuous monitoring plan (CA-7). Document account management procedure and complete overdue access reviews (AC-2). Deliver role-based security training to all VIPOP roles (AT-3). Extend audit log retention to 2 years (AU-11).	Phase 2 completion report to AO at day 90. SAR Lead verifies evidence for all Phase 2 controls. Updated residual risk register presented to AO.
Phase 3 90 days to 6 months	Establish and document baseline configurations for all VIPOP components (CM-2). Implement behavioral analytics rules in Sentinel for anomalous document access (SI-4). Develop and deliver incident response tabletop exercise (IR-1). Establish information security program plan (PM-1). Develop organizational risk management strategy (PM-9). Implement customer-managed encryption keys (SC-28). Formalize flaw remediation SLAs (SI-2). Complete SBOM for all VIPOP components (SA-4).	Phase 3 completion report to AO. Reassessment of all Critical and High controls with evidence. AO determines whether full ATO conditions are met.
Phase 4 6 to 12 months (Full ATO Target)	Establish MSSP relationship for incident response surge capacity (IR-7). Complete first cycle of continuous monitoring reviews with formal reporting to AO. Conduct the first annual penetration test of VIPOP. Formalize authorization processes across all Veridia systems, processing GoC information (PM-10). Submit full ATO package to AO including updated SAR, verified control evidence, and formal TRA residual risk register.	Full ATO recommendation to AO at month 12 subject to satisfactory re-assessment results. DND contract renewal submission supported by full ATO documentation.

10. Conclusion

VIPOP is a system with meaningful security controls in place. MFA is enforced, boundary protection is strong, physical security is well-managed, and personnel clearances provide a robust baseline of trust. The gaps identified in this assessment are primarily governance and documentation gaps rather than technical control failures, which means they can be remediated relatively quickly with executive commitment and focused effort.

The Critical gaps -- the absence of a formal TRA, an untested contingency plan, undocumented GoC incident notification procedures, and incomplete SA&A program maturity -- are significant but addressable within 30 days.

None of them indicate that VIPOP has been actively compromised or that Protected B information is in immediate danger. They indicate that Veridia has been operating a capable system without the formal documentation and governance structure that ITSG-33 and DND contract obligations require.

The path from IATO to full ATO within 12 months is achievable. The remediation roadmap in Section 9 is realistic and sequenced appropriately. What is required is the same commitment that has made Veridia a trusted federal contractor for 15 years -- professionalism, accountability, and follow-through.

The Security Assessment Lead is available to present these findings to the Authorizing Official and the DND Contract Security Officer at any time.

11. Authorization Decision

The Authorizing Official reviews this Security Assessment Report and makes the formal authorization decision below. By signing, the Authorizing Official confirms that they have reviewed the assessment findings, understand the residual risk associated with VIPOP's current security posture, and accept that residual risk for the duration of the authorization period subject to the conditions stated.

Role	Decision	Signature	Date
Security Assessment Lead – Ashkon Irani	IATO Recommended	[Signed]	05/24/2026
System Owner Chief Security Officer	Reviewed and Concur	[Signed]	05/24/2026
Authorizing Official Chief Executive Officer	IATO Granted / Denied (circle)	[Signed]	05/24/2026

IATO Conditions (to be completed by Authorizing Official):

No additional conditions beyond those stated in Section 8 of this report.

IATO Expiry Date: 05/24/2027

-- End of Document --

VS-ITSG-003 v1.0 | Veridia Systems Group Inc. | PROTECTED B