



InterviewBit

Web Developer Interview Questions



To view the live version of the page, [click here.](#)

© Copyright by Interviewbit

Contents

Web Development Interview Questions for Freshers

1. What are the key responsibilities of Web Developers?
2. List the advantages of HTTP/2 over HTTP 1.1.
3. Explain CORS (Cross-Origin Resource Sharing) and Write its Importance.
4. What do you mean by ETag (Entity Tag) and how does it work?
5. Explain Webpack.
6. List out newly introduced input types, APIs, form elements, and elements that support media content in HTML5.
7. State the difference between span tag and div tag in HTML5.
8. Explain HTML5 Web storage.
9. Explain DOM (Document Object Model)?
10. What do you know about pair programming?
11. While building a web application, how do you consider SEO, maintainability, UX, performance, and security?
12. State difference between SVG (Scalable Vector Graphics) and Canvas.
13. What is Type Coercion in JavaScript?
14. What is the difference between and ?
15. Describe the different kinds of HTTP requests supported by RESTful Web services.

Web Development Interview Questions for Experienced

16. What is the best way to integrate different stylesheets into a website?
17. How do you optimize the loading time of your web application as a Web Developer?

Web Development Interview Questions for Experienced

(.....Continued)

19. What are different popup boxes that are available in JavaScript?
20. Explain the term “Scope” in JavaScript and write its different type.
21. State difference between HTML and XHTML.
22. Can you explain what AJAX is?
23. What do you mean by CDN (Content Delivery Network) in jQuery?
24. Explain W3C (World Wide Consortium).
25. What do you mean by CSS Selectors? Name a Few.
26. What are pseudo-classes?
27. Why are media queries used in CSS?
28. Explain long polling.
29. State difference between Local Storage and Cookies.
30. What is the purpose of Canvas in HTML?
31. What is the purpose of closures in JavaScript?
32. What is an event loop in Node JS?


Frequently Asked Questions

33. How to become a web developer?
34. What does a web developer do?
35. How much time does it take to learn web development?
36. What should a web developer know?

Frequently Asked Questions

(.....Continued)

- 37. Who should learn web development?
- 38. Do web developers use coding?
- 39. What is the average salary of a web developer in India?
- 40. Why should you be hired for a web development internship?
- 41. State the difference between a web developer and a software developer?
- 42. How do you talk about web-development project in an interview?
- 43. What are different types of web development?



Let's get Started

In a world where the pace of change is rapid, most businesses (from large-scale to small scale) are turning to digital methods for selling their products and services. Therefore, Web Development has mushroomed into a billion-dollar market. When it comes to establishing an online presence, businesses around the world continually seek out web developers and designers with both technical and creative skills in order to build an engaging and attractive website. This obviously offers a lot of employment opportunities overseas, but it also means that there will be a lot of competition, making the interview process a little bit challenging.

However, there is nothing to worry about. The InterviewBit team has put together a list of 30+ Web Development interview questions. This article presents a series of questions curated by hand-picking the ones most likely to be asked during an interview.

Before we begin, let's understand what Web Development is.

What is Web Development?

Web Development



Web Development is a combination of the words i.e., Web (refers to web pages, websites, or anything over the internet) and Development (the act of building such applications from scratch). It entails building and maintaining websites and web-based applications such as social networking sites (like Instagram, Facebook, LinkedIn, Twitter, etc.), online eCommerce sites (like Flipkart, Amazon, Myntra, etc.), and many more. This process involves creating a website that looks great, runs smoothly, and has a seamless user experience. Web design, web publishing, web programming, and database management are all part of this process.

These are the tasks that web developers, or 'devs', perform using various coding languages. Web Developers must have a good understanding of different types of web technologies including HTML (Hypertext Markup Language), CSS (Cascading Style Sheets), PHP (Hypertext Preprocessor), Bootstrap, Servlets, JavaScript, etc. The programming languages they use will vary depending on the tasks they are performing and the platform they are using. A career in web development is highly sought after worldwide and well paid, making it a great career option.

Now let's look at the most common **Web Developer Interview Questions and Answers for both Freshers and Experienced** developers.

Web Development Interview Questions for Freshers


1. What are the key responsibilities of Web Developers?

It is generally expected that [web developers](#) will be able to perform the following tasks:

- Build products using HTML, CSS, JavaScript, PHP (Hypertext Preprocessor), and other relevant coding languages.
- Design, develop, test, debug, and deploy applications in a cross-platform, cross-browser environment.
- Coordination with designers and programmers for the development of projects.
- Develop design specifications/patterns for optimizing web programs.
- Identifying and fixing bugs, troubleshooting, and resolving website issues.
- Taking care of the technical aspects of the site, such as its cache and performance (which indicate how fast a site will run and how much traffic it can handle).
- Providing support and assistance with web management best practices.
- Keep up with the latest technology.
- Maintain and update websites to meet modern web standards.
- Monitor web traffic.

2. List the advantages of HTTP/2 over HTTP 1.1.


Hypertext Transfer Protocol (HTTP) is a set of standard protocols allowing internet users to exchange website knowledge on WWW (World Wide Web). HTTP has gone through four iterations since it was introduced in 1991 i.e., HTTP/0.9, HTTP/1.0, HTTP/1.1, and HTTP/2.0. In 2015, HTTP/2 was released as a major revision to HTTP/1.1. HTTP/2.0 has the following advantages over HTTP/1.1:



- **Increased performance:** It was designed specifically to speed up page loading and reduce round-trip time (RTT) for resource-intensive websites.
- **Handle multiple resources:** With HTTP 1.1, the web pages were manageable simply by using HTML markups and images. But with HTTP 2.0, there are now multiple resources available for web pages, including images, fonts, scripts, and more. HTTP 1.1 was not designed to handle such a large amount of resources today.
- **Multiplexing:** Multiplexing is fully implemented in HTTP/2. It means that multiple requests are sent between browsers and servers simultaneously over a single TCP connection. Consequently, several elements of a web page can be delivered via a single TCP connection. As a result, the HTTP/1.1 head-of-line blocking problem is resolved, in which a packet at the front of the line blocks the transmission of other packets.
- **Header Compression:** HTTP 2.0 has the ability to compress HTTP headers to reduce overhead. When HTML headers on web pages are compressed, they can be sent between the browser and server in one trip, over a single TCP connection.
- **Server push:** HTTP/2 servers are able to push resources into a browser's cache even before they are requested. By doing this, browsers can display content without requiring additional requests.
- **Binary protocols:** HTTP/2 use binary protocols, not textual. HTML/2's binary protocols consume less bandwidth, can be parsed more efficiently, and are less error-prone compared to HTTP/1.1's textual protocols.

3. Explain CORS (Cross-Origin Resource Sharing) and Write its Importance.

CORS stands for Cross-origin resource sharing. It is basically defined as a browser mechanism that enables web pages from one domain to have controlled access to resources that are located at different domains (cross-domain request). In other words, it allows scripts running on a browser client to interact with and access resources from other origins. It provides and extends flexibility to the SOP (Same-Origin Policy). A same-origin policy restricts a website's ability to access resources outside its source domain. For example, if a JavaScript app wanted to call an API (Application Programming Interface) running on another domain, it would be blocked and prevented from doing so because of the SOP. Due to restrictions caused by the same-origin policy, CORS was introduced.



When a website's CORS policy is set up poorly, it also poses the risk of cross-domain attacks. As such, it cannot prevent cross-origin attacks such as CSRF (Cross-Site Request Forgery).

4. What do you mean by ETag (Entity Tag) and how does it work?

The ETag (entity tag) is a part of the HTTP protocol. This is one of several mechanisms that HTTP provides to validate Web caches, which allows conditional requests to be made from a browser to resources. Moreover, Etags make sure that simultaneous updates of the same resource don't overwrite each other (mid-air collisions).

ETags are opaque identifiers assigned by a server to a specific version of a resource found at a specific URL. Every time the resource representation at that URL changes, an entirely new ETag is assigned. As such, ETags can be compared in the same way as fingerprints and determine if two representations of a resource are identical.


Syntax:

ETag: W/"<etag_value>"

ETag: "<etag_value>"

5. Explain Webpack.

Webpack is a tool that bundles JavaScript modules, also known as static module bundlers. Modules are reusable chunks of code that are built from the JavaScript, node_modules, images, and CSS styles of your application, and packaged so that they can be easily added to your website. If you have a large number of files, Webpack generates a single (or a few) file that runs your application.



When Webpack processes your application or package, it generates a dependency graph, which consists of various modules that your webapp needs in order to function as expected. Based on this graph, it then creates a new package that contains only the bare minimum files required, often only one or a few bundle.js files which can be easily plugged into the HTML file and used in the application.

6. List out newly introduced input types, APIs, form elements, and elements that support media content in HTML5.

List out newly introduced input types, APIs, form elements, and elements that support media content in HTML5.

HTML5 has been updated repeatedly in the last few years, and the addition of input types has greatly simplified its use. Among some of these input types are

- **Colour:** Enable users to select or choose a colour using the colour picker.
- **Date:** Enable users to select or choose a date from a drop-down calendar.
- **Datetime-local:** Enable users to select or choose both local date and time.
- **Email:** Enable users to enter an email address.
- **Month:** Enable users to select or choose a month and year from a drop-down calendar.
- **Week:** Enable users to select or choose week and year from a drop-down calendar.

HTML5 introduces the following new form elements:

- **<datalist>:** Specifies a list of options for input controls.
- **<keygen>:** Creates an encryption key.
- **<output>:** Defines the result or output of an expression.
- **<progress>:** Heads in the direction of 100% of the maximum value.
- **<meter>:** Provides a gauge that shows a general value within a range.

The following are some of the new APIs introduced in HTML5:

- **History API:** Provides programs with access to the browser's history.
- **Page visibility API:** Enables us to determine the current visibility state of a page.
- **Battery Status API:** Displays the current battery status of the device.
- **User Timing API:** Provides programmers with high-precision timestamps for measuring application performance.
- **Vibration API:** Provides access to the device's vibration functionality.

HTML5 includes five elements that support media as follows:

- **<audio>:** Used to embed audio files in a web page
- **<video>:** Used to embed video files in a web page.
- **<source>:** Used for attaching multimedia files, including audio, video, and photos.
- **<embed>:** Used to embed external applications, usually multimedia content such as audio or video into an HTML document.
- **<track>:** Specifies text tracks for audio and video components.

7. State the difference between span tag and div tag in HTML5.

Both the div and span tags are used to indicate the part of a web page. Divs are block-level elements, whereas spans are inline elements of a web page. <div> tag is used to show block parts of the webpage whereas tag is used to show inline parts of the webpage:

Example:

```
<div>A 6-month online career accelerator program<span>Scaler Academy</span></div>
```



 tag	<div> tag
Span tag will be used for inline elements and for paragraphs.	Div tags are used for block-level elements.
Typically, this tag is used to highlight any specific word (or a small section of a line) on a webpage.	In general, it is used/attached to highlight a section on the webpage.
In this tag, we use a specific colour code in order to highlight the HTML content.	In this tag, we use borders with height and width with specified colour pixels in order to highlight the HTML content.
As it does not support the align attribute, the span tag will not appear on a new line.	With support for the align attribute, the div tag will appear on a new line.


8. Explain HTML5 Web storage.

HTML5 has many great features, including Web Storage, which is sometimes referred to as DOM storage (Document Object Model Storage). Web applications can use Web Storage to store data locally in the browser on the user/client's side. Data is stored in the form of a key/value pair in the user's browser. Using web storage to store data is similar to using cookies, but web storage is faster and more convenient. Web Storage should never be used to store sensitive data. It isn't "more secure" than cookies since it isn't transmitted over the wire and isn't encrypted.



Types of Web Storage:


As outlined below, there are two types of web storage with different scopes and lifespans:



- **Local Storage:** This storage uses `Windows.localStorage` object that stores data with no expiration date. Once stored in local storage, the data will remain available even after the user's browser is closed and reopened.
- **Session Storage:** This storage uses the `Windows.sessionStorage` object that stores data for one or single session only. As soon as the user closes his browser, data is lost or deleted from the browser, and the session would be lost.

9. Explain DOM (Document Object Model)?

DOM stands for Document Object Model. It is basically a cross-platform, language-independent API (Application Programming Interface) for XML (Extensible Markup Language) and HTML documents. To put it simply, DOM describes the logical structure of documents and how one can access and manipulate them. For example, here is an HTML document that illustrates the DOM hierarchy.



These documents are usually treated as a tree structure in which every node is an object that represents a specific part of the document. In a tree, each branch ends with a node, and each node contains objects. The DOM represents the webpage in a hierarchical structure in order for programmers and users to navigate it more easily.

10. What do you know about pair programming?

Pair programming is sometimes referred to as pairing. In pair programming, two programmers work together at one (single) workstation. Those who write code are known as drivers, and those who monitor and navigate each line of code are known as navigators. Both of them may switch roles frequently.

11. While building a web application, how do you consider SEO, maintainability, UX, performance, and security?

Security should be a top priority in any organization that handles vital data. On the other hand, SEO and UX should be prioritized for small and medium-sized online businesses. You will need to pay more attention to performance and SEO if you write an online publication.

12. State difference between SVG (Scalable Vector Graphics) and Canvas.

HTML5 introduced two new graphical elements, Canvas (`<canvas>`) and SVG (`<svg>`), that make your web pages more interactive and more graphically attractive. Each has its own properties and can be used to create graphic elements on web pages.

<svg> tag	<canvas> tag
<p>In web pages, SVG is used to define vector-based graphics (vector image format). Unlike raster images (ex. .jpg, .gif, .png, etc.), vector images can be stretched or compressed without losing quality.</p>	<p>Canvas is a raster-based format composed of pixels.</p>
<p>SVG provides better scalability, enabling high-quality printing at any resolution.</p>	<p>The canvas is not suitable for printing at high resolutions since it has poor scalability.</p>
<p>Through scripting and CSS, SVG can be modified.</p>	<p>Modifying a canvas is only possible through the script.</p>
<p>The performance of SVG is better when dealing with fewer objects (<10k) or larger surfaces.</p>	<p>Canvas performs better when there is a smaller surface area or a larger number of objects (>10k).</p>

13. What is Type Coercion in JavaScript?

The term type coercion refers to the process of converting values from one data type to another, either automatically or implicitly. For instance, you could convert a number to a string, a string to a number, or a boolean to a number, etc.

Example: Number to String Conversion

```
<script>
  // The Number 5 is converted to
  // string '5' and then '+'
  // concatenates both strings
  const value1 = 5;
  const value2 = '50';
  var x = value1 + value2;
  document.write(x);
</script>
```

Output:

550

The above example shows how JavaScript converted the number 5 into a string and concatenate the values together, resulting in 550.

14. What is the difference between and ?

It is true that both the `<window.onload>` and `<onDocumentReady>` functions perform tasks when the page has been loaded in the browser, however, the execution of the two functions differs slightly.

- **Window.onload:** This event is triggered when a web page has fully loaded. In other words, it waits for the DOM and all the associated resources to load, and then executes code. DOM contains all HTML tags, like anchor tag, h1 tag, p tag, etc.
- **onDocumentReady:** The "onDocumentReady" method, on the other hand, executes the code when the DOM has been loaded. It typically waits for HTML tags, anchor tags, etc., but not for images, videos, or other contents.

15. Describe the different kinds of HTTP requests supported by RESTful Web services.

Each HTTP request type in RESTful web services has a specific purpose. Below is a description of them:

- **GET:** It is used to retrieve data or resources from the server but only allows read-only access. You cannot modify it.
- **POST:** It is used for creating a new resource.
- **PUT:** This is similar to POST, but used for updating an existing resource (if the resource doesn't exist, the API will decide whether a new resource should be created).
- **DELETE:** It is used to delete the resource from the server.
- **TRACE:** It validates the content along with the network during an HTTP request.

Web Development Interview Questions for Experienced

16. What is the best way to integrate different stylesheets into a website?

Typically, it depends on how your site is laid out and how users interact with it. The most efficient way, however, would be to use just a single file called styles.css (or something similar). Combining them into a single document is preferable. Loading one file is easier for a client than loading five. In order to change the style, you simply open the styles.css file, scroll down to find the appropriate section, and modify the CSS. The sheet can be linked in your HTML as follows:

```
<link rel="stylesheet" href="styles.css">
```

17. How do you optimize the loading time of your web application as a Web Developer?

As a Web Developer, here are the top hacks for reducing load time and optimizing your web application's loading times:

- **Image compression and optimization:** Using images on your website will improve the appearance and quality of your pages. However, larger images will also slow down the loading process. Compressing and optimizing images is one of the easiest ways to improve the speed of your site. The smaller your images' file sizes, the less weight they have, which, in turn, helps your pages load faster.
- **Put JavaScript and CSS in external files:** When JavaScript and CSS are embedded in HTML documents, they are downloaded each time the HTML document is loaded. As a result, this does not utilize browser caching, increasing the size of HTML documents. You should always place CSS and JavaScript in external files; this is best practice and makes maintaining your site easier.
- **Reduce the number of redirects:** A website with too many redirects will take a long time to load. HTTP request and response times are prolonged every time a page redirects. If you eliminate unnecessary redirects on your site, your page load time will be significantly reduced.
- **CSS and JavaScript files should be loaded asynchronously:** You have CSS and JavaScript files on your website that can be loaded synchronously or asynchronously. In synchronous loading, each file is loaded one at a time, in the order in which it appears on your web page. Asynchronous loading, on the other hand, allows multiple files to be loaded simultaneously, which can speed up the performance of a website. '
- **Minify HTML, CSS, and JavaScript:** Your pages will load faster if you optimize how your files to load. In a similar vein, you can minify your HTML, CSS, and JavaScript code. You can reduce the size of files by eliminating unnecessary spaces, characters, comments, and other components. As a result, web pages will load faster with cleaner code.

18. Define NPM (Node Package Manager).

NPM stands for [Node Package Manager](#). It is commonly used as a default package manager for Node.js (JavaScript runtime environment). It is included in every installation of Node.js. This command-line tool installs, updates, and uninstalls Node.js packages and modules required for Node applications or projects. A package contains all files for a module, and modules are basically JavaScript libraries that can be added to a Node project as needed. It contains a number of libraries that are extremely useful to Node.js developers, speeding up the process of developing applications.

Installing NPM: In order to install NPM, you need to install Node.js as NPM automatically gets with Node.js.

Check NPM Version: The following syntax can be used to check the version of NPM that is installed on the system:

Syntax: `npm -v`

Update NPM Version: NPM updates refer to updating the Node package manager to its latest version. One may always update the installed version if it is not the latest using the syntax given below:

Syntax: `npm update [-g] [<pkg>...]`

The -g flag is used to update npm globally since it is a global package and pkg refers to the package.

- Use `npm@update` command

```
npm install npm@latest -g
```

- Use `update` command

```
npm update -g
```

- Use `npm@latest` command

```
npm install npm@latest -g
```

19. What are different popup boxes that are available in JavaScript?

Javascript uses pop-up boxes to display notifications and messages to users. Here are the different types of pop-up boxes in Javascript:

- **Alert Box:** This is used to display a warning message. After the alert box appears, the user needs to press the OK button to proceed.

Syntax:

```
alert("Your Alert Text")
```

Example: Running the following script will open an alert box that contains the message: "This is Scaler Academy" along with a confirmation button OK.

```
<script>  
  alert("This is Scaler Academy");  
</script>
```

- **Confirm Box:** These pop-up boxes are used as a means of obtaining authorization or permission from the user. In order to proceed, the user must click the OK or Cancel button.

Syntax:

```
confirm("Your query")
```

Example: Upon executing the following script, it will open a confirmation box containing the following text: "Confirm this action" along with a confirmation button and cancellation button. Based on the input provided by the user, this returns a boolean. It will return true if the user clicks to confirm, and false if the user clicks cancel.

```
<script>
  let bool = confirm("Confirm this action");
  console.log(bool);
</script>
```

- **Prompt Box:** The purpose of this type of pop-up box is to gather user input for further use. After entering the necessary information, the user has to click OK to proceed to the next stage, otherwise pressing the Cancel button returns the null value.

Syntax:

```
prompt("Your Prompt")
```

Example: Running the following script will open a pop-up box with the message: "Enter your email". There will also be a confirmation button and a cancellation button.

```
<script>
  let name = prompt("Enter your email");
  console.log(name);
</script>
```

You'll be able to see your email on the console once you enter some input in the prompt box.

20. Explain the term “Scope” in JavaScript and write its different type.

Managing the availability of variables or objects in an application is governed by the concept of scope. In JavaScript, there are two types of scope as follows:

Global Scope: A variable having global scope can be accessed from anywhere in the program. These variables that are declared outside of any function can be accessed from any place in the program.

Example:

```
let scalerProgram = "DataScience"
// code here can use scalerProgram
function myScaler() {
  // code here can also use scalerProgram
}
```


Local Scope: Variables with a local scope can only be accessed within the same function in which they are declared. Whenever a variable is declared inside a function, it becomes local to the function. As soon as a function begins, local variables are created and deleted when the function is executed.

Example:

```
// code here can NOT use scalerProgram
function myScaler() {
  let scalerProgram = "DataScience";
  // code here CAN use scalerProgram
}
// code here can NOT use scalerProgram
```

21. State difference between HTML and XHTML.

Both HTML (Hypertext Markup Language) and XHTML (Extensible Hypertext Markup Language) can be used to create web-based and Android applications.



HTML	XHTML
HTML is basically a SGML (Standard Generalized Markup Language) application.	XHTML is just an XML (Extensible Markup Language) application.
It is not case sensitive. It is not necessary to use lower or upper case for tags and attributes.	It is case sensitive. This means that every tag and attribute must be lowercase.
It is not necessary to mention quotes when using attributes. For e.g., <code><InterviewBit></code> .	It is necessary to mention quotes when using attributes. For e.g. <code><InterviewBit="SCALER"></code> .
.html and .htm are the filename extensions used.	.xhtml, .xht, and .xml are the filename extensions used.
There is no need to write the Doctype (document type) at the top.	It is very important to write the Doctype (document type) at the top of your file.

22. Can you explain what AJAX is?

AJAX (Asynchronous JavaScript and XML) refers to a set of technologies used for developing web applications. The purpose of AJAX is to create better, faster, and more interactive web applications using these technologies such as XML, HTML/XHTML, CSS, DOM, JavaScript, XMLHttpRequest etc. Through Ajax, web applications are able to send and receive data asynchronously from the server without hampering the display or behaviour of the existing site. Using AJAX, you can exchange information with a server and update portions of a webpage without having to reload the whole page. The term "AJAX" refers to a technique for creating dynamic, fast web pages.



23. What do you mean by CDN (Content Delivery Network) in jQuery?

CDN stands for Content Delivery Network. CDNs are geographically distributed groups of servers that deliver Internet content quickly. To provide end-users with fast, secure media delivery and web content, the servers are dispersed across many physical and network locations. Using CDNs can significantly reduce load times since they deliver files at higher bandwidth from servers located closer to your visitors than your own web server.

For faster access and better performance, web programmers and developers can leverage CDNs to host their [jQuery Libraries](#). Microsoft and Google have already put jQuery on their CDNs, so developers don't have to worry about that. Their only task now is to reference the hosted jQuery library.

Google CDN

```
<head>
<script type="text/javascript" src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/
</head>
```

Microsoft CDN

```
<head>
<script type="text/javascript" src="https://ajax.aspnetcdn.com/ajax/jquery/jquery-3.
</head>
```

24. Explain W3C (World Wide Consortium).

W3C stands for World Wide Web Consortium. Founded in 1994, W3C is an international organization devoted to the improvement of the web. The W3C strives to help the web reach its full potential and ensure its continuous development. It sets standards (protocols) for the WWW (World Wide Web) to allow for interoperability and cooperation between all stakeholders. It develops various protocols or standards as a means of growing the web.



Characteristics of W3C:

- It develops and publishes web standards or protocols.
- Furthermore, it ensures the development and growth of the web.
- In addition, it sets the standards or protocols for web scripts, web applications, and other dynamic content.
- While designing web protocols, W3C adheres to the principles of modularity, simplicity, and extensibility.

25. What do you mean by CSS Selectors? Name a Few.

[CSS selectors](#) are used by web designers to specify or select HTML elements they want to style. Following are a few of the most commonly used CSS selectors:

- **ID Selector:** It selects HTML elements using specific id attributes.

Syntax: `#idname`

Example: Here is the CSS rule that will be applied to the HTML element having `id="para1"`.

```
#para1 {  
  text-align: left;  
  color: blue;  
}
```

- **Class Selector:** It selects HTML elements using specific class attributes.

Syntax: `.classname`

Example: Here is the CSS rule that will be applied to the HTML element with `class="scaler"`.

```
.scaler {  
  text-align: left;  
  color: blue;  
}
```

- **Child Selector or Combinator:** It selects all HTML elements that are children of the specified element. In a child selector, there are two or more selectors separated by ">".

Syntax: `selector1 > selector2`

Example: Here is a CSS rule that will be applied to HTML elements (<p>) that are children of a <div> element.

```
div > p {  
  background-color: blue;  
}
```

26. What are pseudo-classes?

A pseudo-class is basically used to define or specify a special state of an HTML element. This can be used in conjunction with an existing CSS selector to add effects to elements based on their state. For instance, changing the style of an element when a user hovers over it or using different styles for visited and unvisited links. The pseudo-class gives you the ability to do all of this.

Syntax:

```
selector: pseudo-class{  
  property: value;  
}
```

In CSS, there are many pseudo-classes, but the ones that are most frequently used are as follows:

- **:visited pseudo-class:** Select the links that the user has already visited.
- **:hover pseudo-class:** A special effect can be added to an element when the mouse pointer is over it.
- **:active pseudo-class:** Select the element that becomes active when the user clicks on it.
- **:focus pseudo-class:** Select an element that is currently focused by the user.


27. Why are media queries used in CSS?

Media queries are used in CSS to create responsive web designs. This means that the way a web page appears varies from one system to another based on the screen or the media type. The media query can be used to apply different styles or change the appearance (and even the behaviour) of a site or an app depending on a user's device type or specific characteristics (like browser viewport width, height, screen resolution, etc.). The following can be checked using media queries:

- Dimensions (width and height) of the viewport
- Dimensions (width and height) of the device
- Orientation
- Resolution

28. Explain long polling.

Long polling is generally a web application development method that is used to push information or data from the server to the client as quickly as possible. Long-polling maintains the connection between client and server after a request has been made from the client to the server. The connection is maintained until information becomes available from the server and it is ready to send it to the client. If the server receives a request from the client, it doesn't close the connection immediately; the connection is only closed when the server sends the data back to the client or when a timeout threshold is reached (connection timeout).



29. State difference between Local Storage and Cookies.

The differences between local storage and cookies are as follows:



Local Storage	Cookies
Local storage generally stores large amounts of data on the client's computer (client's browser) as key-value pairs.	Simply put, a cookie is a small text file containing information about a website, like a username or a password. When you visit a particular website, this website saves some information in your local system so that it can recognize you and display results according to your preferences.
The client can only access local storage. It is impossible for a server to use local storage unless it deliberately makes a request to the server via GET or POST.	Servers and clients are both able to read and write cookies.
Local storage has a storage capacity of 5MB/10MB.	Cookies have a storage capacity of 4KB.
Local storage does not have an expiration date, so it must be manually removed.	Cookies have an expiration date and cookie data is purged after a certain period of time.

30. What is the purpose of Canvas in HTML?

In simple terms, Canvas (<canvas> tag) is an HTML element that enables you to draw or create graphics on a web page using JavaScript. This is a new tag in HTML5. Canvas allows you to dynamically control graphics, images, and text on your web pages, adding a great deal of interactivity. You can create graphs, combine photos, and create animated elements using the CANVAS element.

Syntax:

```
<canvas id = "script"> Contents... </canvas>
```

Example:

In this example, we have a simple *canvas> element that only has two specific attributes: width (set width of the canvas) and height (set height of the canvas), along with the HTML5 core attributes such as id, name, and class.

```
<!DOCTYPE html>
<html>
  <body>

    <!-- canvas Tag starts here -->
    <canvas id = "InterviewBit" width = "100"
      height = "100" style = "border:1px solid blue">
    </canvas>
    <!-- canvas Tag ends here -->


  </body>
</html>
```

Or

```
<!DOCTYPE HTML>
<html>
  <head>
    <style>
      #Interviewbit{border:1px solid blue;}
    </style>
  </head>

  <body>
    <canvas id = "Interviewbit" width = "100" height = "100"></canvas>
  </body>
</html>
```

Output:



31. What is the purpose of closures in JavaScript?

In JavaScript, a closure is known as a JavaScript closure or JS closure. Closures allow you to access the scope (variables and parameters) of an outer function from an inner function. Every time a JavaScript function is created, a closure is created. JavaScript closures allow you to control which variables are and are not in scope in a given function, as well as which variables are shared among siblings within the same containing scope.

32. What is an event loop in Node JS?

Asynchronous programming in JavaScript is made possible by the event loop. With JS, all operations occur on a single thread, but we can create the illusion of multi-threading by using smart data structures. Event loop takes care of anything that's async using a queue and listener.

So, when an async function has to be executed (or an I/O has to be performed), the main thread sends it to another thread, allowing v8 (Javascript engine) to continue running its code. The event loop consists of different phases with specific tasks like pending callbacks, close callbacks, timers, idle or prepare, poll, check, with different FIFO (First-In-First-Out) queues.

Conclusion

In an era of economic uncertainty, web development is one of the most promising careers to pursue. In spite of this, web developer interviews can be intimidating, and if you are unprepared, you will become overwhelmed and lose confidence. In order to be competitive, you must be able to have a competitive edge and skill sets that set you apart from the rest. To be successful, you must have a thorough understanding and hands-on experience with integrating new technologies, CSS3, HTML5 APIs, front-end scripting language libraries, and languages like JavaScript, Python, PHP, etc. Furthermore, you must be knowledgeable about configuring applications on web servers and databases, managing SEO keywords, browser compatibility and web security.

Hope you found this article informative and helpful in clearing your doubts. Wishing you success in your next interview.

Useful Resources:

- [Web Development Projects](#)
- [Web Development Tools](#)
- [Best Web Development Books](#)
- [Web Development Course](#)

Frequently Asked Questions

33. How to become a web developer?

In order to become a professional web developer, you must take the following steps:

- Choose a speciality (FrontEnd/BackEnd/FullStack).
- Develop the necessary programming language skills.
- Gain Practical Experience (take on small projects and build your online portfolio).
- Learn from other websites.
- Earn Certificates (certificates in front-end or full-stack web development, JavaScript and cloud development).
- Practice! Practice!! Practice!!! (the more you practice, the better you become).

[Learn More.](#)

34. What does a web developer do?

Typically, there are three types of web developer jobs based on skills: front-end, back-end, and full-stack development. Front-end web developers design the look of a website (visible to users) and focus on visual elements of the website. A backend developer is responsible for server-side (non-visible to users) application logic and front-end integration. Full Stack Developers work both on the Back End (server-side) and Front End (client-side) of an application.

35. How much time does it take to learn web development?

For a beginner, learning web development from the ground up would take you about four to six months if you study 2-3 hours every day. Some people learn within a couple of months, while others take a year or so.

36. What should a web developer know?

Web Developers must have a good understanding of HTML, CSS, and JavaScript. Additionally, you should learn about libraries and frameworks such as Bootstrap and jQuery. Having these foundational skills will help you understand how programming languages work.

Anyone can become a web developer; anyone who is interested in creating websites should learn how to do so. You don't have to be a techie or have a long list of formal qualifications to pursue a career in web development. It only takes motivation and a willingness to learn to climb the career ladder.

38. Do web developers use coding?

For creating websites and web applications, web developers use programming languages (such as JavaScript, and Python). A developer turns the plans and visions of web designers into what you see on your phone, tablet, or computer screen by using code.

39. What is the average salary of a web developer in India?

It is estimated that web developers with 1-4 years of experience can earn around Rs 3,04,000 per annum. With 5-9 years of experience, you can expect to make around Rs 5,89,000 per year. Over ten years of experience in this field can earn you around Rs 1,000,000 annually. However, the range of the salary depends on a variety of factors such as your experience, employer (company profile), skills, and location.

40. Why should you be hired for a web development internship?

As people embark on further education and prepare to enter some well-reputed organization, this is likely to be one of the most common questions they encounter.

Sample Answer: *"As a fresher, I am interested in starting my career with a company like yours. I am well versed in all the required subjects. Even though I am a newbie, I am a very quick learner, and I am also highly trainable. By having these two skills, I am able to learn new techniques and skills very fast, and I also adjust to new environments more quickly. I have a few fresh ideas that may help your company grow and thrive. Furthermore, I would like to learn from professionals working with your team and refine my skills".*

41. State the difference between a web developer and a software developer?

The main difference between web developers and software developers pertains to the types of projects they may work on. The role of a web developer is to develop web-based applications such as websites, e-commerce, and mobile applications. As a software developer, you will focus on developing software for underlying operating systems, networks, or platforms. Software developers can be involved in the service development of web applications, etc.

42. How do you talk about web-development project in an interview?

Make sure you categorize your project into several steps and explain them in a very clear manner in order to win an interview. Here are some steps to explain a project:

- Project Introduction
- Modules description
- Benefits and main features of your application
- The tools, technologies, and platforms that were used
- Contribution and your involvement in the project
- The challenges you faced in the project and how you overcame them
- Future improvements to the current system

43. What are different types of web development?

Different web development types include:

- **Front-end:** Front-end developers design the look of a website (visible to users) and focus on visual elements of the website.
- **Back-end:** A backend developer is responsible for server-side (non-visible to users) application logic and front-end integration.
- **Full Stack:** Full Stack Developers work both on the Back End (server-side) and Front End (client-side) of an application.
- **UI (User Interface) developers:** UI developers are responsible for designing and developing a website's User Interface. They design the look, feel, and presentation of web applications, as well as ensure their functionality.

Links to More Interview Questions

[C Interview Questions](#)

[Php Interview Questions](#)

[C Sharp Interview Questions](#)

[Web Api Interview Questions](#)

[Hibernate Interview Questions](#)

[Node Js Interview Questions](#)

[Cpp Interview Questions](#)

[Oops Interview Questions](#)

[Devops Interview Questions](#)

[Machine Learning Interview Questions](#)

[Docker Interview Questions](#)

[Mysql Interview Questions](#)

[Css Interview Questions](#)

[Laravel Interview Questions](#)

[Asp Net Interview Questions](#)

[Django Interview Questions](#)

[Dot Net Interview Questions](#)

[Kubernetes Interview Questions](#)

[Operating System Interview Questions](#)

[React Native Interview Questions](#)

[Aws Interview Questions](#)

[Git Interview Questions](#)

[Java 8 Interview Questions](#)

[Mongodb Interview Questions](#)

[Dbms Interview Questions](#)

[Spring Boot Interview Questions](#)

[Power Bi Interview Questions](#)

[Pl Sql Interview Questions](#)

[Tableau Interview Questions](#)

[Linux Interview Questions](#)

[Ansible Interview Questions](#)

[Java Interview Questions](#)

[Jenkins Interview Questions](#)