Day17 - 6th May

```
------ 10:30 ----------- 06-05-2026

Create one server and deploy three applications into different paths default,path1, path2 (usr/share/nginx/html/index.html,
usr/share/nginx/html/path1/index.html, usr/share/nginx/html/path2/index.html)
and create Target group for default path only and configure load balancer for target group)

Try to hit only Load balancer dns ----> redirect into which path ?

Try to hit only Load balancer dns/path1 ----> redirect into which path ?

Try to hit only Load balancer dns/path2 ----> redirect into which path ?
```







In ALB, create diff paths with diff port no.s also add individual TG for each path inside single server.

```
------ 10:30 ----------- 06-05-2026

1.Create one server and deploy three applications into different paths default,path1, path2 (usr/share/nginx/html/index.html,
usr/share/nginx/html/path1/index.html, usr/share/nginx/html/path2/index.html)
and create Target group for default path only and configure load balancer for target group)

Try to hit only Load balancer dns ----> redirect into which path ?    ----------> default

Try to hit only Load balancer dns/path1 ----> redirect into which path ? ------->

Try to hit only Load balancer dns/path2 ----> redirect into which path ?


2. List common OS problems (if I deploy 3 or 4 application on common OS what kind challenges may occur)
```

ENI - Elastic Network Interface (NIC Card with Server/Instance/ec2)

- It helps to persist the private IP for corrupted OS server.



possible when ?after terminate server-1 so Ip will be released so we can attach that Ip another server-2 through ENI

can we detach or Delete ENI while server is running mode ? NO

running mode ? NO

Option-1 After terminate server we can create own ENI by giving before server IP later create server with same ENI so that same IP will get for new server

Option-2 Terminate server by keeping ENI (be default terminate ENI along with server change this option disable to delete along server) after terminate your ENI still there we can attch to newly create server