Name-Ashish Negi Uni. Roll - Maliase Student ID- AUMIATS Course- DCA Section-C. Subject- Mubile App Development

Explicit Intent

activity-main,xm)

(xm) version = "1.0" encoding = "utly-0" 97

Condrold . suppost. constroint . con straint Layout

xmins: android: "http://schemes.android. com/opk/tes/android."

xmins: android: "http://schemes: android...com/opk/ostes-asto"

xmins: android: "to http://schemes: android...com/opk/ostes-asto"

xmins: android: "to http://schemes: android...com/tools"

android: layout widt: "morth porent"

android: layout height - "morth porent"

< :-- add a button to move to next activity -->

and 6012 : 12 - "@ 12 / Button 01" usop content"

andtoid: loxaut - height = "1 weep content"

and soid: byout -below -. @ 1721 /Text View of "

android: byout - morgin Tob - "209 db"

and-toild: an click -, " on click"

andworld : text - " Go to "other cothing"

app : layout - constaint End - to End of - " loosent"

URYSP

stocet music Alph Deverboner Name obligh News Page -2 Or: Rd1 - 1921030 Course- BCA Sochan-C. app: layart - anstealit stoot to stood of ? " paserd" app: land - unsteast Tap-totaloup- " pocent" mols: ignore - "on click" < !-- all a Test view to write some text on activity --> adres: 19: " @ + 12 / Jest view of 1 android: loxant - 124/2 - " 156p- control" andeold: brout - height - 11066-wheel" and i logar - olightyt - @ 172/Button ol" adold: byout - mossin Top = "44 db" android man height - Go dip" android: text = " This is piest artivity" advoid . toot size - " 2056" chts: loyalt- constant end to end of . "botter"

app: byout-constaint 740 - to Though. " parcon" /7

< / crottoid . Subbut . ranstrain . (anstraint Lexaut >

Ashah

Shert ID- 1904125

Page-3

Ashish Negio (UNSE - DCA Uni- Pall- 1921038 Sb - Mbite opp Declapment.

Main Activity. Java.

backage use, explicit intent impost adroid. OS. Budb im boot and soid . opp. ACH, it Payort and soil . routent - Intent imbet andood viv. view. Myself . Boston . Butter.

bublic class Main activity extends fathing & & Better Detter 1;

bublic void on create Countle some Fishere State <

Syst. on cache (Soved Instance state):

Set content view (R. loyant. ochority-most);

button 1. (Button) Find Virolog ID (R. ii) Button ad),

button s. set on click listnes (new on click Listnes () {

bublic void on clark (Vigo vico <

Intend 1° - new I ment (got Applicated ().

Activity Two class): Stoff ochrig (3):

Ashish