Will EVs Dampen the Oil Price Shock?

Electric Vehicles, Oil Demand Destruction, and the Future of Energy Price Volatility

Version 1.0 | April 2026

Technical Reference Document

Table of Contents

Executive Summary 3

1. Introduction 4

1.1 Scope and Methodology 4

2. Oil Price Shocks: Anatomy and Historical Record 5

2.1 The Role of Demand Growth in Price Formation 6

3. Transportation's Role in Global Oil Demand 6

3.1 Regional Concentration of Passenger Vehicle Demand 7

4. EV Adoption Trajectories and Oil Demand Displacement 8

4.1 Battery Cost Trajectories and the Demand Tipping Point 8

5. Macroeconomic Channels: How EV Penetration Reshapes Oil Markets 9

5.1 OPEC Supply Response and Strategic Behavior 10

5.2 Stranded Assets and Upstream Investment Cycles 10

6. Challenges, Limits, and Counterarguments 11

6.1 Critical Material Supply Chains and Adoption Bottlenecks 12

7. Future Directions 13

7.1 Policy Implications for Energy-Importing Nations 13

8. Conclusion 14

Executive Summary

The global transition toward electric vehicles (EVs) has emerged as one of the most consequential structural shifts in energy markets since the oil crises of the 1970s. Transportation accounts for roughly 57 percent of global oil demand, and road transport alone represents the single largest sub-segment. As EV adoption accelerates — driven by falling battery costs, tightening emissions regulations, and expanding charging infrastructure — a fundamental question has risen to the top of the energy policy agenda: will the mass displacement of internal combustion engine (ICE) vehicles materially reduce oil price volatility and cushion economies against future oil price shocks? This report examines that question from multiple angles, drawing on demand trajectory modeling, macroeconomic transmission mechanisms, producer response dynamics, and the structural limits of EV-led demand destruction.

The central finding of this analysis is nuanced. In the near term — through 2030 — EV penetration will shave meaningful but modest volumes from global oil demand growth, likely delaying rather than preventing demand peaks and offering only partial insulation against supply-driven price shocks. However, over the 2030–2050 horizon, cumulative fleet electrification could reduce oil demand by 20 to 30 million barrels per day, a displacement large enough to fundamentally restructure the oil supply curve and materially compress the frequency and amplitude of price spikes. The dampening effect is real, but it is not uniform: it depends critically on the pace of grid decarbonization, whether OPEC producers cut supply to defend prices, the trajectory of energy demand in emerging markets, and the degree to which efficiency gains are eroded by rebound effects. Policymakers, investors, and energy planners should treat EV-led oil demand destruction as a secular structural trend that reduces but does not eliminate oil price risk over the coming decades.

1. Introduction

Oil price shocks have long been recognized as among the most destabilizing forces in modern economies. From the Arab oil embargo of 1973 and the Iranian Revolution supply disruption of 1979, to the Gulf War spike of 1990, the demand-driven surge of 2007–2008, and the supply collapse of 2020 triggered by the COVID-19 pandemic, each episode has revealed the profound sensitivity of economic output, inflation, and political stability to movements in the price of crude oil. Economists estimate that a sustained $10 per barrel increase in oil prices reduces GDP growth in oil-importing nations by 0.2 to 0.5 percentage points, while simultaneously raising consumer price indices and compressing corporate margins across energy-intensive industries. The asymmetry of this exposure — importers bear the brunt while exporters benefit — has also been a persistent source of geopolitical tension, incentivizing decades of investment in alternative energy sources.

Against this backdrop, the rapid commercial emergence of battery electric vehicles represents a genuinely novel variable in the oil demand equation. Global EV sales surpassed 14 million units in 2023, capturing more than 18 percent of new vehicle sales in major markets such as China, Norway, and Germany. Battery pack costs have fallen by approximately 90 percent over the past decade, and industry forecasts from Bloomberg NEF, the International Energy Agency, and McKinsey collectively project that EVs will account for between 40 and 60 percent of new vehicle sales globally by 2030. The stock of EVs on the road — which matters more than annual sales for oil displacement — is projected to grow from roughly 40 million vehicles today to between 300 and 500 million by the early 2030s. Whether this is sufficient to materially alter the oil price formation process is the central question this report addresses.

1.1 Scope and Methodology

This report focuses on the relationship between passenger and light commercial vehicle electrification and global oil demand dynamics. Heavy trucking, aviation, shipping, and petrochemical feedstock demand — which collectively account for roughly 43 percent of oil consumption — are not the primary subject of analysis, though their trajectories are referenced where relevant. The geographic scope is global, with particular attention to the three largest oil-consuming blocs: China, the United States, and the European Union, which together account for approximately 45 percent of global liquid fuel demand. The analytical framework combines bottom-up fleet modeling (projecting how EV stock growth reduces gasoline and diesel consumption) with top-down macroeconomic analysis of how lower oil demand interacts with supply-side producer behavior to shape price equilibrium. Scenarios

are drawn from published work by the IEA, OPEC, BloombergNEF, and academic literature on oil price formation, with independent synthesis applied throughout.

2. Oil Price Shocks: Anatomy and Historical Record

To evaluate whether EVs can dampen oil price shocks, it is necessary to understand precisely what generates those shocks in the first place. Oil price volatility arises from the interaction of a highly inelastic short-run demand curve with a supply curve that is periodically disrupted by geopolitical events, cartel coordination failures, geological constraints, and financial speculation. In the short run — defined as months rather than years — both consumers and producers have limited ability to adjust to price changes. Consumers cannot quickly replace their vehicles or restructure their commutes; refiners cannot rapidly switch crude slates; and upstream producers cannot bring new fields onstream in weeks. This bilateral inelasticity means that even modest supply disruptions or demand surges can produce large percentage movements in price, far larger than would occur in markets with more elastic participants.

Historical supply shocks have typically originated from one of three sources: deliberate production cuts by OPEC or OPEC+ members (1973, 1979, 2016, 2022), involuntary outages due to conflict or sanctions (Iraq 1990, Libya 2011, Iran 2018), or rapid demand surges that outpaced available supply capacity (2004–2008). The 2008 oil price spike — which saw Brent crude reach $147 per barrel — was predominantly demand-driven, fueled by the synchronized industrialization of China and India and a period of unusually low upstream investment. The 2020 crash to negative prices, by contrast, was an extreme demand destruction event triggered by pandemic lockdowns. Each episode illustrates a different facet of oil market structure, and any assessment of how EVs affect this structure must consider all three shock typologies.

The price transmission mechanism from oil markets to the broader economy operates through several channels: direct cost increases for transport fuel and heating oil borne by households; higher input costs for energy-intensive manufacturing, agriculture, and logistics; inflationary pressure from second-round wage demands; and tightening monetary policy in response to headline CPI increases. Central banks in developed economies have become adept at distinguishing between transitory supply shocks and sustained inflation, but the financial market volatility and business confidence deterioration associated with oil price spikes impose real costs regardless of the monetary policy response. It is this combined economic and financial transmission that policymakers hope the structural decline in oil

demand from EV adoption may eventually attenuate.

2.1 The Role of Demand Growth in Price Formation

While supply disruptions generate the acute spikes in oil prices that make headlines, the underlying trend in demand is arguably more important for setting the baseline price level around which shocks are amplified. When global oil demand is growing rapidly — as it was in the early 2000s, when Chinese industrialization added 500,000 to 700,000 barrels per day of incremental demand annually — spare capacity in the global system erodes and the oil market operates with little buffer. In this environment, even minor supply disruptions cascade into large price increases because there is no slack to absorb the shock. Conversely, when demand is flat or declining, the market can absorb moderate supply disruptions without extreme price responses because spare capacity and commercial inventory buffers are more ample. This demand-baseline effect is critical to understanding how EV-led demand destruction can reduce price shock severity even when it does not eliminate the underlying supply disruption trigger.

3. Transportation's Role in Global Oil Demand

Transportation consumes approximately 57 million barrels per day of oil equivalent, representing 57 percent of total global oil demand of roughly 100 million barrels per day. Within this transportation sector, road transport dominates, accounting for approximately 45 million barrels per day, or 45 percent of the global total. Of that road transport demand, passenger vehicles — the segment most directly targeted by current EV policy — account for roughly 26 million barrels per day, while light commercial vehicles add a further 7 to 8 million barrels per day. This means that passenger vehicle electrification — even at high penetration rates — addresses approximately one-quarter of total global oil demand. The remaining three-quarters, comprising heavy trucking, aviation, marine shipping, power generation, industrial heat, and petrochemicals, are far less amenable to rapid electrification, a structural constraint that significantly limits the ultimate ceiling on EV-led oil displacement.

However, the relevant metric for oil price formation is not the absolute level of oil demand but the marginal barrel. Oil prices are set at the margin, by the interaction between the last barrel of supply and the last barrel of demand. In a world where global oil demand grows by 1 to 1.5 million barrels per day annually — as it did during much of the 2010s — the marginal barrel is always needed, and the system operates with limited spare capacity. If EV adoption progressively erodes passenger vehicle demand growth, even without reducing absolute

consumption, the effect on price dynamics can be significant. By flattening or reversing the demand growth trajectory, EVs increase the probability that global spare capacity remains above the threshold — typically estimated at 2 to 3 million barrels per day — that provides effective insurance against supply shocks. This marginal demand effect may prove more important than the aggregate displacement figures in the near term.

It is also important to distinguish between gasoline demand — the fuel primarily used by passenger cars — and diesel demand — which powers heavy trucks, buses, construction equipment, and agricultural machinery. Electrification of the passenger vehicle fleet predominantly displaces gasoline, while diesel demand is structurally harder to address. This distinction matters for refinery economics and regional price differentials. The United States and Europe have historically been gasoline-surplus, diesel-deficit regions; accelerating gasoline demand destruction from EVs could create structural oversupply of gasoline fractions, pressuring light-oil refinery margins while leaving diesel markets relatively tight. The net effect on crude oil prices is less straightforward than a simple demand-destruction narrative would suggest, and product-level analysis reveals a more complex picture of the refining and pricing implications of electrification.

3.1 Regional Concentration of Passenger Vehicle Demand

The geographic distribution of passenger vehicle oil consumption is highly concentrated. The United States, China, and Europe collectively account for approximately 65 percent of global passenger vehicle fuel demand, meaning that EV penetration in these three markets has a disproportionate impact on global oil demand trajectories. China has already achieved EV market penetration rates exceeding 30 percent of new vehicle sales, and its aggressive policy support — including purchase subsidies, license plate exemptions, and mandatory EV quotas for manufacturers — positions it to electrify its passenger fleet more rapidly than any other major economy. The European Union's 2035 ban on new ICE vehicle sales creates a hard regulatory cliff that will accelerate fleet turnover, while the United States Inflation Reduction Act has significantly increased consumer EV tax credits and domestic manufacturing incentives. The convergence of policy ambition in these three critical demand centers provides a structural tailwind for EV adoption that is qualitatively different from earlier, more fragmented periods of clean energy policy.

4. EV Adoption Trajectories and Oil Demand Displacement

Projecting oil demand displacement from EV adoption requires integrating three distinct analytical layers: the annual sales trajectory for new EVs, the retirement rate of the existing ICE fleet, and the average annual mileage and fuel economy of the vehicles being displaced. The total stock of passenger vehicles globally stands at approximately 1.4 billion, the vast majority of which are ICE vehicles. With global new vehicle sales of roughly 90 million units per year and average vehicle lifetimes of 15 to 20 years in developed markets — and often longer in developing markets — complete fleet electrification cannot occur in less than two to three decades even under the most aggressive adoption scenarios. This fleet inertia is the primary reason why even optimistic EV projections show only modest oil demand displacement through 2030, with the major effects occurring in the 2030–2050 window.

Under a high-adoption scenario broadly consistent with the IEA's Net Zero by 2050 pathway, the global EV stock reaches approximately 300 million vehicles by 2030 and 900 million by 2035. Each EV on the road displaces roughly 560 liters of gasoline per year on average, equivalent to approximately 1 barrel of oil per month per vehicle. A fleet of 300 million EVs would therefore displace approximately 4.6 million barrels of oil per day by 2030 — a meaningful but not transformative reduction against a global demand base of 100 to 105 million barrels per day. In the 2035–2040 period, displacement could reach 10 to 15 million barrels per day, sufficient to bring absolute oil demand into structural decline. The IEA's Announced Pledges Scenario places oil demand peaking before 2030 under current policy commitments, with the decline accelerating sharply in the 2030s as EV fleets grow and older ICE vehicles are retired.

The more moderate scenarios produced by OPEC's own World Oil Outlook project considerably lower EV adoption rates, reflecting higher assumed consumer price sensitivity, slower charging infrastructure buildout, and more cautious assumptions about battery cost trajectories. Under OPEC's central scenario, EVs displace only 2 to 3 million barrels per day by 2030 and oil demand does not peak until the late 2030s. The gap between the IEA and OPEC projections — spanning roughly 5 to 7 million barrels per day by 2030 — reflects genuine uncertainty about the pace of technology adoption, the durability of policy support, and the behavior of consumers in price-sensitive emerging markets. For oil price scenario analysis, this range of outcomes implies a meaningful probability distribution of future demand levels, and risk managers should model across the full scenario space rather than anchoring to a single central case.

4.1 Battery Cost Trajectories and the Demand Tipping Point

The single most important driver of EV adoption speed — and therefore of oil demand displacement — is the trajectory of lithium-ion battery pack costs. Battery costs have followed a learning curve analogous to that observed in solar photovoltaics, falling from approximately $1,200 per kilowatt-hour in 2010 to below $100 per kilowatt-hour in 2024, a reduction of more than 90 percent in 14 years. Industry analysts broadly expect costs to reach $60 to $80 per kilowatt-hour by 2027–2028, the level widely considered necessary for EVs to achieve total cost of ownership parity with ICE vehicles across mass-market segments without subsidies. Once that parity threshold is crossed, adoption dynamics are expected to shift from policy-driven to market-driven, potentially accelerating the pace of displacement beyond what current policy-based models project. The timing of this transition — and whether cost reductions continue at historical rates or plateau due to raw material bottlenecks — is the pivotal uncertainty in long-run oil demand forecasting.

5. Macroeconomic Channels: How EV Penetration Reshapes Oil Markets

The relationship between EV adoption and oil price dynamics operates through several macroeconomic channels that extend well beyond simple demand arithmetic. The most direct channel is demand destruction: fewer ICE vehicles on the road means fewer barrels of gasoline and diesel consumed, reducing the total quantity of oil demanded at any given price. This shifts the global demand curve leftward, which — all else equal — lowers the equilibrium price of crude oil and reduces the market's sensitivity to supply disruptions. However, the all-else-equal assumption is critical, because the supply side of the oil market is not passive. OPEC and its allied producers in the OPEC+ arrangement have a long history of adjusting production to defend target price ranges, and their response to structural demand destruction will be a major determinant of whether lower demand actually translates into lower prices or simply into lower production volumes at roughly stable prices.

The second channel operates through financial markets and investment behavior. Oil price volatility is amplified by the behavior of commodity traders, hedge funds, and financial intermediaries who take leveraged positions in oil futures markets based on their expectations of future supply-demand balances. As the structural narrative of peak oil demand becomes more widely accepted, it is plausible that financial participants will become more reluctant to take large long positions in oil futures, reducing the speculative premium that has historically contributed to price spikes during periods of geopolitical tension. Conversely, stranded asset concerns may cause oil companies to reduce capital expenditure on long-lead exploration and

production projects, tightening the supply side and potentially exacerbating price volatility if demand proves more resilient than expected. The financial market response to EV-driven demand destruction is inherently forward-looking and may manifest in oil price dynamics well before the physical volumes of displacement become economically significant.

A third channel involves the current account and exchange rate dynamics of oil-importing nations. Countries that spend large fractions of their GDP on oil imports — including India, Japan, South Korea, and many emerging market economies — experience significant terms-of-trade deterioration during oil price spikes, leading to currency depreciation, imported inflation, and balance of payments pressures. As EV adoption reduces oil import dependence in these economies, their macroeconomic resilience to oil price shocks improves. This effect is partially captured in GDP modeling but is underappreciated in most oil market analyses. A world with 40 percent fewer passenger vehicle oil imports in the major importers is a world with structurally less vulnerability to the inflationary and financial stress transmission that oil price shocks have historically triggered.

5.1 OPEC Supply Response and Strategic Behavior

OPEC's strategic response to EV-led demand destruction is arguably the most important single variable in determining whether lower demand translates into lower and less volatile prices. Economic theory offers two plausible behavioral archetypes. Under the first — the rational resource owner model — OPEC producers facing an anticipated long-run demand decline would accelerate production to maximize the value of reserves before stranded asset risk materializes, resulting in higher near-term supply, lower prices, and potentially a self-reinforcing cycle of rapid demand substitution. Under the second — the market defense model — OPEC producers cut supply to offset demand destruction and defend price targets, maintaining prices at levels sufficient to fund their fiscal needs. Historically, OPEC has exhibited behavior closer to the second archetype, and the 2022–2024 period of production cuts in response to the post-pandemic demand softening provides a contemporary illustration. If OPEC continues to act as a swing producer that absorbs demand destruction through supply cuts, oil prices may remain elevated even as EV fleets expand, meaning that oil-importing economies will enjoy reduced import volumes without necessarily lower prices — a partial rather than full insulation from oil market shocks.

5.2 Stranded Assets and Upstream Investment Cycles

The anticipation of peak oil demand has already begun to influence capital allocation decisions in the upstream oil and gas industry. Several major international oil companies have publicly reduced their long-run oil price assumptions used for project evaluation, written down

billions of dollars in assets under impairment charges, and shifted portfolio strategies toward shorter-cycle, lower-break-even production assets. If this capital expenditure reduction accelerates, the long-run oil supply curve could tighten even as demand falls, because the depletion of existing fields — which declines at an underlying rate of roughly 4 to 6 percent per year globally — is not offset by new investment. This creates a paradox: EV adoption reduces oil demand, but the resulting decline in upstream investment reduces supply even faster, potentially keeping prices higher than the demand destruction alone would imply. Resolving this paradox requires careful scenario analysis that models both the demand and supply trajectories simultaneously rather than treating either as exogenous.

6. Challenges, Limits, and Counterarguments

Despite the structural logic of EV-led oil demand destruction, a number of challenges and counterarguments temper optimism about the speed and magnitude of the dampening effect. The most frequently cited is the rebound effect: as EVs reduce the per-kilometer cost of driving (since electricity is cheaper per unit of energy than gasoline), consumers may drive more kilometers per year, partially offsetting the efficiency gains. Studies of the rebound effect in vehicle energy consumption suggest that induced demand recovers between 10 and 30 percent of the direct efficiency savings, meaning that the net oil displacement from EV adoption may be meaningfully lower than simple fleet displacement calculations imply. The magnitude of the rebound depends on income levels, urban density, public transport availability, and the responsiveness of land use patterns to lower transportation costs — factors that vary substantially across geographies.

A second significant challenge is the pace and geography of grid decarbonization. EVs displace oil consumption but increase electricity demand. If the electricity used to charge EVs is generated from coal or natural gas, the carbon and energy security benefits are substantially reduced, and in some electricity systems EVs may indirectly support natural gas demand even as they reduce oil demand. For the macroeconomic oil price shock dampening argument, the relevant question is whether EVs reduce oil demand regardless of the electricity source, and on this metric the displacement effect is real — EVs do not consume liquid oil. However, the broader energy security narrative requires that EVs be charged from low-carbon sources, and in many emerging markets with coal-heavy grids, the full energy security benefit will be delayed until the electricity sector decarbonizes in parallel with vehicle electrification.

Perhaps the most structurally important counterargument relates to demand growth in emerging markets. Global oil demand growth has been driven increasingly by developing economies, particularly in South and Southeast Asia, sub-Saharan Africa, and the Middle East, where vehicle ownership rates are rising from a low base and the price sensitivity of consumers makes EV adoption significantly slower than in higher-income markets. Even in scenarios where China, the United States, and Europe aggressively electrify their passenger fleets, oil demand growth in India, Indonesia, Vietnam, Nigeria, and comparable economies may offset a substantial fraction of the displacement achieved in advanced economies. The net global effect on oil demand depends critically on whether EV adoption becomes a truly global phenomenon or remains concentrated in wealthy markets — a question that hinges on international technology transfer, multilateral finance for clean energy infrastructure, and the evolution of domestic automotive industries in the developing world.

6.1 Critical Material Supply Chains and Adoption Bottlenecks

The EV transition introduces a new category of supply chain vulnerability that partially offsets the reduction in oil import dependence for many countries. Lithium-ion batteries require substantial quantities of lithium, cobalt, nickel, manganese, and graphite — materials whose production is highly geographically concentrated. The Democratic Republic of Congo accounts for more than 70 percent of global cobalt supply; Chile and Australia dominate lithium extraction; and China controls approximately 60 to 70 percent of the global refining and processing capacity for battery-grade materials. Countries that replace oil import dependence with battery material import dependence are trading one form of strategic vulnerability for another. This does not negate the oil demand displacement benefits of EV adoption, but it does complicate the energy security narrative and introduces a new set of price shock risks — this time in the metals and mining sector — that policymakers must actively manage through supply chain diversification, material efficiency improvements, and battery recycling programs.

7. Future Directions

The most important near-term development to monitor for assessing the oil price dampening effect of EVs is the behavior of OPEC+ production policy as EV penetration becomes economically material in the early 2030s. If OPEC producers begin to disagree internally about how to allocate shrinking quota volumes in a declining demand environment — a scenario sometimes called 'OPEC discipline breakdown' — the resulting supply surge could drive oil prices significantly lower, validating the demand destruction narrative more rapidly than current models suggest. Conversely, successful cartel coordination in the face of demand decline would sustain prices and mute the consumer-facing benefits of oil displacement, shifting the EV dividend primarily to reduced import volumes rather than lower fuel prices.

On the technology side, the emergence of solid-state batteries — which promise higher energy density, faster charging, and improved safety compared to current lithium-ion chemistries — could accelerate the cost trajectory beyond current projections and pull forward the mass-market tipping point by several years. Several major automotive manufacturers and battery producers have announced commercial solid-state battery production timelines in the 2027–2030 window, though the technology has faced persistent scaling challenges. If solid-state batteries achieve commercial viability on their announced timelines, the adoption curves used in current oil demand scenarios may prove systematically conservative, and the oil demand peak could arrive earlier and be more pronounced than the central projections of either the IEA or OPEC currently assume.

The intersection of vehicle electrification with vehicle autonomy and mobility-as-a-service platforms represents a further structural uncertainty with significant implications for oil demand. Autonomous electric ride-hailing fleets, if widely deployed, could dramatically increase vehicle utilization rates — from the current average of roughly 4 to 5 percent for privately owned cars to potentially 40 to 50 percent for shared autonomous fleets. This would reduce the total number of vehicles needed to satisfy mobility demand, compressing the size of the vehicle stock through which electrification must diffuse. Scenario analysis incorporating autonomous shared mobility consistently shows faster and more complete oil demand displacement than electrification of the private vehicle fleet alone, though the commercial and regulatory timelines for full autonomy deployment remain highly uncertain.

7.1 Policy Implications for Energy-Importing Nations

For policymakers in oil-importing nations, the emerging consensus that EV adoption will progressively dampen — but not eliminate — oil price shock exposure carries several actionable implications. First, the case for accelerating EV adoption as an energy security instrument is now as strong as the environmental case, and both rationales should be integrated into national energy security strategies. Second, the transition period — roughly 2024 to 2035 — when EV fleets are large enough to reduce demand growth but not large enough to provide substantial buffer against supply shocks, may paradoxically be a period of elevated oil price risk if upstream underinvestment tightens supply. Governments should maintain strategic petroleum reserves and explore regional energy security arrangements as hedge instruments during this transition window. Third, the replacement of oil import dependence with critical mineral import dependence requires proactive supply chain policy, including bilateral agreements with resource-holding nations, investment in domestic recycling capacity, and support for material efficiency innovation in battery design.

8. Conclusion

The question of whether EVs will dampen oil price shocks does not admit a simple yes or no answer. The structural logic is sound: reducing the size and growth rate of oil demand, all else equal, increases the market's capacity to absorb supply disruptions without extreme price responses and reduces the economic costs imposed on oil-importing nations. Over the 2030–2050 horizon, cumulative EV fleet growth consistent with current policy ambitions could displace 15 to 25 million barrels per day of oil demand — a transformation large enough to move oil from a growth market to a structural decline market and to meaningfully reduce the frequency and severity of supply-shock-induced price spikes.

However, three systemic constraints limit the speed and completeness of this dampening effect. First, OPEC supply management has historically offset demand weakness through production cuts, and producers facing structural demand decline have strong incentives to continue this behavior, keeping prices elevated even as volumes fall. Second, emerging market demand growth — particularly in South and Southeast Asia — will partially offset electrification gains in advanced economies throughout the 2030s, sustaining global oil demand at levels higher than advanced-economy electrification alone would imply. Third, upstream underinvestment driven by stranded asset concerns may tighten the supply side faster than demand falls, creating a window of elevated price risk during the transition that contradicts the simple demand-destruction narrative.

The net assessment is that EV adoption is a meaningful structural mitigant for oil price shock risk, but it is neither sufficient alone nor immediate in its effect. The oil price shock dampening dividend will be most pronounced after 2035, will accrue primarily to advanced economies in the first instance, and will depend on OPEC coordination dynamics that remain genuinely uncertain. Policymakers should pursue EV adoption aggressively for both environmental and energy security reasons, while maintaining complementary hedging instruments — strategic reserves, energy efficiency standards, fuel-switching capacity — to manage the elevated transition-period vulnerability. The world with 500 million EVs will be meaningfully less exposed to the oil price shocks that have periodically destabilized economies for the past five decades, but it will not be immune to them.