# Boolean and Arithmetic Language Evaluation

#### Ashish Kosana

## 2 Boolean Arithmetic Language

### 2.a) Validity of the Term 1 + true

The term 1 + true is not a valid term of the boolean and arithmetic language. In this language, addition is defined only for integer terms. Since true is a boolean value, the expression is invalid.

### 2.b) Small-Step Rules for Term Addition

There are three small-step rules for term addition in the boolean and arithmetic language:

1. Addition of Two Numbers (AddNum):

$$n_1 + n_2 \xrightarrow{\text{AddNum}} n_1 + n_2 = n$$

2. Evaluating the Left Operand (EvalLeft):

$$t_1 + t_2 \xrightarrow{\text{EvalLeft}} t'_1 + t_2 \quad \text{if } t_1 \to t'_1$$

3. Evaluating the Right Operand (EvalRight):

$$n + t_2 \xrightarrow{\text{EvalRight}} n + t_2' \quad \text{if } t_2 \to t_2'$$

## **2.c)** Evaluating the Term 1+2+3

To evaluate the term 1+2+3, we follow these steps:

1. Start with the term:

$$1 + 2 + 3$$

2. Apply the EvalLeft rule:

$$1+2+3 \xrightarrow{\text{EvalLeft}} (1+2)+3$$

3. Evaluate 1 + 2 using AddNum:

$$(1+2)+3 \xrightarrow{\text{AddNum}} 3+3$$

4. Finally, apply AddNum again:

$$3+3 \xrightarrow{\text{AddNum}} 6$$

Putting it all together, the complete evaluation sequence is:

$$1 + 2 + 3 \xrightarrow{\text{EvalLeft}} (1 + 2) + 3 \xrightarrow{\text{AddNum}} 3 + 3 \xrightarrow{\text{AddNum}} 6$$