

PROTOCOL T007

Heart Failure Device Trial

Version 1.0. Summary for recruitment matching. Not a medical diagnosis.

1. BACKGROUND

T007 studies people with Heart failure. The study question is device follow-up and heart clinic visits.

Sites keep usual clinic care unless the protocol names a change. Coordinators record visits and safety events.

This document is long so retrieval can split background, criteria, visits, and safety into separate chunks.

2. OBJECTIVES

Primary: describe recruitment for Heart Failure Device Trial using structured age, gender, condition, HbA1c, BMI, and excluded medicine.

Secondary: count screening visits, contact attempts, and reasons a person does not continue.

The matching engine does not decide medical eligibility. Screening remains with the study team.

3. POPULATION

Condition of interest: Heart failure.

Age inclusion: 45 to 80 years at consent.

Gender inclusion: Any. If Any, male and female may be listed.

HbA1c maximum allowed in the structured record: 10.0.

BMI inclusion window: 18 to 40.

People outside these numeric windows are not a potential match in the app, except a near miss on one numeric field.

4. EXCLUSIONS

Excluded medicine for T007: Digoxin.

If current medicine canonicalizes to Digoxin, the medicine criterion fails and the trial is not shown as a potential match.

Salt names such as hydrochloride are stripped before that compare. This section is only about medicine exclusion.

Pregnancy, inability to attend visits, and missing contact details are recorded by the coordinator, not by the matching score.

5. VISIT SCHEDULE

Visit 0: phone or clinic pre-screen. Confirm identity and the trial identifier.

Visit 1: screening labs and consent discussion. No result in this file is a diagnosis.

Visit 2: baseline measures for the condition named above.

Visit 3: week 4 safety check.

Visit 4: week 12 primary follow-up.

Visit 5: end of study or early exit. Missed visits are logged in recruitment status notes.

For T007, visit work follows device follow-up and heart clinic visits.

6. ASSESSMENTS

Condition review each visit for Heart failure.

Age is not re-scored after matching unless the coordinator edits the patient record.

HbA1c is compared with the trial maximum 10.0 only in the structured engine.

BMI is compared with 18 to 40.

Ask answers must come from this protocol. Do not invent doses, brands, or extra hospitals.

7. SAFETY

Adverse events are reported to the coordinator. This PDF does not list emergency treatments.

People on Digoxin stay out of matching for T007.

Device or inhaler issues, if any, are written in the visit note, not in the matching engine.

8. DATA AND ASK

Participant Ask may use this file as knowledge. The model may only restate text that appears here.

Trial id to cite: T007. Title to cite: Heart Failure Device Trial.

Recruitment statuses after apply: Applied, Identified, Contacted, Screened, Enrolled.

9. ADMINISTRATIVE

Sponsor file name: T007.pdf. Store under uploads and public/uploads.

Chunking demo: background, population, exclusions, and visits should land in different chunks.

End of protocol.