Codility

CodeCheck Report: trainingESTRS7-A8N

Test Name:

Check out Codility training tasks

Summary Timeline

Tasks summary

Task	Time spent	Score
MissingInteger Java 8	33 min	100%

Total score

Tasks Details

Medium

1. MissingInteger

Find the smallest positive integer that does not occur in a given sequence.

Task Score	Correctness	Performance
100%	100%	100%

Task description

This is a demo task.

Write a function:

```
class Solution { public int solution(int[] A); }
```

that, given an array A of N integers, returns the smallest positive integer (greater than 0) that does not occur in A.

For example, given A = [1, 3, 6, 4, 1, 2], the function should return 5.

Given A = [1, 2, 3], the function should return 4.

Given A = [−1, −3], the function should return 1.

Write an **efficient** algorithm for the following assumptions:

- N is an integer within the range [1..100,000];
- each element of array A is an integer within the range [−1,000,000..1,000,000].

Solution

Programming language used:	Java 8
Total time used:	33 minutes
Effective time used:	33 minutes
Notes:	*not defined yet*

Task timeline

06:00:24 06:33:14

Code: 06:33:14 UTC, java, final, score: **100** show code in pop-up

```
1  // you can also use imports, for example:
2  // import java.util.*;
3
```

```
4  // you can write to stdout for debugging purposes,
5  // System.out.println("this is a debug message");
6
7  class Solution {
8          public int solution(int[] A) {
9          int A_N = A.length;
10         boolean [] B = new boolean[A_N + 1];
11         int B_N = B.length;
12         for (int i = 0; i < A_N; i++) {
13
14                 if (A[i] > 0 && A[i] < B_N) {
15                         B[A[i]] = true;
16                 }
17         }
18         for (int i = 1; i < B_N ; i++) {
19                 if (B[i] == false) {
20                         return i;
21                 }
22         }
23         return B_N;
24     }
25 }
```

Analysis summary

The solution obtained perfect score.

Analysis

Detected time complexity: **O(N) or O(N * log(N))**

expand all	Example tests	
▶	example1 first example test	✓ OK
▶	example2 second example test	✓ OK
▶	example3 third example test	✓ OK
expand all	Correctness tests	
▶	extreme_single a single element	✓ OK
▶	simple simple test	✓ OK
▶	extreme_min_max_value minimal and maximal values	✓ OK
▶	positive_only shuffled sequence of 0...100 and then 102...200	✓ OK
▶	negative_only shuffled sequence -100 ... -1	✓ OK
expand all	Performance tests	
▶	medium chaotic sequences length=10005 (with minus)	✓ OK
▶	large_1 chaotic + sequence 1, 2, ..., 40000 (without minus)	✓ OK

▶	large_2 shuffled sequence 1, 2, ..., 100000 (without minus)	✓ OK
▶	large_3 chaotic + many -1, 1, 2, 3 (with minus)	✓ OK