TECHNICAL ENTITLEMENTS GUIDE

AI Customer Entitlements

From catalogue language to usable service scope

A technical reading of the supplied booklet: sovereign infrastructure, GPU services, SpeedCloud, managed storage and Kubernetes, security, migration and DR, AI engineering, the M agentic platform, SLA boundaries, and customer responsibilities.

NxtGen | AI Infrastructure and Managed Services

Prepared from AI Customer Entitlements Booklet

01 | HOW TO READ THE BOOKLET

An entitlement catalogue is a service boundary, not only a feature list

The booklet groups NxtGen offerings across AI infrastructure, the SpeedCloud cloud management portal, managed AI services, security, migration, recovery, AI solution engineering, the M agentic AI platform, and infrastructure SLA terms. Some items are described as included, some are available on request, and some depend on the selected deployment or commercial scope.

Portfolio area	What it covers	Example customer question
AI infrastructure	Dedicated GPU infrastructure, compute, storage, networking, and sovereign hosting for AI workloads.	Which GPU profile, capacity, tenancy, drivers, data location, and support model are included?
SpeedCloud CMP	Self-service compute, networking, storage, APIs, security controls, scaling, and managed infrastructure.	Which resources can the customer provision, resize, monitor, and retire through the portal?
Managed AI services	AI frameworks, MLOps/LLMOps, GPU libraries, object storage, parallel file systems, Kubernetes, and AI platform operations.	Which services are standard, optional, or custom, and who operates each layer?
Security and continuity	Managed EDR, firewall, observability, backup, migration, DRaaS, incident response, and patching.	What are the response times, exclusions, RPO/RTO, test frequency, and customer dependencies?
AI solution delivery	SAS-F five-stage AI engineering and M, an agentic AI platform with enterprise integrations.	What is the business outcome, data readiness, guardrail, integration, and production ownership?

Three entitlement states to identify

- Included or standard: the booklet describes it as part of the service; confirm the exact plan, limits, and SLA.
- On request or if applicable: the service may require a separate request, deployment condition, license, or commercial line item.
- Custom or excluded: the capability needs a bespoke scope, customer-owned tool, or a separate agreement.

How to use this guide

- Turn each desired capability into a service line with scope, owner, input, output, limit, SLA, and evidence.
- Do not assume that a platform feature automatically includes the managed operation, license, data migration, or compliance evidence around it.
- Use the final qualification checklist before signing a purchase order or moving sensitive data.

02 | SOVEREIGNTY AND GOVERNANCE

Data, operational, and technological sovereignty are separate design questions

The booklet describes sovereignty through data protection, access control, India residency, NxtGen-operated management and monitoring, on-premises deployments, and control over infrastructure and operations. These claims should be translated into a data-flow map, operator-access model, audit evidence, and workload-specific responsibility matrix.

Sovereignty dimension	Technical control	Evidence to request
Data sovereignty	Data collection governance, storage jurisdiction, encryption at rest and in transit, key access, retention, and data movement.	Data-flow diagram, residency statement, encryption and key design, backup locations, deletion process, and subprocessor list.
Operational sovereignty	Who operates systems, holds privileged access, approves changes, monitors events, and responds to incidents.	Operator location, access reviews, MFA/RBAC, session logs, change records, incident runbook, and support model.
Technological sovereignty	Ability to operate, recover, scale, and change the platform without an unavoidable dependency on a single technology provider.	Architecture, exit plan, supported alternatives, skills model, source and image portability, and contract terms.
Compliance alignment	Controls and certifications that apply to the selected facility, service, data class, and customer responsibility.	Current certificate scope, audit report, control mapping, vulnerability process, and legal review.

Example: regulated AI workload review

- Map user input, source systems, feature data, prompts, model artifacts, logs, outputs, backups, support access, and DR.
- For every movement, record location, owner, encryption, retention, access path, and audit evidence.
- Confirm whether training, fine-tuning, inference, monitoring, and support remain within India or the selected sovereign boundary.
- Treat compliance as workload-specific; a provider-level statement is not automatically a certification of every customer use case.

Control questions

Ask where data is stored and processed, who can access it, how foreign support or legal requests are handled, how logs and backups are retained, and how the customer exits or exports data. Document the answers in the service description and contract.

03 | AI INFRASTRUCTURE AND GPU ENTITLEMENTS

Choose the accelerator profile from the workload, not from the product name

The booklet presents sovereign AI infrastructure on dedicated GPU systems and lists Hopper configurations on SpeedCloud. The capacity figures below are transcribed from the booklet and should be confirmed as allocatable capacity, total cluster capacity, or a service tier before ordering.

Configuration	Booklet specification	Best-fit discussion
H200SXM Titan	8 x H200SXM; 1128 GB GPU memory; 256 vCPUs; 1536 GB memory; 2400 GB storage.	Multi-GPU training, large-model inference, high-concurrency services, and memory-intensive AI pipelines.
H200SXM Glacier	1 x H200SXM; 141 GB GPU memory; 32 vCPUs; 192 GB memory; 240 GB storage.	Single-GPU inference, development, evaluation, fine-tuning experiments, and smaller production services.
H100NVL Pulse	1 x H100NVL; 94 GB GPU memory; 40 vCPUs; 80 GB memory; 240 GB storage.	Accelerated inference and model development where H100 NVL software and memory fit the model.

GPU entitlement questions

- Is the GPU dedicated, partitioned, scheduled, or shared? What are the reservation, queue, preemption, and isolation rules?
- Which driver, CUDA, container runtime, scheduler, image, and framework versions are included and maintained?
- How are GPU node failures, replacement, image rebuild, capacity expansion, and data persistence handled?
- What network topology and storage throughput are available for multi-GPU or multi-node workloads?
- Are model artifacts, datasets, notebooks, logs, and outputs stored in object, block, or parallel file services?

Example: model-serving qualification

Run the same model and tokenizer with the target precision, batch size, concurrency, and input length. Measure p50/p95/p99 latency, tokens per second, GPU utilization, memory headroom, queueing, cost per request, failure recovery, and data access time.

04 | SPEEDCLOUD INFRASTRUCTURE AND CLOUD PORTAL

A self-service control plane still needs a clear operating model

The booklet describes SpeedCloud as a self-service-first cloud management portal built on open-source technologies, with compute, networking, storage, security, scaling, managed infrastructure, and India data residency. Its infrastructure overview names RHEL 9, OpenStack 17.1, Red Hat Ceph Storage, servers with GPU support, and API-driven provisioning.

Layer	Entitlement described	Technical validation
Cloud management portal	Self-service resource provisioning, user-facing portal, resource allocation, scaling, monitoring, and API integration.	Which actions are allowed to which roles? Are quotas, approvals, audit logs, and API rate limits defined?
RHEL 9 and OpenStack 17.1	Enterprise OS and cloud control plane for compute, networking, and storage services.	Confirm versions, lifecycle, subscription scope, upgrade windows, hypervisor behavior, and supported guest OS.
Red Hat Ceph Storage	Integrated block, file, and object storage capabilities.	Confirm usable capacity after replication, failure domains, latency, IOPS, throughput, recovery, and encryption.
Security and access	Firewalls, advanced load balancers, SSL-based remote access services, data protection, and cloud security controls.	Confirm network zones, routing, TLS, RBAC, logs, access reviews, and who configures each control.
Scaling and managed infrastructure	Flexible scaling, managed VMs, networking, storage, monitoring, and performance-oriented infrastructure.	Define resize lead time, minimums, maximums, charge model, maintenance, and performance commitments.

Example: portal entitlement review

- Create a role matrix for platform administrators, project owners, VM users, security, finance, and auditors.
- Test provision, resize, snapshot, network attach, access change, backup request, monitoring, and decommission actions.
- Confirm each action produces an audit record, follows approval policy, and maps to billing or quota usage.

Cloud questions

Ask which capabilities are included in the portal versus delivered by the managed operations team, how customer data remains within the agreed jurisdiction, and whether performance or availability varies by shared capacity and deployment location.

05 | DATA, VM, OS, AND KUBERNETES SERVICES

Entitlements span several storage and compute operating patterns

The booklet describes managed object storage, a parallel file system, managed virtual machines, OS management, Kubernetes cluster management, and a managed enterprise Kubernetes platform. These services solve different workload problems and should not be treated as interchangeable.

Service	What it is for	Key entitlements and questions
Object storage	S3-compatible storage for datasets, backups, artifacts, and application objects.	Buckets, policies, keys, TLS, lifecycle, monitoring, encryption, quotas, rebalancing, scaling, and shared versus private tenancy.
Parallel file system	Shared POSIX-style, high-throughput and low-latency storage for AI, ML, HPC, and shared compute access.	Namespace, NFS or native client, UID/GID/ACL, striping, parallel I/O, performance tuning, capacity expansion, and rebalancing.
Managed VM service	VM deployment, monitoring, patching, maintenance, troubleshooting, backups, and high-availability support.	Which VM creation, reboot, network, access-control, incident, and performance services are included or on request?
OS management	Managed support for Windows 2012 and later, CentOS, RHEL, and SUSE Linux as described in the booklet.	Confirm supported versions, patch scope, user/group limits, access management, hardening, tuning, and customer-owned application packages.
Kubernetes cluster management	Managed control plane and worker nodes on VMs or bare metal with CNI networking, L4/L7 ingress, CSI storage, RBAC, and monitoring.	HA or non-HA control plane, upgrades, worker scaling, storage classes, ingress, registry, healing, and GPU support.

Example: data-platform selection

- Use object storage for durable objects, datasets, backups, and model artifacts accessed through S3 APIs.
- Use the parallel file system for shared training data, checkpoint files, large scans, and concurrent POSIX access.
- Use block or VM storage for OS disks, databases, and persistent volumes where the application expects block semantics.
- Validate application consistency, throughput, latency, quotas, retention, backup, and failure behavior on the selected service.

Entitlement boundary

The booklet lists many capabilities, but performance tuning, private-cluster design, hardware setup, scaling, and specialized access may be separate managed services or requests. Put the exact scope into the order and service description.

06 | GPU MANAGEMENT, BACKUP, AND SECURITY

Operating the platform is a distinct entitlement from using it

The booklet describes NVIDIA Base Command Manager-style GPU infrastructure operations, backup with defined schedules, managed EDR, and managed firewall services. These services reduce operational burden but also introduce explicit limits, customer inputs, and exclusions.

Service	Managed activities described	Customer must confirm
GPU platform management	Cluster and node provisioning, GPU imaging, OS and CUDA updates, scheduler integration, monitoring, image lifecycle, node replacement, and rebuild.	GPU allocation, queue policy, network fabric such as InfiniBand or RoCE, driver compatibility, maintenance windows, and failure recovery.
Backup	Full and differential backup patterns, agent setup, job configuration, monitoring, status reports, failure reporting, and on-premise connection options.	Retention, source-data billing, application consistency, restore testing, immutability, encryption, and recovery objectives.
Managed EDR	Endpoint onboarding, policy setup, NGAV/EDR, threat hunting, device control, firewall policy, custom indicators, alerting, and 24x7 monitoring.	Supported OS and kernel, endpoint inventory, agent access, alert response, remediation authority, exclusions, and target response times.
Managed firewall	Deployment, HA where two firewalls are provisioned, policy, NAT, routing, IPSEC and SSL VPN within limits, IPS, geo-filtering, backups, and restoration support.	Firewall ownership, tunnels and users, logging, SOC/SIEM requirements, unsupported topologies, client-side issues, and change process.

Backup schedule stated in the booklet

- System backup: daily differential, 6 days per week, with 6 days retention.
- Weekly full: 1 day per week, with 4 weeks retention.
- The booklet states that the first backup is performed after system quality adjustment; the customer is charged for peak source data size during the month.

Operational examples

- For a GPU cluster, test node failure, driver rollback, image redeployment, scheduler recovery, and checkpoint restart.
- For EDR, test alert routing, containment approval, USB policy, host firewall policy, remediation, and audit reporting.
- For firewall, verify VPN count, user limits, logging retention, policy change approval, configuration backup, and restoration.

07 | MONITORING, MIGRATION, AND DISASTER RECOVERY

Continuity is a process with measurable recovery outcomes

The booklet describes Prometheus and Grafana observability, optional Elastic/Logstash/Kibana services, near-zero-downtime workload migration through real-time replication, and managed DRaaS with immutable storage and secure backup. The customer should test the full path rather than accepting a tool name as evidence of recovery.

Capability	Entitlement described	Acceptance test
Monitoring	Metrics, dashboards, alerts, and visibility across cloud environments using Prometheus and Grafana; optional ELK-style logging services.	Verify platform, VM, Kubernetes, GPU, storage, network, and application signals, alert routing, retention, and access.
Managed migration	Real-time byte-level replication, encrypted transfer, bandwidth management, APIs, structured migration, and platform-agnostic support.	Replicate a representative workload, run cutover tests, measure lag and downtime, validate data consistency, and execute rollback.
DRaaS	Monitor replication, verify RPO/RTO, and test the DR plan once every three months for subscribed customers.	Run failover and failback, record data loss, elapsed time, dependencies, routing, application order, and evidence.
Supported migration sources	Microsoft Windows Server, RHEL, Oracle Enterprise Linux, CentOS, SUSE Enterprise Linux, and Ubuntu are listed.	Confirm source version, application dependency, agent, driver, filesystem, and rollback compatibility.

Example: DR acceptance sequence

- Monitor replication health and agree the point at which a recovery is declared.
- Fail over immutable storage and secure backups, then validate application dependencies, DNS, identity, and user access.
- Measure RPO and RTO under realistic change rate and record operator actions and business validation.
- Fail back only after source integrity, data reconciliation, and change approval are complete.

SLA and support questions

Ask which observability and logging are included, how long logs are retained, whether SOC/SIEM is required for long-term retention, which network paths are monitored, and which incidents are excluded from response commitments.

08 | SAS-F AI SOLUTION ENGINEERING

A repeatable AI delivery lifecycle connects business need to production operations

The booklet describes SAS-F as a five-stage framework for bespoke, private enterprise AI use cases: bespoke solution engineering, data curation and centralization, AI solution development, guard-railing/evaluation/validation, and deploy/manage/continuous improvement. This is an implementation service, not only a model catalogue.

Stage	Typical activities	Output to request
Bespoke solution engineering	Scope, stakeholder requirements, solution discovery, data readiness, data modalities, data architecture, solution architecture, AI workflow, microservices, and platform selection.	Business case, requirements, data inventory, target architecture, risks, and delivery plan.
Data curation and centralization	Data pipelines, quality assessment, warehousing or lake design, ingestion, cleaning, lineage, and access controls.	Data contracts, quality report, pipeline design, lake or warehouse schema, and access model.
AI solution development	Prompting, RAG, fine-tuning, DAPT, model selection, API development, microservices, and workflow automation.	Model and prompt evaluation, API contract, deployment package, and reproducible pipeline.
Guard-railing and validation	Output controls, rule-based filtering, confidence scoring, monitoring, security audit, risk assessment, quality, fairness, and cost evaluation.	Evaluation report, guardrail policy, approval thresholds, audit trail, and known limitations.
Deploy, manage, improve	IaaS/PaaS/SaaS infrastructure, scaling, monitoring, MLOps/LLMOps, SLA management, and post-production review.	Runbook, dashboards, release process, incident model, improvement backlog, and service levels.

Sovereign-by-design requirement

- The booklet states that training, fine-tuning, data processing, and inference occur on NxtGen sovereign infrastructure and that customer data is not sent to external cloud providers or third-party LLM APIs.
- Confirm the exact data flows, model sources, telemetry, support access, external connectors, and exception process for the proposed solution.
- Define who owns data quality, model risk, prompt content, evaluation, guardrails, and human approval.

Example: document intelligence

Ingest documents into controlled object or file storage, classify and validate data, build a RAG or fine-tuning path, expose a secured API, add confidence and output controls, log decisions, and monitor accuracy, latency, cost, and drift. The delivery should finish with a supported operating model, not only a demo.

09 | M AGENTIC AI PLATFORM

An orchestration layer connects models, tools, enterprise systems, and autonomous actions

The booklet describes M as an enterprise-grade agentic AI platform that can be deployed on sovereign cloud or on premises. It is intended to orchestrate intelligence and actions across HRMS, CRM, ITSM, ERP, document repositories, and custom applications using open-source foundations and NVIDIA-optimized infrastructure.

Layer	Technical role	Example control
User interaction	Text, voice, documents, images, and structured-data inputs; speech ASR/TTS and multimodal interaction.	Identity, input validation, prompt handling, language support, transcript retention, and consent.
Agent orchestration and decision	Agent router, mixture-of-experts routing, reasoning and planning, task state, and Redis-based caching.	Allowed tools, plan approval, maximum steps, timeout, cost guardrails, and human escalation.
Enterprise agents and tools	Domain agents connect to HRMS, ITSM, ERP, CRM, web search, REST/gRPC APIs, and workflow scripts.	Connector identity, least privilege, action allowlist, data minimization, secrets, and audit trail.
Observability and governance	Prometheus and Grafana metrics, agent tracing, role-based access, secure API triggering, data isolation, encryption, and action logs.	Trace every decision, tool call, output, approval, error, and data access; monitor latency, cost, and unsafe behavior.

NVIDIA execution stack

- The booklet references Hopper and Blackwell platforms, NVIDIA NeMo, NeMo Curator and Customizer, NeMo Evaluator, NIMs, NeMo Agent Toolkit, NeMo Guardrails, Nemotron Speech, and NVIDIA Dynamo.
- NIMs are described as supporting model profiles, precision choices, parallelism, TensorRT-LLM, vLLM, and SGLang backends.
- Use Prometheus/Grafana and model-level benchmarks to compare latency, token throughput, GPU utilization, concurrency, and cost.

M family examples

- M Business Agent for task execution; M Chat for collaboration and document intelligence; M for Coding for code and documentation assistance.
- M Vault for document search and summarization; M for Finance and M for Corporate Legal for domain-focused knowledge work.
- M for Hiring for resume screening and matching; validate fairness, explainability, human review, and data retention before production.

10 | SLA, SHARED RESPONSIBILITY, AND DELIVERABLES

Entitlements are only actionable when ownership and measurements are explicit

The booklet states a quarterly infrastructure availability commitment of at least 99.5% for listed services, with service extensions as credits. It also presents customer and NxtGen scopes across access, data, applications, operating system, network, hypervisor, core network, and physical layers. Read these terms together with the product-specific scope and purchase order.

Area	Booklet position	Qualification point
Infrastructure SLA	Quarterly uptime target of at least 99.5% for listed services, subject to exclusions and measurement definitions.	Confirm which service is measured, what counts as unavailable, exclusions, evidence, notice, and claim process.
Service credits	99.50-99.00%: 1 day; 99.0-98.0%: 2 days; below 98%: 7 days, as service extension credits.	Credits are not monetary compensation and may be the sole remedy; review contract and account-specific terms.
vDC reachability	The booklet describes 99.9% reachability for a powered-on and externally reachable vDC, with diagnostic checks for environment, VM login, and internal ping.	Do not equate vDC reachability with application availability, VM performance, or end-user experience.
Customer scope	Customer instances, customer data, identity, application security, some OS and network responsibilities, and security controls not purchased from NxtGen.	Create a layer-by-layer RACI and verify default versus optional managed services.
NxtGen scope	Physical security, core infrastructure, hypervisor, managed platform, selected network and security controls, patching, and subscribed services.	Confirm the exact deployment premise, hardware and network dependencies, OEM support, and maintenance window.

Commercial and change-management points

- The booklet describes formal change management, standard/normal/emergency change categories, and customer approval for changes where applicable.
- Pricing may vary with OEM licensing, foreign exchange, commitment duration, and service model; clarify on-demand, reserved, and termination terms.
- The retained clauses mention payment timing, termination notice or fees, GST, and customer reimbursement for actual committed costs; review legal terms in the accepted proposal.

Minimum contract pack

Require the service description, order form, SLA matrix, RACI, security schedule, data-processing terms, backup and DR plan, migration plan, support escalation, pricing assumptions, exit process, and list of exclusions.

11 | TECHNICAL QUALIFICATION CHECKLIST

Convert the booklet into a customer-specific entitlement schedule

Use the following questions in discovery and commercial review. The outcome should be a signed entitlement matrix showing what is included, optional, customer-owned, excluded, or subject to a separate request.

Decision area	Questions to close
Workload	Is the workload VM, container, Kubernetes, AI inference, training, HPC, data platform, agentic AI, or a combination? What are the data and performance targets?
Compute and GPU	Which CPU, vCPU, memory, GPU, storage, tenancy, scheduler, and network profile is required? What is reserved versus shared?
Data services	Should data use object, block, POSIX parallel file, or persistent volume storage? What are capacity, throughput, latency, retention, and backup needs?
AI engineering	What are the SAS-F stages, data readiness, model approach, guardrails, human review, MLOps/LLMOps, integrations, and production owner?
M platform	Which agents, tools, connectors, models, actions, approvals, audit logs, and data boundaries are required?
Security	Which EDR, firewall, vulnerability, SOC/SIEM, IAM, encryption, logging, and incident services are included or optional?
Continuity	What backup schedule, restore test, replication, DR location, RPO, RTO, failover cadence, and rollback are required?
SLA and commercials	Which availability and response commitments apply? What are exclusions, credits, usage limits, pricing, renewal, termination, exit, and tax assumptions?

Recommended proof-of-concept scope

- One GPU inference workload with object or parallel-file data, model deployment, monitoring, and cost measurement.
- One VM and one Kubernetes service with identity, networking, backup, patching, and incident response.
- One migration wave with replication, cutover, rollback, and application validation.
- One DR exercise with restore, failover, RPO/RTO measurement, and evidence.
- One AI use case through SAS-F or M with data governance, guardrails, auditability, and business sign-off.

Decision rule

Proceed only when the entitlement schedule, operating boundary, workload test, security scope, continuity evidence, SLA, and commercial terms are aligned. If a capability is described as on request, optional, or subject to availability, it should not be treated as included until the customer-specific document says so.

12 | CONCLUSION

The booklet is a broad AI service catalogue; the decision is a scoped operating model

The AI Customer Entitlements booklet describes a wide portfolio: sovereign GPU infrastructure, SpeedCloud, object and parallel file storage, managed VMs and Kubernetes, GPU operations, backup, EDR, firewall, monitoring, migration, DRaaS, SAS-F AI engineering, M, and SLA and shared-responsibility terms. Its value is the ability to assemble an end-to-end service around a real workload.

Need	Relevant entitlements	Evidence before commitment
Run AI privately	Dedicated Hopper GPU profiles, SpeedCloud, object storage, parallel file system, Kubernetes, and GPU management.	Capacity, tenancy, data flow, drivers, performance, support, and cost per workload.
Modernize cloud operations	CMP, OpenStack/RHEL/Ceph, managed VMs, OS management, Kubernetes, monitoring, and security.	Portal roles, architecture, RACI, quotas, lifecycle, patching, observability, and SLA.
Protect and recover	Backup, EDR, firewall, managed migration, DRaaS, immutable storage, and quarterly DR testing.	Restore, failover, RPO/RTO, response, exclusions, logs, and customer dependencies.
Deliver enterprise AI	SAS-F stages, M agents, NeMo/NIM/Dynamo, connectors, guardrails, and MLOps/LLMOps.	Data readiness, model evaluation, action controls, audit trail, human approval, and production ownership.

Bottom line

Use this guide to turn the booklet into a customer-specific entitlement matrix and proof-of-concept plan. The technically defensible result is not simply a list of products; it is a documented service with measurable performance, security, recovery, ownership, support, and exit behavior.

Source note

The service names, specifications, scope descriptions, SLA figures, and commercial statements in this guide are based on the supplied AI Customer Entitlements Booklet. Confirm the latest versions, limits, availability, pricing, legal terms, and customer-specific inclusions in the accepted proposal, purchase order, service descriptions, and SLA.