TECHNICAL DECK GUIDE

SpeedCloud Supreme

The deck explained for technical evaluation

A practical interpretation of the deck's sovereignty, scale, VMware migration, AI, OpenShift, storage, security, operations, deployment, architecture, and commercial claims.



Source visual reproduced from SpeedCloud_Supreme_-_Deck.pdf. All product, benchmark, capacity, compliance, pricing, and commercial statements are treated here as claims to validate during technical discovery.

01 | EXECUTIVE SUMMARY

What the deck is positioning

The deck positions SpeedCloud Supreme as a sovereign, fully managed private-cloud platform for enterprise and AI workloads. It combines operational control, Red Hat OpenShift, integrated data services, optional GPU configurations, customer-premises or data-center deployment, and a commercial message centered on avoiding large upfront capital expenditure.




Figure 1. The deck's umbrella claim: 10x better.

Theme	What the deck claims	Technical decision question
Sovereignty	Data, operational, and technological sovereignty with strong operational control.	Which data, access, infrastructure, and jurisdiction controls are actually contractual and auditable?
Modern platform	OpenShift for traditional, modern, and AI workloads with automation.	Can the platform run the customer's VMs, containers, images, integrations, and lifecycle processes?
Performance and density	Compact infrastructure, faster compute and memory, rapid storage, and a faster cluster network.	Which measured workload metric improves, under what configuration, and with what capacity headroom?
Managed operations	24x7 operations, managed workloads through the OS, and managed Kubernetes clusters.	What is included, what remains customer-owned, and what are the response and recovery commitments?
Commercial model	No CapEx burden and cloud at license cost or less.	Does the full TCO include migration, data movement, support, staffing, licensing, and exit?

02 | SOVEREIGN CLOUD

Sovereignty has data, operational, and technological dimensions

The deck defines sovereign cloud as cloud services intended to keep data, infrastructure, and operations free from external jurisdictional control and foreign government access. For a technical buyer, sovereignty must be translated into location, identity, administrative, supply-chain, and recovery controls.




Figure 2. Sovereignty model shown in the deck.

Dimension	Meaning in practice	Evidence to request
Data sovereignty	Data collection, storage, processing, backup, and access follow defined locations and jurisdiction rules.	Residency map, backup locations, access logs, retention rules, encryption-key control, and support-access procedure.
Operational sovereignty	The customer can define how the service is run, monitored, recovered, changed, and governed.	Responsibility matrix, incident process, change policy, maintenance windows, RPO/RTO, and escalation model.
Technological sovereignty	The platform reduces dependence on a single external technology or jurisdiction and supports autonomy in infrastructure and security.	Architecture, software bill of materials, portability, API/export support, supply-chain controls, and vulnerability response.

Example: regulated data platform

- Map where customer data, replicas, logs, metrics, support snapshots, and backups are stored and processed.
- Test privileged access, remote support, key management, audit export, retention, deletion, and recovery in the required jurisdiction.
- Confirm that domestic operations and infrastructure claims are supported by actual service controls, not only provider branding.

03 | SCALE EVIDENCE AND TRUST SIGNALS

Real-world traffic stories are useful, but they are not a workload benchmark

The deck cites high-volume BookMyShow and Election Commission of India workloads, plus MeitY certification, government workload adoption, GPU empanelment, and an L1 bid for NVIDIA H200SXM. These signals can support due diligence, but the customer's workload still needs direct validation.




Figure 3. Real-world impact stories presented in the deck.

Claim in deck	What it demonstrates	What to ask next
650,000 requests per minute; 250,000 concurrent users; over 1 million ticket sales in a day	The platform has been positioned for bursty public-facing traffic and autoscaling.	What were the request mix, p95/p99 latency, error rate, scaling time, cache behavior, and failure scenarios?
61.6 crore peak requests with zero downtime; over 1,12,42,98,103 election sessions	The deck presents large-scale availability and analytics experience for election workloads.	Which services, regions, data paths, observability, and continuity controls produced the result?
MeitY-certified provider; over 200 government workloads; GPU empanelment	These are governance, market adoption, and procurement signals.	Which certificate scope, current validity, service boundary, and workload references are available for review?

Technical interpretation

- Peak requests per minute are not the same as sustained throughput, and session counts are not the same as concurrent active work.
- Ask for workload topology, deployment dates, measured SLOs, incident history, and the exact services behind each public claim.
- Treat compliance and empanelment statements as scope-specific evidence to verify, not as a substitute for the customer's control assessment.

04 | VMWARE EXIT AND PLATFORM MODERNIZATION

A VMware alternative must cover both infrastructure and operating model

The deck frames SpeedCloud Supreme as an accelerator for escaping VMware. A sound comparison includes virtualization, containers, automation, storage, networking, security, management, licensing, operations, migration, and exit - not just the hypervisor layer.

Workstream	What changes	Example validation
VM workloads	Move or re-platform existing VMs while preserving network, storage, backup, identity, and operational behavior.	Migrate representative VMs and measure boot time, application latency, backup, failover, monitoring, and rollback.
Container workloads	Adopt OpenShift container platform, images, registries, secrets, operators, routes, and policy.	Deploy the customer's CI/CD and observability stack; test upgrades, quotas, image security, and recovery.
Operations	Replace internal platform work with managed service processes and provider escalation.	Run an incident, change, patch, capacity, and restore exercise with named responsibilities.
Commercials	Compare VMware licensing and hardware against managed platform price and retained customer costs.	Build a five-year TCO with migration, support, egress, staffing, downtime risk, and exit costs.

Example: VMware modernization wave

- Classify workloads into migrate-as-is, re-platform to containers, refactor for managed services, or retire.
- Start with a low-risk wave that exercises storage, network, identity, backup, monitoring, and change management.
- Measure operational effort and service outcomes after migration, not only the infrastructure invoice.
- Require an export and rollback plan before moving critical workloads.

05 | AI, COMPUTE, STORAGE, AND NETWORK

Translate the 10x story into workload-level measurements

The deck lists CPU inference, smaller LLMs, image and fraud analysis, recommendation engines, faster compute and memory, rapid storage, high-MTBF drives, a faster cluster network, and database license savings. Each benefit applies to a different bottleneck.



Figure 4. Performance claims presented in the deck.

Deck claim	Metric to measure	Example workload
1.6x compute; 33% faster memory	Application throughput, p95/p99 latency, CPU utilization, memory bandwidth, and cost per completed job.	API services, batch analytics, media processing, and CPU inference.
AI-ready rapid storage	Dataset staging time, IOPS, throughput, queue depth, tail latency, and checkpoint duration.	Model training input pipelines, vector search, fraud analysis, and logging.
2,000,000-hour MTBF drives	Drive replacement policy, failure rate, rebuild time, data protection, and service impact.	High-capacity data platforms where rebuild and recovery risk matter.
10x faster cluster network	Application bandwidth, latency, packet loss, synchronization time, and scaling efficiency.	Distributed training, replicated databases, analytics, and service-to-service traffic.

Example: CPU inference for a smaller LLM

- Define model size, quantization, context length, concurrency, tokens per second, p95 latency, and cost per request.
- Test cold start, warm inference, model reload, memory pressure, autoscaling, and failure recovery.
- Confirm whether the stated less-than-13B parameter claim applies to the customer's model, runtime, and quality target.

06 | OPENSHIFT AND THE DATA FOUNDATION

The platform layer should connect VMs, containers, and shared data services

The deck describes Red Hat OpenShift as the open-source-based control layer for traditional, modern, and AI workloads. It also presents a data foundation that unifies block, object, and file services and supports application data, registry, logging, and metrics.




Figure 5. Layered architecture shown in the deck.

Layer	Role	Questions for validation
VMs and containers	Support both legacy applications and cloud-native delivery patterns.	Which VM and container features, image formats, networking, storage classes, and policies are supported?
OpenShift platform	Orchestration, automation, policy, scheduling, upgrades, and application lifecycle.	Who operates the control plane, how are upgrades performed, and which operators or integrations are available?
Data foundation	Shared block, object, and file services for applications and platform services.	What are performance tiers, consistency, replication, backup, encryption, quotas, and failure behaviors?
Managed services	Provider-operated platform and workload support through the agreed service boundary.	Does managed scope include the OS, Kubernetes, databases, patches, monitoring, and incident response?

Example: mixed VM and container estate

- Keep a small set of legacy VMs while moving new services to containers, using shared identity, network, logging, metrics, and backup controls.
- Test noisy-neighbor behavior, storage contention, upgrade windows, cluster recovery, and registry, logging, and metrics storage capacity, retention, access, and restore policies.

07 | MANAGED OPERATIONS AND SECURITY

24x7 managed service is valuable only when the boundary is explicit

The deck promises a Red Hat-certified operations team, managed workloads through the OS, managed Kubernetes clusters, isolated VMs in pods, auditing, certificate management, vulnerability scanning, and encrypted data. These should become measurable service responsibilities.




Figure 6. Fully managed operations claim from the deck.

Area	Included capability to clarify	Acceptance evidence
Monitoring	Infrastructure, OS, Kubernetes, application, logs, and alert routing.	Dashboards, alert samples, detection time, escalation path, and customer visibility.
Lifecycle	Patching, upgrades, certificates, vulnerability remediation, and maintenance windows.	Change records, rollback plan, version support, vulnerability SLA, and outage communication.
Security	Isolation, audit, encryption, identity, secrets, and access review.	Audit logs, encryption configuration, privileged access records, scan results, and evidence retention.
Recovery	Backup, replication, failover, restore, and incident response.	Restore test, RPO/RTO result, failure-domain design, ticket timeline, and named responsibilities.

Example: security and operations exercise

- Simulate a compromised credential, expired certificate, vulnerable image, failed node, and storage or network interruption.
- Confirm who detects, responds, approves changes, communicates, and restores the service, plus the customer responsibilities for application code, data classification, identity, and business continuity.

08 | DEPLOYMENT AND INFRASTRUCTURE OPTIONS

Deployment choice changes the control, connectivity, and responsibility model

The deck presents customer-premises deployment and MeitY-empanelled data-center deployment. It also shows a three-server cluster with 1,024 vCPU, 4,608 DDR5 6,400 MT/s memory, 220 TB NVMe storage, 200 Gbps of network capacity, and Red Hat OpenShift.




Figure 7. Reference cluster architecture and capacity claims.

Component	Deck value	What to verify
Compute	1,024 vCPU across the reference cluster.	Physical CPU model, vCPU entitlement, oversubscription, NUMA placement, reserve capacity, and failure behavior.
Memory	4,608 DDR5 at 6,400 MT/s.	Usable memory after platform overhead, reservation, bandwidth, error protection, and expansion path.
Storage	220 TB NVMe with block, object, and file services.	Usable capacity, performance tiers, data protection, rebuild, encryption, and backup or replication.
Network	200 Gbps through two 100 GbE switches.	Redundancy, east-west bandwidth, oversubscription, MTU, failure behavior, and application-level throughput.
Placement	Customer premises or an empanelled data center.	Power, cooling, physical access, connectivity, jurisdiction, support path, and who owns the facility risks.

Example: customer-premises deployment

- Check rack space, power feeds, cooling, network handoff, physical security, spares, remote hands, and provider access procedures.
- Compare the operational burden of owning the site with the control and residency benefits of placing the cluster on premises, including capacity expansion, hardware replacement, and site-failure handling.

09 | GPU CONFIGURATIONS AND WORKLOAD FIT

Choose GPU capacity by model behavior, not by card count

The deck shows two GPU additions: eight NVIDIA RTX PRO 6000 Blackwell GPUs with 96 GB each for multimedia performance, and eight NVIDIA H200 GPUs with 141 GB each for universal AI applications alongside NVIDIA AI Enterprise.



Figure 8. GPU configuration options shown in the deck.

Option	Positioning in deck	Best-fit validation
RTX PRO 6000 Blackwell	Eight GPUs with 96 GB each for multimedia performance.	Image and video pipelines, visualization, media inference, model memory needs, throughput, and cost per asset.
NVIDIA H200 NVL	Eight GPUs with 141 GB each for universal AI applications with OpenShift and NVIDIA AI Enterprise.	LLM inference or training, model size, context length, multi-GPU scaling, software support, and cost per token or run.
Shared platform	200 Gbps network, OpenShift, and optional AI software stack.	GPU scheduling, isolation, driver lifecycle, data staging, queue time, observability, and failure recovery.

Example: AI inference service

- Record model family, parameter count, quantization, GPU memory use, batch size, concurrency, tokens per second, p95 latency, and cost per request.
- Test cold start, model loading, GPU partitioning, scaling across GPUs, node failure, and data-access latency.
- Verify that the named GPU and software versions are available for the required term and support model.

10 | COST, CAPEX, AND COMMERCIAL OFFERS

The commercial message needs a complete cost model and written terms

The deck presents no CapEx burden, cloud at license cost or less, and a 90-day return offer for an entire secure, fully managed cluster. These are commercially meaningful claims, but the technical evaluation must connect them to capacity, scope, performance, support, migration, and exit.

Cost area	Include	Question to close
Platform price	Compute, memory, storage, network, OpenShift, GPU, management, and reserved capacity.	What exact capacity and service tier does the price include, and how is overage billed?
License comparison	VMware, database, backup, security, monitoring, AI software, and support licenses.	Which licenses are removed, retained, transferred, or replaced?
Operations	Provider-managed operations, customer staffing, patching, incidents, upgrades, and compliance work.	What people and on-call burden remain with the customer?
Migration and exit	Data movement, application remediation, downtime, egress, export, rollback, and return logistics.	Who pays and who performs migration, return, and data export?
Offer terms	90-day return eligibility, acceptance criteria, exclusions, timing, fees, and contract interaction.	Is the return promise written, unconditional, and aligned to the actual cluster and workload?

Example: five-year TCO comparison

- Build a current-state baseline for VMware or other platform licensing, hardware refresh, storage, backup, staffing, facilities, support, and downtime risk.
- Model the target state with subscription or managed-service price, migration, connectivity, retained tools, customer operations, GPU demand, and exit.
- Compare cost per usable VM, cost per transaction, cost per completed batch, and cost per AI run - not only monthly platform price.
- Get the 90-day return, acceptance, and support commitments into the commercial agreement before relying on them.

11 | PROOF OF CONCEPT AND DECISION CHECKLIST

Turn deck claims into measurable acceptance criteria

A strong evaluation tests the platform, the managed operating model, the workload, and the commercial assumptions together. The output should be a signed scorecard with evidence, open risks, responsibilities, and a go or no-go decision.

Phase	Activities	Evidence
Baseline	Capture current performance, reliability, operational effort, licensing, and full cost.	Monitoring exports, bills, incidents, runbooks, application profile, and current SLAs.
Design	Select deployment location, cluster profile, GPU option, storage, network, security, backup, and OpenShift boundaries.	Architecture, responsibility matrix, data map, security controls, and migration plan.
Test	Run normal, peak, scaling, failure, restore, patching, AI, and data-movement scenarios.	Raw results, scripts, configuration, timestamps, logs, tickets, and operator actions.
Decide	Compare workload outcomes, sovereignty, risk, operations, TCO, portability, and offer terms.	Signed scorecard, open risks, commercial assumptions, acceptance decision, and next steps.

Decision checklist

- Service boundary: which layers are fully managed, co-managed, or customer-owned?
- Workload fit: which production metric proves improvement - p95/p99 latency, throughput, recovery, cost per job, or cost per request?
- Sovereignty: where are data, backups, logs, support actions, and keys located, and who can access them?
- Resilience: are one-node failure, site failure, restore, RPO/RTO, and scaling behavior tested?
- Commercials: are licensing, migration, egress, staffing, support, return, and exit costs included?

Technical conclusion

SpeedCloud Supreme is positioned as a strong candidate for organizations that need sovereign control, managed private-cloud operations, OpenShift flexibility, integrated data services, and optional AI capacity. The technically sound conclusion is narrower: approve the platform only when the customer's workload, service boundary, controls, performance, resilience, complete cost model, and written commercial terms meet explicit acceptance criteria.

Confirm all product scope, performance, compliance, capacity, pricing, support, and return claims against current provider documentation and a signed agreement.