EXPERIMENT ASSESSMENT

ACADEMIC YEAR 2025-26

Course: Multidisciplinary Minor
Course code: MDC401
Year: SE SEM: IV

| |
|---|
| Experiment No. 4 |
| AIM: Develop a dynamic webpage where content updates on button click using JavaScript DOM. Implement jQuery effects: hide/show elements, toggle visibility, and animate elements. |
| Name: Ashish Ramesh Patel |
| Roll Number: 55 |
| Date of Performance: |
| Date of Submission: |

## Evaluation

| Performance Indicator | Max. Marks | Marks Obtained |
|---|---|---|
| Performance | 5 | |
| Understanding | 5 | |
| Journal work and timely submission. | 10 | |
| Total | 20 | |

| Performance Indicator | Exceed Expectations (EE) | Meet Expectations (ME) | Below Expectations (BE) |
|---|---|---|---|
| Performance | 5 | 3 | 2 |
| Understanding | 5 | 3 | 2 |
| Journal work and timely submission. | 10 | 8 | 4 |

Checked by

Name of Faculty : Dr. Yogesh Pingle

Aim: Develop a dynamic webpage where content updates on button click using JavaScript DOM. Implement jQuery effects: hide/show elements, toggle visibility, and animate elements.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Experiment 4: DOM & jQuery</title>
   <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>

   <style>
      body { font-family: Arial, sans-serif; padding: 20px; line-height: 1.6; }
      .box { width: 150px; height: 150px; background-color: #3498db; margin: 20px 0;
border-radius: 8px; }
      .controls { margin-bottom: 20px; }
      button { padding: 10px 15px; cursor: pointer; margin-right: 5px; }
      #dynamicText { font-weight: bold; color: #2c3e50; }
   </style>
</head>
<body>

   <h2>Experiment No. 4: Dynamic Webpage with jQuery</h2>

   <div class="controls">
      <p id="dynamicText">Original Content: Waiting for interaction...</p>
      <button onclick="updateContent()">Update Content (Pure JS DOM)</button>
   </div>

   <hr>

   <div class="controls">
      <h3>jQuery Effects & Animation</h3>
      <button id="hideBtn">Hide</button>
      <button id="showBtn">Show</button>
      <button id="toggleBtn">Toggle Visibility</button>
      <button id="animateBtn">Animate Element</button>
   </div>

   <div id="targetBox" class="box"></div>
```

```
    <script>
        // 1. Pure JavaScript DOM Manipulation
        function updateContent() {
            const textElement = document.getElementById('dynamicText');
            textElement.innerHTML = "Success! Content updated via JavaScript DOM.";
            textElement.style.color = "#e74c3c";
        }

        // 2. jQuery Effects
        $(document).ready(function(){

            // Hide & Show
            $("#hideBtn").click(function(){
                $("#targetBox").hide(500);
            });

            $("#showBtn").click(function(){
                $("#targetBox").show(500);
            });

            // Toggle Visibility
            $("#toggleBtn").click(function(){
                $("#targetBox").toggle(300);
            });

            // Animate
            $("#animateBtn").click(function(){
                $("#targetBox").animate({
                    width: '300px',
                    opacity: '0.5',
                    marginLeft: '50px'
                }, 800).animate({
                    width: '150px',
                    opacity: '1',
                    marginLeft: '0px'
                }, 800);
            });
        });
    </script>
</body>
</html>
```

Output:




Update Button is clicked: Message is printed saying "Success! Content updated via JavaScript DOM."



Hide Button is clicked: the blue box is hidden




Show Button is clicked: the blue box reappears



“Animate Element “ Button is clicked: the blue box’s size changes and is again restored after one second.

Before :




After: