

Unit 4 - Week 2 :

Course outline

[How does an NPTEL online course work?](#)[Week 0 : Assignment 0](#)[Week 1 :](#)[Week 2 :](#)

- [Lecture 06: Demonstration-II](#)
 - [Lecture 07: Encapsulation](#)
 - [Lecture 08: Demonstration-III](#)
 - [Lecture 09: Java Programming Insights](#)
 - [Lecture 10: Demonstration-IV](#)
 - [Quiz - Assignment 2](#)**
 - [Java Week 2: Q1](#)
 - [Java Week 2: Q2](#)
 - [Java Week 2: Q3](#)
 - [Java Week 2: Q4](#)
 - [Java Week 2: Q5](#)
 - [Feedback For Week 2](#)
- [Week 3 :](#)

Thank you for taking the Assignment 2.**Assignment 2**

Your last recorded submission was on 2020-09-30, 09:40 IST

Due date: 2020-09-30, 23:59 IST.

1) What is the output of the following program?

1 point

```
public class Question
{
    public static void main(String[] args) {
        int i = 10;
        int a = i++*5;
        int n = ++i*5;
        System.out.println(i+n);
    }
}
```

- a. 14
- b. 13
- c. 15
- d. 11

- ☒ a.
- ☐ b.
- ☐ c.
- ☐ d.

Solution

DOWNLOAD VIDEOS

Text Transcripts

2) During constructor overloading, which of the following should be used in a parameterized constructor to call the default constructor?

1 point

- a. The parameterized constructor should be declared final in order for it to call the default constructor.
- b. The this() reference should be used as the first statement inside the parameterized constructor.
- c. The this() reference should be used anywhere inside the parameterized constructor.
- d. It is not possible to implicitly call the default constructor from parameterized constructor.

- ☐ a
- ☒ b
- ☐ c
- ☐ d

3) Following is a program given for this question.

1 point

```
public class Main{
    public static void main(String[] args) {
        char[] copyFrom = { 'j', 'a', 'v', 'a', 'p', 't', 'e', 'l' };
        char[] copyTo = new char[8];

        System.arraycopy(copyFrom, 0, copyTo, 0, 8);
        System.out.println(new String(copyTo));
    }
}
```

What will be the output of the above program?

- a. javaptel
- b. apteljava
- c. javjvaptel
- d. javjavap

- ☒ a
- ☐ b
- ☐ c
- ☐ d

- 4) Which of the following can be used to take input from user during the execution of a program? 1 point
- a. Using the string array provided as a parameter to the main method.
 - b. getText() method can be used to get user input from the command line.
 - c. Scanner class can be used by passing the predefined object System.in
 - d. Once the execution starts, there is no way to provide user input.
- ☐ a
☐ b
☒ c
☐ d
- 5) Which of the following is/are TRUE about print() and println() methods? 1 point
- a. print () prints in a single line only and multiple lines cannot be printed in any way.
 - b. println () prints and then appends a line break.
 - c. println () prints in a single line only and multiple lines cannot be printed.
 - d. print () prints and then appends a line break.
- ☐ a
☒ b
☐ c
☐ d
- 6) Which of the following is called when a method having the same name as that the name of the class where it is defined? 1 point
- a. abstract
 - b. this
 - c. constructor
 - d. final
- ☐ a
☐ b
☒ c
☐ d

7) Which of the following is a valid declaration of an object of class, say Box?

1 point

- a. Box obj = new Box();
- b. Box obj = new Box;
- c. obj = new Box();
- d. new Box obj;

- ☒ a.
- ☐ b.
- ☐ c.
- ☐ d.

8) Following is a program given for this question.

1 point

```
public class Question
{
    public static void main(String[] args) {
        boolean m=Integer.valueOf(1).equals(Long.valueOf(1));
        System.out.println(m);
    }
}
```

What will be the output of the above program?

- a. false
- b. true
- c. 0
- d. 1

- ☒ a.
- ☐ b.
- ☐ c.
- ☐ d.

9) What will happen during the execution of the following code for the command line input?

1 point

```
public class Question {  
    public static void main (String[] args) {  
        for (String s: args) {  
            System.out.println(s+args[0]);  
        }  
    }  
}
```

Consider the following input on command line and select the options with the correct output(s).

Input:

A: "jan java npitel"
B: 1 2 3

- a. A: jannpitel
 javannpitel
 npitelpitel
- b. A: jan java npitel jan java npitel
- c. B: 11
 21
 31
- d. B: 1 2 3 1

- ☐ a
- ☒ b
- ☒ c
- ☐ d

10) What is the output of the following program?

1 point

```
public class Main{
    public static void main(String args[]){
        char a = '3';
        int b=011;
        System.out.println(a*b);
    }
}
```

- a. 60
- b. 3011
- c. 33
- d. 311

- ☐ a.
- ☒ b.
- ☐ c.
- ☐ d.

You may submit any number of times before the due date. The final submission will be considered for grading.

[Submit Answer](#)