



H.NO 60 LANE-2 CHOWDHARY LANE  
BLOCK B ENCLAVE  
ROOP NAGAR, NEARASHA BHAWAN  
JAMMU-180013

  
(Hony) Brig. Dr. Arvind Lal  
M.B.B.S., D.C.P.  
*Padmashree*  
FMR HONORARY PHYSICIAN TO THE PRESIDENT OF INDIA

  
Dr. Vandana Lal  
M.D (PATH), IFCAP  
*Chief of Pathology*  
SHRIMANI AWARD WINNER

Name	: Mr. ANIKET MAHAJAN	Collected	: 24/09/2023 8:21:00AM
Lab No.	: 282862601	Received	: 24/09/2023 8:47:03AM
Age: 26 Years		Reported	: 24/09/2023 6:52:30PM
Gender: Male		Report Status	: Final
A/c Status : P	Ref By : SELF		

Test Name	Results	Units	Bio. Ref. Interval
<b>COMPLETE BLOOD COUNT (CBC)</b>			
Hemoglobin	12.00	g/dL	13.00 - 17.00
Packed Cell Volume (PCV)	37.70	%	40.00 - 50.00
RBC Count	5.79	mill/mm3	4.50 - 5.50
MCV	65.00	fL	80.00 - 100.00
MCH	20.70	pg	27.00 - 32.00
MCHC	31.90	g/dL	32.00 - 35.00
Red Cell Distribution Width (RDW)	15.90	%	11.50 - 14.50
Total Leukocyte Count (TLC)	4.20	thou/mm3	4.00 - 10.00
<b>Differential Leucocyte Count (DLC)</b>			
Segmented Neutrophils	39.60	%	40.00 - 80.00
Lymphocytes	50.30	%	20.00 - 40.00
Monocytes	8.10	%	2.00 - 10.00
Eosinophils	1.40	%	1.00 - 6.00
Basophils	0.60	%	<2.00
<b>Absolute Leucocyte Count</b>			
Neutrophils	1.66	thou/mm3	2.00 - 7.00
Lymphocytes	2.11	thou/mm3	1.00 - 3.00
Monocytes	0.34	thou/mm3	0.20 - 1.00
Eosinophils	0.06	thou/mm3	0.02 - 0.50
Basophils	0.03	thou/mm3	0.01 - 0.10
Platelet Count	245.0	thou/mm3	150.00 - 450.00


**Advised:** Hb HPLC to rule out Thalassemia Minor


#### Note

1. As per the recommendation of International council for Standardization in Hematology, the differential leucocyte counts are additionally being reported as absolute numbers of each cell in per unit volume of blood

2. Test conducted on EDTA whole blood

H.NO 60 LANE-2 CHOWDHARY LANE  
BLOCK B ENCLAVE  
ROOP NAGAR, NEAR ASHA BHAWAN  
JAMMU-180013

  
(Hony) Brig. Dr. Arvind Lal  
M.B.B.S., D.C.P.  
*Padma Shri*  
FMR HONORARY PHYSICIAN TO THE PRESIDENT OF INDIA


  
Dr. Vandana Lal  
M.D (PATH), IFCAP  
*Chief of Pathology*  
SHROMANI AWARD WINNER


Name	: Mr. ANIKET MAHAJAN	Collected	: 24/09/2023 8:21:00AM
Lab No.	: 282862601	Received	: 24/09/2023 8:47:03AM
Age: 26 Years	Gender: Male	Reported	: 24/09/2023 6:52:30PM
A/c Status : P	Ref By : SELF	Report Status	: Final

Test Name	Results	Units	Bio. Ref. Interval
MALARIA PARASITE / BLOOD PARASITE IDENTIFICATION (Microscopy)	No MP seen in smears examined.		

**Note:** A Single negative smear does not rule out malaria

H.NO 60 LANE-2 CHOWDHARY LANE  
BLOCK B ENCLAVE  
ROOP NAGAR, NEAR ASHA BHAWAN  
JAMMU-180013

  
(Hony) Brig. Dr. Arvind Lal  
M.B.B.S., D.C.P.  
*Padmaj Shri*  
FMR HONORARY PHYSICIAN TO THE PRESIDENT OF INDIA

  
Dr. Vandana Lal  
M.D (PATH), IFCAP  
*Chief of Pathology*  
SHROMANI AWARD WINNER

Name	: Mr. ANIKET MAHAJAN	Collected	: 24/09/2023 8:21:00AM
Lab No.	: 282862601	Received	: 24/09/2023 8:47:03AM
Age: 26 Years		Reported	: 24/09/2023 6:52:30PM
Gender: Male		Report Status	: Final
A/c Status : P	Ref By : SELF		

Test Name	Results	Units	Bio. Ref. Interval
ALT (SGPT), SERUM (IFCC)	127	U/L	<50

WIDAL TEST, SERUM (Slide Agglutination)	
Salmonella typhi O (TO)	Non Reactive
Salmonella typhi H (TH)	Non Reactive
Salmonella paratyphi A, H (AH)	Non Reactive
Salmonella paratyphi B, H (BH)	Non Reactive

Note: 1. Titres 1:80 and above of “O” antigen & 1:160 and above of “H” antigen are significant  
2. Rising titres are significant  
3. The recommended Widal test is by Tube Agglutination Method

Comments

This test measures somatic O and flagellar H antibodies against Typhoid and Paratyphoid bacilli. The agglutinins usually appear at the end of the first week of infection and increase steadily till third / fourth week after which the decline starts. A positive Widal test may occur because of typhoid vaccination or previous typhoid infection and in certain autoimmune diseases. Non specific febrile disease may cause this titre to increase (anamnestic reaction). The test may be falsely negative in cases of Enteric fever treated with antibiotics in the early stages. The recommended test specially in the first week after infection is Blood Culture.

BILIRUBIN, TOTAL, SERUM (DPD)	1.90	mg/dL	0.30 - 1.20
-------------------------------	------	-------	-------------



Dr. Rakhee Tiwari  
MBBS, MD(PATH)  
Chief of Lab

-----End of report -----