

Name : DUMMY
Lab No. : GD00023
Ref By : DR. DUMMY DUMMY
Collected : 22/4/2024 10:34:00AM
A/c Status : P
Collected at : PRODUCTION TEST COLLECTION CENTRE
 SECTOR - 18, BLOCK-E ROHINI
 DELHI 110085

Age : 25 Years
Gender : Male
Reported : 22/4/2024 3:46:12PM
Report Status : Interim
Processed at : LPL-NATIONAL REFERENCE LAB
 National Reference laboratory, Block E,
 Sector 18, Rohini, New Delhi -110085



Test Report

Test Name	Results	Units	Bio. Ref. Interval
COMPLETE BLOOD COUNT;CBC			
Hemoglobin (Photometry)	11.00	g/dL	13.00 - 17.00
Packed Cell Volume (PCV) (Calculated)	33.00	%	40.00 - 50.00
RBC Count (Electrical impedance)	4.00	mill/mm3	4.50 - 5.50
MCV (Electrical impedance)	88.00	fL	83.00 - 101.00
MCH (Calculated)	44.00	pg	27.00 - 32.00
MCHC (Calculated)	22.00	g/dL	31.50 - 34.50
Red Cell Distribution Width (RDW) Electrical Impedence)	11.00	%	11.60 - 14.00
Mentzer Index (Calculated)	22.00		
Total Leukocyte Count (TLC) (Electrical Impedence)	5.00	thou/mm3	4.00 - 10.00
Differential Leucocyte Count (DLC) (VCS Technology)			
Segmented Neutrophils	70.00	%	40.00 - 80.00
Lymphocytes	20.00	%	20.00 - 40.00
Monocytes	2.00	%	2.00 - 10.00
Eosinophils	6.00	%	1.00 - 6.00
Basophils	2.00	%	<2.00
Bands Forms			
Metamyelocytes			
Myelocytes			
Promyelocytes			
Absolute Leucocyte Count (Calculated)			



Name : DUMMY
Lab No. : GD00023
Ref By : DR. DUMMY DUMMY
Collected : 22/4/2024 10:34:00AM
A/c Status : P
Collected at : PRODUCTION TEST COLLECTION CENTRE
SECTOR - 18, BLOCK-E ROHINI
DELHI 110085

Age : 25 Years
Gender : Male
Reported : 22/4/2024 3:46:12PM
Report Status : Interim
Processed at : LPL-NATIONAL REFERENCE LAB
National Reference laboratory, Block E,
Sector 18, Rohini, New Delhi -110085



Test Report

Test Name	Results	Units	Bio. Ref. Interval
Blasts			
Neutrophils	3.50	thou/mm3	2.00 - 7.00
Lymphocytes	1.00	thou/mm3	1.00 - 3.00
Monocytes	0.10	thou/mm3	0.20 - 1.00
Eosinophils	0.30	thou/mm3	0.02 - 0.50
Basophils	0.10	thou/mm3	0.02 - 0.10
Others	3.00		
Platelet Count (Electrical impedance)	150.00	thou/mm3	150.00 - 410.00
Mean Platelet Volume (Coulter Principle)	4.0	fL	6.5 - 12.0

Note: Mentzer index is used to differentiate Iron Deficiency Anaemia from Beta-thalassemia trait. If Mentzer index value is >13, there is likelihood of Iron deficiency anaemia. A value <13 indicates likelihood of Beta-thalassemia trait.

Advised: Hb HPLC to rule out Thalassemia Minor

Note

- As per the recommendation of International council for Standardization in Hematology, the differentialleucocyte counts are additionally being reported as absolute numbers of each cell in per unit volume of blood
- Test conducted on EDTA whole blood



Name : DUMMY
Lab No. : GD00023
Ref By : DR. DUMMY DUMMY
Collected : 22/4/2024 10:34:00AM
A/c Status : P
Collected at : PRODUCTION TEST COLLECTION CENTRE
 SECTOR - 18, BLOCK-E ROHINI
 DELHI 110085

Age : 25 Years
Gender : Male
Reported : 22/4/2024 3:46:12PM
Report Status : Interim
Processed at : LPL-NATIONAL REFERENCE LAB
 National Reference laboratory, Block E,
 Sector 18, Rohini, New Delhi -110085



Test Report

Test Name	Results	Units	Bio. Ref. Interval
-----------	---------	-------	--------------------

Dr Ajay Gupta
 MD, Pathology
 Technical Director - Hematology &
 Immunology
 NRL - Dr Lal PathLabs Ltd

Dr Gurleen Oberoi
 DM(Hematopathology),
 MD,DNB,MNAMS
 Senior Consultant and Lead-
 Hematopathology
 NRL - Dr Lal PathLabs Ltd

Dr Jatin Munjal
 MD,Pathology
 Consultant Pathologist
 Dr Lal PathLabs Ltd

Dr Sarita Kumari Lal
 MD, Pathology
 Consultant Pathologist
 Dr Lal PathLabs Ltd

Dr Sunanda
 MD, Pathology
 Sr. Consultant Pathologist -
 Hematology & Immunology
 NRL - Dr Lal PathLabs Ltd

IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted. •All test results are dependent on the quality of the sample received by the Laboratory.
 •Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician. •Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted. •Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. •Test results may show interlaboratory variations. •The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). •Test results are not valid for medico legal purposes. •This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner/Doctor. •The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050, Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com

National Reference lab, Delhi, a CAP (7171001) Accredited, ISO 9001:2015 (FS60411) & ISO 27001:2013 (616691) Certified laboratory.

