TEST REPORT

Patient	: MR. TRIJUGEE NARAYAN SHUKLA	**Reg. No.**	: 2108119998
Age / Gender	: 68 Y / Male	**Reg. Date**	: 27-Aug-2021
Ref. By	: DR. A. GUPTA, MBBS	**Report Date**	: 27-Aug-2021
Associate	: SRN DIAGNOSTICS INDORE	**Laboratory**	

COMPLETE BLOOD COUNT (CBC)

Parameter	Observed Value	Unit	Biological Reference Interval
Hemoglobin	**10.0**	**g/dL**	**13.0 - 17.0**
RBC Count	**3.66**	**million/cmm**	**4.6 - 6.2**
Hematrocrit	**30.1**	**%**	**40 - 54**
MCV	82.3	fL	80 - 96
MCH	27.3	Pg	27 - 33
MCHC	33.2	%	32 - 36
RDW- CV	13.7	%	11 - 16
RDW-SD	48.2	fL	35 - 56
PLATELET COUNT	**116**	**10^3/µL**	**150 - 410**
MPV	10.4	fL	6.5 - 12.0
PDW	26.3		25.0 - 65.0
PCT	**1.21**	**%**	**0.108 - 0.282**
TOTAL COUNT (WBC), EDTA blood	4.61	10^3/µL	4.0 - 10.0
DIFFERENTIAL WBC COUNT (Manual By Microscopy)			
Neutrophils (%)	**75**	**%**	**38 - 70**
Lymphocytes (%)	20	%	20 - 45
Monocytes (%)	03	%	2 - 8
Eosinophils (%)	02	%	1 - 4
Basophils (%)	00	%	0 - 1
Neutrophils (Abs)	3.64	10^3/µL	
Lymphocytes (Abs)	0.78	10^3/µL	
Monocytes (Abs)	0.16	10^3/µL	
Eosinophils (Abs)	0.00	10^3/µL	
Basophils (Abs)	0.03	/cmm	

Interpretation : The test is done on fully automated 5 PART cell counter of 'Mindray BC 5300'Specimen : WB-EDTA

---------- End of Report ----------

Dr. Ramu Thakur
MD (PATHOLOGIST)

Printed On : 27.08.2021 4:29 PM

TEST REPORT

Patient	: MR. TRIJUGEE NARAYAN SHUKLA	**Reg. No.**	: 2108119998
Age / Gender	: 68 Y / Male	**Reg. Date**	: 27-Aug-2021
Ref. By	: DR. A. GUPTA, MBBS	**Report Date**	: 27-Aug-2021
Associate	: SRN DIAGNOSTICS INDORE	**Laboratory**	

DENGUE PROFILE AG.NS1 & AB.IGG&IgM

Parameter	Observed Value	Unit	Biological Reference Interval
NS 1 ANTIGEN, Serum	Negative		Negative
DENGUE - G	Negative		Negative
DENGUE - M	Negative		Negative

---------- End of Report ----------

Dr. Ramu Thakur
MD (PATHOLOGIST)

Printed On : 27.08.2021 4:29 PM

TEST REPORT

Patient	: MR. TRIJUGEE NARAYAN SHUKLA	**Reg. No.**	: 2108119998
Age / Gender	: 68 Y / Male	**Reg. Date**	: 27-Aug-2021
Ref. By	: DR. A. GUPTA, MBBS	**Report Date**	: 27-Aug-2021
Associate	: SRN DIAGNOSTICS INDORE	**Laboratory**	

PROTHROMBIN TIME

Specimen: Citrate plsma

Parameter	Observed Value	Unit	Biological Reference Interval
Prothrombin Time Test	**22.14**	**Seconds**	**12 - 16**
FULLY AUTOMATED COGULATION ANALYSER STA Compact Max®			
CONTROL (MNPT)	14	Seconds	
INR	1.77		

INR is a ratio of patient's PT to mean of PT for the laboratory raised to the power of the International Sensitivity Index.For patients on anticoagulant therapy for treatment or prophylaxis of venous thrombosis or pulmonary or systemic embolus, Suggested INR range is 2.0-3.0. For High risk patients with mechanical heart valves, Suggested INR range is 2.5-3.5.PT is a very sensitive parameter. If it does not correlate with clinical history, repeat sample is advisable with new fresh sample.

---------- End of Report ----------

Dr. Ramu Thakur
MD (PATHOLOGIST)

Printed On : 27.08.2021 4:29 PM