modifying script

original script

```
#!/bin/bash        ---shebang
a="Ashish Choudhary"           ---taking vansh in the variable a
b=40                    ---taking 40 in the variable b

if [ $a="Ashish Choudhary" ] && [ $b -gt 18 ]; then      ---
checking conditions and using an opreator and(&&)
    echo " you are adult "                     ---printing you
are adult
fi

if [ $a=" akshat" ] && [ $b -lt 18 ]; then       ---checking
conditions and using an opreator and(&&)
    echo "you are minor"                         --- printing
you are minor
fi
```

```
#!/bin/bash
a="Ashish Choudhary"
b=50

if [ "$a" = "Ashish Choudhary" ] && [ $b -gt 18 ]; then
    echo " you are adult "
fi

if [ "$a" = "akshat" ] && [ $b -lt 18 ]; then
    echo " you are minor "
fi
```

modified script

```
#!/bin/bash
# prompt user for input

read -p "enter your name: " name      --- taking name from the user
read -p "enter your age: " age        --- taking age from the user

if [ $name="Ashish Choudhary" ] && [ $age -gt 18 ]; then    --- checking conditions with if and opreator and(&&)
    echo " you are adult "                     --- printing (you are adult)
fi

if [ $name=" akshat" ] && [ $age -lt 18 ]; then  ----  checking conditions with if and opreator and(&&)
    echo "you are minor"                       ---- printing (you are minor)
fi
```

the difference between the original and modified script is that in the first one we check for fixed value and in the next case we check for all cases .

```
#!/bin/bash
# prompt user for input

read -p "enter your name : " name
read -p "enter your age : " age

if [ "$name"="Ashish Choudhary" ] && [ "$age" -gt 18 ]; then
    echo " you are adult "
fi

if [ "$name"="akshat" ] && [ "$age" -lt 18 ]; then
    echo "you are minor"
fi
```

checking with differnt examples

output is :

```
ashishkumar@ashishkumar:~/UPES/lab$ chmod 777 lab3.sh
ashishkumar@ashishkumar:~/UPES/lab$ ./lab3.sh
enter your name : Ashish Choudhary
enter your age : 19
 you are adult
ashishkumar@ashishkumar:~/UPES/lab$ ./lab3.sh
enter your name : akshat
enter your age : 15
you are minor
ashishkumar@ashishkumar:~/UPES/lab$
```

Q1=differnce between $1,$@ and $# in bash?

Ans-- 0 1 = $thisreferstopositionalparameters$@= represents all arguments passed to the script $#= returns the number of arguments passed

Q2=what does exit 1 mean in the script

Ans-- general error (something went wrong) Or exit with error.