Lab #11:Design Navigation bar with dropdown using Tailwind CSS.

Html:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Navigation Bar with Dropdown</title>

  <script src="https://cdn.tailwindcss.com"></script>

  <link href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display=swap"
rel="stylesheet">

  <style>

    body {

      font-family: 'Inter', sans-serif;

    }

    /* Custom dropdown animation */

    .dropdown-menu {

      opacity: 0;

      visibility: hidden;

      transform: translateY(-10px);

      transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1);

    }
```

```
.dropdown:hover .dropdown-menu {
    opacity: 1;
    visibility: visible;
    transform: translateY(0);
}
/* Mobile menu animation */
.mobile-menu {
    max-height: 0;
    overflow: hidden;
    transition: max-height 0.3s ease-out;
}
.mobile-menu.open {
    max-height: 500px;
}
/* Arrow rotation */
.dropdown-arrow {
    transition: transform 0.3s ease;
}
.dropdown:hover .dropdown-arrow {
    transform: rotate(180deg);
}
/* Gradient text */
.gradient-text {
    background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
```

```
        -webkit-background-clip: text;
        -webkit-text-fill-color: transparent;
        background-clip: text;
      }
    </style>
  </head>
  <body class="bg-gray-50">
    <!-- Navigation Bar -->
    <nav class="bg-white shadow-lg sticky top-0 z-50">
      <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
        <div class="flex justify-between items-center h-16">
          <!-- Logo -->
          <div class="flex-shrink-0 flex items-center">
            <a href="#" class="text-2xl font-bold gradient-text">
              BrandLogo
            </a>
          </div>
          <!-- Desktop Navigation -->
          <div class="hidden md:flex items-center space-x-8">
            <!-- Home Link -->
            <a href="#" class="text-gray-700 hover:text-indigo-600 font-medium transition-colors duration-200">
              Home
            </a>
            <!-- Products Dropdown -->
```

```
<div class="dropdown relative group">

<button class="flex items-center text-gray-700 hover:text-indigo-600 font-medium transition-colors duration-200 focus:outline-none">

<span>Products</span>

<svg class="dropdown-arrow ml-1 w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">

<path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M19 9l-7 7-7-7"></path>

</svg>

</button>

<!-- Dropdown Menu -->

<div class="dropdown-menu absolute left-0 mt-2 w-56 bg-white rounded-xl shadow-xl border border-gray-100 py-2">

<div class="px-4 py-2 border-b border-gray-100">

<p class="text-xs font-semibold text-gray-400 uppercase tracking-wider">Categories</p>

</div>

<a href="#" class="block px-4 py-3 text-sm text-gray-700 hover:bg-indigo-50 hover:text-indigo-600 transition-colors">

<div class="flex items-center">

<svg class="w-5 h-5 mr-3 text-indigo-500" fill="none" stroke="currentColor" viewBox="0 0 24 24">

<path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M12 18h.01M8 21h8a2 2 0 002-2V5a2 2 0 00-2-2H8a2 2 0 00-2 2v14a2 2 0 002 2z"></path>

</svg>

Electronics

</div>

</a>

<a href="#" class="block px-4 py-3 text-sm text-gray-700 hover:bg-indigo-50 hover:text-indigo-600 transition-colors">
```

```
                <div class="flex items-center">
                  <svg class="w-5 h-5 mr-3 text-indigo-500" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                    <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M16 11V7a4 4 0 00-8
0v4M5 9h14l1 12H4L5 9z"></path>
                  </svg>
                  Fashion
                </div>
              </a>
              <a href="#" class="block px-4 py-3 text-sm text-gray-700 hover:bg-indigo-50 hover:text-indigo-600
transition-colors">
                <div class="flex items-center">
                  <svg class="w-5 h-5 mr-3 text-indigo-500" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                    <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M3 12l2-2m0 0l7-7 7
7M5 10v10a1 1 0 001 1h3m10-11l2 2m-2-2v10a1 1 0 01-1 1h-3m-6 0a1 1 0 001-1v-4a1 1 0 011-1h2a1 1 0 011 1v4a1 1 0
001 1m-6 0h6"></path>
                  </svg>
                  Home & Living
                </div>
              </a>
              <div class="border-t border-gray-100 mt-2 pt-2">
                <a href="#" class="block px-4 py-2 text-sm text-indigo-600 font-medium hover:bg-indigo-50
transition-colors">
                  View All Products →
                </a>
              </div>
            </div>
```

```
</div>

<!-- Services Dropdown -->

<div class="dropdown relative group">

  <button class="flex items-center text-gray-700 hover:text-indigo-600 font-medium transition-colors duration-200 focus:outline-none">

    <span>Services</span>

    <svg class="dropdown-arrow ml-1 w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">

      <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M19 9l-7 7-7-7"></path>

    </svg>

  </button>

  <!-- Dropdown Menu with Grid -->

  <div class="dropdown-menu absolute left-0 mt-2 w-80 bg-white rounded-xl shadow-xl border border-gray-100 py-4">

    <div class="grid grid-cols-2 gap-4 px-4">

      <a href="#" class="block p-3 rounded-lg hover:bg-gray-50 transition-colors">

        <div class="text-indigo-600 mb-1">

          <svg class="w-6 h-6" fill="none" stroke="currentColor" viewBox="0 0 24 24">

            <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M9.75 17L9 20l-1 1h8l-1-1-.75-3M3 13h18M5 17h14a2 2 0 002-2V5a2 2 0 00-2-2H5a2 2 0 00-2 2v10a2 2 0 002 2z"></path>

          </svg>

        </div>

        <p class="text-sm font-medium text-gray-900">Web Design</p>

        <p class="text-xs text-gray-500 mt-1">Custom websites</p>

      </a>

      <a href="#" class="block p-3 rounded-lg hover:bg-gray-50 transition-colors">
```

```
                <div class="text-indigo-600 mb-1">
                  <svg class="w-6 h-6" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                    <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M10 20l4-16m4 4l4
4-4 4M6 16l-4-4 4-4"></path>
                  </svg>
                </div>
                <p class="text-sm font-medium text-gray-900">Development</p>
                <p class="text-xs text-gray-500 mt-1">Full-stack apps</p>
              </a>
              <a href="#" class="block p-3 rounded-lg hover:bg-gray-50 transition-colors">
                <div class="text-indigo-600 mb-1">
                  <svg class="w-6 h-6" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                    <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M11 3.055A9.001
9.001 0 1020.945 13H11V3.055z"></path>
                    <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M20.488
9H15V3.512A9.025 9.025 0 0120.488 9z"></path>
                  </svg>
                </div>
                <p class="text-sm font-medium text-gray-900">Marketing</p>
                <p class="text-xs text-gray-500 mt-1">SEO & campaigns</p>
              </a>
              <a href="#" class="block p-3 rounded-lg hover:bg-gray-50 transition-colors">
                <div class="text-indigo-600 mb-1">
                  <svg class="w-6 h-6" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                    <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M17 20h5v-2a3 3 0
00-5.356-1.857M17 20H7m10 0v-2c0-.656-.126-1.283-.356-1.857M7 20H2v-2a3 3 0 015.356-1.857M7
```

```
20v-2c0-.656.126-1.283.356-1.857m0 0a5.002 5.002 0 019.288 0M15 7a3 3 0 11-6 0 3 3 0 016 0zm6 3a2 2 0 11-4 0 2 2 0
014 0zM7 10a2 2 0 11-4 0 2 2 0 014 0z"></path>
                    </svg>
                  </div>
                  <p class="text-sm font-medium text-gray-900">Consulting</p>
                  <p class="text-xs text-gray-500 mt-1">Expert advice</p>
                </a>
              </div>
            </div>
          </div>
          <!-- About Link -->
          <a href="#" class="text-gray-700 hover:text-indigo-600 font-medium transition-colors duration-200">
            About
          </a>
          <!-- Contact Link -->
          <a href="#" class="text-gray-700 hover:text-indigo-600 font-medium transition-colors duration-200">
            Contact
          </a>
        </div>
        <!-- Right Side Actions -->
        <div class="hidden md:flex items-center space-x-4">
          <!-- Search Button -->
          <button class="p-2 text-gray-600 hover:text-indigo-600 transition-colors">
            <svg class="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
```

```
                <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M21 21l-6-6m2-5a7 7 0 11-14
0 7 7 0 0114 0z"></path>

              </svg>

            </button>

            <!-- Cart Button -->

            <button class="relative p-2 text-gray-600 hover:text-indigo-600 transition-colors">

              <svg class="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">

                <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M16 11V7a4 4 0 00-8 0v4M5
9h14l1 12H4L5 9z"></path>

              </svg>

              <span class="absolute -top-1 -right-1 bg-red-500 text-white text-xs rounded-full w-5 h-5 flex items-center
justify-center font-medium">3</span>

            </button>

            <!-- CTA Button -->

            <a href="#" class="bg-gradient-to-r from-indigo-600 to-purple-600 text-white px-6 py-2 rounded-full
font-medium hover:shadow-lg hover:scale-105 transition-all duration-200">

              Get Started

            </a>

          </div>

          <!-- Mobile Menu Button -->

          <div class="md:hidden flex items-center">

            <button onclick="toggleMobileMenu()" class="text-gray-700 hover:text-indigo-600 focus:outline-none p-2">

              <svg id="menu-icon" class="w-6 h-6" fill="none" stroke="currentColor" viewBox="0 0 24 24">

                <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M4 6h16M4 12h16M4
18h16"></path>

              </svg>
```

```
                <svg id="close-icon" class="w-6 h-6 hidden" fill="none" stroke="currentColor" viewBox="0 0 24 24">

                  <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M6 18L18 6M6 6l12
12"></path>

                </svg>

              </button>

            </div>

          </div>

        </div>

        <!-- Mobile Menu -->

        <div id="mobile-menu" class="mobile-menu md:hidden bg-white border-t border-gray-100">

          <div class="px-4 pt-2 pb-6 space-y-1">

            <a href="#" class="block px-3 py-3 text-base font-medium text-gray-700 hover:text-indigo-600
hover:bg-indigo-50 rounded-lg transition-colors">

              Home

            </a>

            <!-- Mobile Products Dropdown -->

            <div class="space-y-1">

              <button onclick="toggleMobileDropdown('products')" class="w-full flex items-center justify-between px-3 py-3
text-base font-medium text-gray-700 hover:text-indigo-600 hover:bg-indigo-50 rounded-lg transition-colors">

                <span>Products</span>

                <svg id="products-arrow" class="w-4 h-4 transition-transform duration-200" fill="none"
stroke="currentColor" viewBox="0 0 24 24">

                  <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M19 9l-7 7-7-7"></path>

                </svg>

              </button>

              <div id="products-dropdown" class="hidden pl-6 space-y-1">
```

```
            <a href="#" class="block px-3 py-2 text-sm text-gray-600 hover:text-indigo-600 hover:bg-indigo-50 rounded-lg transition-colors">Electronics</a>

            <a href="#" class="block px-3 py-2 text-sm text-gray-600 hover:text-indigo-600 hover:bg-indigo-50 rounded-lg transition-colors">Fashion</a>

            <a href="#" class="block px-3 py-2 text-sm text-gray-600 hover:text-indigo-600 hover:bg-indigo-50 rounded-lg transition-colors">Home & Living</a>

            <a href="#" class="block px-3 py-2 text-sm text-indigo-600 font-medium">View All →</a>

          </div>

        </div>

        <!-- Mobile Services Dropdown -->

        <div class="space-y-1">

          <button onclick="toggleMobileDropdown('services')" class="w-full flex items-center justify-between px-3 py-3 text-base font-medium text-gray-700 hover:text-indigo-600 hover:bg-indigo-50 rounded-lg transition-colors">

            <span>Services</span>

            <svg id="services-arrow" class="w-4 h-4 transition-transform duration-200" fill="none" stroke="currentColor" viewBox="0 0 24 24">

              <path stroke-linecap="round" stroke-linejoin="round" stroke-width="2" d="M19 9l-7 7-7-7"></path>

            </svg>

          </button>

          <div id="services-dropdown" class="hidden pl-6 space-y-1">

            <a href="#" class="block px-3 py-2 text-sm text-gray-600 hover:text-indigo-600 hover:bg-indigo-50 rounded-lg transition-colors">Web Design</a>

            <a href="#" class="block px-3 py-2 text-sm text-gray-600 hover:text-indigo-600 hover:bg-indigo-50 rounded-lg transition-colors">Development</a>

            <a href="#" class="block px-3 py-2 text-sm text-gray-600 hover:text-indigo-600 hover:bg-indigo-50 rounded-lg transition-colors">Marketing</a>

            <a href="#" class="block px-3 py-2 text-sm text-gray-600 hover:text-indigo-600 hover:bg-indigo-50 rounded-lg transition-colors">Consulting</a>
```

```
            </div>
          </div>
          <a href="#" class="block px-3 py-3 text-base font-medium text-gray-700 hover:text-indigo-600 hover:bg-indigo-50 rounded-lg transition-colors">
            About
          </a>
          <a href="#" class="block px-3 py-3 text-base font-medium text-gray-700 hover:text-indigo-600 hover:bg-indigo-50 rounded-lg transition-colors">
            Contact
          </a>
          <div class="pt-4 mt-4 border-t border-gray-100">
            <a href="#" class="block w-full text-center bg-gradient-to-r from-indigo-600 to-purple-600 text-white px-6 py-3 rounded-full font-medium">
              Get Started
            </a>
          </div>
        </div>
      </div>
    </nav>
    <!-- Demo Content -->
    <div class="max-w-7xl mx-auto px-4 py-20 text-center">
      <h1 class="text-4xl md:text-6xl font-bold text-gray-900 mb-6">
        Responsive Navigation Bar
      </h1>
      <p class="text-xl text-gray-600 max-w-2xl mx-auto">
```

Hover over "Products" or "Services" to see the dropdown menus. Resize your browser to test the mobile responsive hamburger menu.

```
    </p>
  </div>
  <script>
    function toggleMobileMenu() {
      const mobileMenu = document.getElementById('mobile-menu');
      const menuIcon = document.getElementById('menu-icon');
      const closeIcon = document.getElementById('close-icon');
      mobileMenu.classList.toggle('open');
      menuIcon.classList.toggle('hidden');
      closeIcon.classList.toggle('hidden');
    }
    function toggleMobileDropdown(name) {
      const dropdown = document.getElementById(`${name}-dropdown`);
      const arrow = document.getElementById(`${name}-arrow`);
      dropdown.classList.toggle('hidden');
      if (dropdown.classList.contains('hidden')) {
        arrow.style.transform = 'rotate(0deg)';
      } else {
        arrow.style.transform = 'rotate(180deg)';
      }      }
    document.addEventListener('click', function(event) {
      const nav = document.querySelector('nav');
```

```
    const mobileMenu = document.getElementById('mobile-menu');

    if (!nav.contains(event.target) && mobileMenu.classList.contains('open')) {

      toggleMobileMenu();

    }     });

  </script>

</body>

</html>
```

Output: