Lab# 5 : Build a personal portfolio website using html and css and make is responsive using media query

Folder structure:

```
Portfolio
│
├── index.html
└── style.css
```

Index.html

```
<!DOCTYPE html>
<html lang="en">

<head>

<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<title>Amogh PM | Cybersecurity Researcher</title>

<link rel="stylesheet" href="style.css">

</head>

<body>

<header class="header">

<div class="container nav">

<h2 class="logo">Amogh PM</h2>

<nav>

<a href="#about">About</a>
<a href="#projects">Projects</a>
<a href="#skills">Skills</a>
<a href="#research">Research</a>
<a href="#contact">Contact</a>
```

```
</nav>

</div>

</header>

<!-- HERO -->

<section class="hero">

<div class="container">

<h1>Cybersecurity Researcher & AI Systems Developer</h1>

<p>

Building secure systems, AI architectures, and cyber-visualization platforms.

Focused on offensive security, secure communication research,
and advanced cyber infrastructure.
</p>

<div class="hero-buttons">

<button onclick="scrollToSection('projects')">View Projects</button>

</div>

</div>

</section>



<!-- ABOUT -->

<section id="about" class="section">

<div class="container">

<h2>About</h2>

<p>

Cybersecurity student with strong interest in offensive security,
AI systems, and cyber infrastructure visualization.
```

```
I build intelligent systems and research secure communication
technologies. My work includes AI development, cybersecurity tools,
and visualization platforms for global cyber networks.

</p>

</div>

</section>


<!-- PROJECTS -->

<section id="projects" class="section">

<div class="container">

<h2>Projects</h2>

<div class="projects-grid">

<div class="project">

<h3>Netra AI</h3>

<p>

Custom built large language model designed for natural interaction.
Trained on proprietary datasets and deployed locally using
high-performance hardware.

</p>

</div>


<div class="project">

<h3>OverTheHorizon</h3>

<p>

Cyber-astronomy visualization platform that maps global satellite
```

```
communications and cybersecurity attack surfaces on a rotating Earth.

</p>

</div>


<div class="project">

<h3>Rise Above</h3>

<p>

Technology platform focused on structured personal development
and digital self-improvement frameworks.

</p>

</div>


<div class="project">

<h3>Security Tooling</h3>

<p>

Custom Python-based cybersecurity tools for vulnerability discovery,
automation pipelines, and exploit research.

</p>

</div>

</div>

</div>

</section>



<!-- SKILLS -->

<section id="skills" class="section">
```

```
<div class="container">

<h2>Technical Skills</h2>

<div class="skills-grid">

<div class="skill">Cybersecurity</div>
<div class="skill">Ethical Hacking</div>
<div class="skill">Python</div>
<div class="skill">Linux</div>
<div class="skill">AI / ML</div>
<div class="skill">Network Security</div>
<div class="skill">JavaScript</div>
<div class="skill">Bash</div>

</div>

</div>

</section>



<!-- RESEARCH -->

<section id="research" class="section">

<div class="container">

<h2>Research & Achievements</h2>

<ul class="achievements">

<li>Research Paper on Quantum Cryptography Secure Communication</li>

<li>Patent development in secure communication technologies</li>

<li>Participant in Smart India Hackathon</li>

<li>Capture The Flag cybersecurity competitions</li>

<li>Freelance Web Development projects</li>

</ul>

</div>
```

```
</section>


<!-- CONTACT -->

<section id="contact" class="section">

<div class="container">

<h2>Contact</h2>

<p>Email: amogh@example.com</p>
<p>GitHub: github.com/yourusername</p>
<p>LinkedIn: linkedin.com/in/yourprofile</p>

</div>

</section>


<footer class="footer">

<div class="container">

<p>© 2026 Amogh PM</p>

</div>

</footer>


<script src="script.js"></script>

</body>
</html>
```

Style.css :

```
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

@import
url('https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display=swap');

body {
  font-family: 'Inter', system-ui, sans-serif;
  background: linear-gradient(135deg, #f8fafc 0%, #e2e8f0 100%);
  color: #1e293b;
  line-height: 1.7;
  min-height: 100vh;
}

body{
background:#0f172a;
color:#e2e8f0;
line-height:1.6;
}

/* LAYOUT */

.container {
  max-width: 1200px;
  margin: 0 auto;
  padding: 0 24px;
}

/* NAVBAR */

.header {
  background: rgba(255, 255, 255, 0.95);
  -webkit-backdrop-filter: blur(20px);
  backdrop-filter: blur(20px);
  position: sticky;
  top: 0;
  z-index: 100;
  box-shadow: 0 2px 20px rgba(0, 0, 0, 0.08);
}

.nav {
```

```
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 1rem 0;
}

.logo {
  font-size: 1.8rem;
  font-weight: 700;
  background: linear-gradient(135deg, #0ea5e9, #f97316);
  -webkit-background-clip: text;
  -webkit-text-fill-color: transparent;
  background-clip: text;
}

nav a {
  margin-left: 2rem;
  text-decoration: none;
  color: #64748b;
  font-size: 1rem;
  font-weight: 500;
  position: relative;
  transition: color 0.3s ease;
}

nav a:hover {
  color: #0ea5e9;
}

nav a::after {
  content: '';
  position: absolute;
  bottom: -4px;
  left: 0;
  width: 0;
  height: 2px;
  background: linear-gradient(90deg, #0ea5e9, #f97316);
  transition: width 0.3s ease;
}

nav a:hover::after {
  width: 100%;
}

/* HERO */
```

```
.hero {
  padding: 140px 0 100px;
  text-align: center;
  background: linear-gradient(135deg, rgba(14, 165, 233, 0.05) 0%, rgba(249, 115, 22, 0.05) 100%),
              radial-gradient(circle at 20% 80%, rgba(14, 165, 233, 0.1) 0%, transparent 50%),
              radial-gradient(circle at 80% 20%, rgba(249, 115, 22, 0.1) 0%, transparent 50%);
  position: relative;
  overflow: hidden;
}

.hero::before {
  content: '';
  position: absolute;
  top: 0;
  left: 0;
  right: 0;
  bottom: 0;
  background: url('data:image/svg+xml,<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 100
100"><defs><pattern id="grain" width="100" height="100" patternUnits="userSpaceOnUse"><circle
cx="25" cy="25" r="1" fill="rgba(255,255,255,0.03)"/><circle cx="75" cy="75" r="0.5"
fill="rgba(255,255,255,0.02)"/></pattern></defs><rect width="100" height="100"
fill="url(%23grain)"/></svg>');
  opacity: 0.5;
  animation: float 20s ease-in-out infinite;
}

@keyframes float {
  0%, 100% { transform: translateY(0); }
  50% { transform: translateY(-10px); }
}

.hero h1 {
  font-size: clamp(2.5rem, 5vw, 4rem);
  margin-bottom: 1.5rem;
  font-weight: 700;
  background: linear-gradient(135deg, #0ea5e9 0%, #f97316 50%, #1e293b 100%);
  -webkit-background-clip: text;
  -webkit-text-fill-color: transparent;
  background-clip: text;
  letter-spacing: -0.02em;
}

.hero p {
  color: #64748b;
  max-width: 700px;
  margin: 0 auto 2rem;
```

```
  font-size: 1.2rem;
}

.hero-buttons {
  margin-top: 2rem;
}

.hero button {
  background: linear-gradient(135deg, #0ea5e9 0%, #0284c7 100%);
  border: none;
  padding: 1rem 2.5rem;
  font-weight: 600;
  font-size: 1.1rem;
  cursor: pointer;
  border-radius: 50px;
  box-shadow: 0 10px 30px rgba(14, 165, 233, 0.3);
  transition: all 0.3s ease;
  position: relative;
  overflow: hidden;
}

.hero button::before {
  content: '';
  position: absolute;
  top: 0;
  left: -100%;
  width: 100%;
  height: 100%;
  background: linear-gradient(90deg, transparent, rgba(255,255,255,0.3), transparent);
  transition: left 0.5s;
}

.hero button:hover {
  transform: translateY(-3px) scale(1.05);
  box-shadow: 0 20px 40px rgba(14, 165, 233, 0.4);
}

.hero button:hover::before {
  left: 100%;
}

.hero button:active {
  transform: translateY(-1px) scale(1.02);
}

/* SECTIONS */
```

```
.section {
  padding: 100px 0;
  position: relative;
}

.section:nth-child(odd) {
  background: linear-gradient(180deg, transparent 0%, rgba(14, 165, 233, 0.02) 100%);
}

.section:nth-child(even) {
  background: linear-gradient(180deg, transparent 0%, rgba(249, 115, 22, 0.02) 100%);
}

.section h2 {
  margin-bottom: 3rem;
  font-size: clamp(2rem, 4vw, 2.5rem);
  font-weight: 700;
  text-align: center;
  background: linear-gradient(135deg, #0ea5e9 0%, #f97316 100%);
  -webkit-background-clip: text;
  -webkit-text-fill-color: transparent;
  background-clip: text;
  position: relative;
}

.section h2::after {
  content: '';
  position: absolute;
  bottom: -12px;
  left: 50%;
  transform: translateX(-50%);
  width: 60px;
  height: 4px;
  background: linear-gradient(90deg, #0ea5e9, #f97316);
  border-radius: 2px;
}

/* PROJECTS */

.projects-grid {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(280px, 1fr));
  gap: 2rem;
}
```

```
.project {
  background: rgba(17, 16, 65, 0.945);
  -webkit-backdrop-filter: blur(10px);
  backdrop-filter: blur(10px);
  padding: 2.5rem;
  border-radius: 20px;
  box-shadow: 0 20px 60px rgba(0, 0, 0, 0.1);
  transition: all 0.4s cubic-bezier(0.175, 0.885, 0.32, 1.275);
  border: 1px solid rgba(255, 255, 255, 0.2);
  position: relative;
  overflow: hidden;
}

.project::before {
  content: '';
  position: absolute;
  top: 0;
  left: 0;
  right: 0;
  height: 4px;
  background: linear-gradient(90deg, #0ea5e9, #f97316, #0ea5e9);
  background-size: 200% 100%;
  animation: shimmer 3s linear infinite;
}

@keyframes shimmer {
  0% { background-position: 200% 0; }
  100% { background-position: -200% 0; }
}

.project:hover {
  transform: translateY(-12px) rotateX(5deg) rotateY(5deg);
  box-shadow: 0 30px 80px rgba(14, 165, 233, 0.25);
}

.project h3 {
  color: #000000;
  font-size: 1.6rem;
  margin-bottom: 1.25rem;
  font-weight: 700;
  letter-spacing: -0.025em;
}

/* SKILLS */

.skills-grid {
```

```
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(180px, 1fr));
  gap: 2rem;
  max-width: 900px;
  margin: 0 auto;
}

.skill {
  background: #0965c1;
  -webkit-backdrop-filter: blur(10px);
  backdrop-filter: blur(10px);
  padding: 1.75rem 1.5rem;
  text-align: center;
  border-radius: 16px;
  border: 2px solid #e2e8f0;
  box-shadow: 0 8px 25px rgba(0,0,0,0.08);
  transition: all 0.3s cubic-bezier(0.25, 0.46, 0.45, 0.94);
  position: relative;
  overflow: hidden;
  font-weight: 700;
  color: #1e293b;
  font-size: 1.05rem;
  letter-spacing: 0.025em;
  text-transform: uppercase;
}

.skill::before {
  content: '';
  position: absolute;
  top: 50%;
  left: 50%;
  width: 0;
  height: 0;
  background: radial-gradient(circle, rgba(14, 165, 233, 0.3) 0%, transparent 70%);
  border-radius: 50%;
  transform: translate(-50%, -50%);
  transition: all 0.6s ease;
}

.skill:hover::before {
  width: 300px;
  height: 300px;
}

.skill:hover {
  transform: translateY(-6px);
```

```
  box-shadow: 0 20px 50px rgba(14, 165, 233, 0.25), 0 0 0 1px rgba(14, 165, 233, 0.3);
  border-color: #0ea5e9;
}

/* ACHIEVEMENTS */

.achievements {
  max-width: 800px;
  margin: 0 auto;
}

.achievements li {
  margin-bottom: 1.5rem;
  color: #102441;
  font-size: 1.1rem;
  padding-left: 2.5rem;
  position: relative;
  padding: 1rem;
  background: rgba(14, 16, 86, 0);
  border-radius: 12px;
  -webkit-backdrop-filter: blur(10px);
  backdrop-filter: blur(10px);
  border-left: 4px solid transparent;
  transition: all 0.3s ease;
  background: linear-gradient(90deg, rgba(255,255,255,0.8), rgba(255,255,255,0.6));
}

.achievements li::before {
  content: '✓';
  position: absolute;
  left: 1rem;
  top: 50%;
  transform: translateY(-50%);
  color: #10b981;
  font-size: 1.2rem;
  font-weight: bold;
}

.achievements li:hover {
  border-left-color: #0ea5e9;
  transform: translateX(10px);
  box-shadow: 0 10px 30px rgba(14, 165, 233, 0.15);
}

/* FOOTER */
```

```
.footer{
background:#020617;
padding:30px;
text-align:center;
margin-top:60px;
color:#64748b;
}

/* MOBILE */

@media(max-width:768px){

.hero h1{
font-size:30px;
}

nav{
display:none;
}

}
```

Media query For mobile view :

```
/* MOBILE */

@media(max-width:768px){

.hero h1{
font-size:30px;
}

nav{
display:none;
}

}
```

Output :

Desktop view :



Mobile view


Cybersecurity Researcher & AI Systems Developer
Building secure systems, AI architectures, and cyber-visualization platforms. Focused on offensive security, secure communication research, and advanced cyber infrastructure.
View Projects
About
Cybersecurity student with strong interest in offensive security, AI systems, and cyber infrastructure visualization. I build intelligent systems and research secure communication technologies. My work includes AI development, cybersecurity tools, and visualization platforms for global cyber networks.


Projects
Netra AI
Custom built large language model designed for natural interaction. Trained on proprietary datasets and deployed locally using high-performance hardware.
OverTheHorizon
Cyber-astronomy visualization platform that maps global satellite communications and cybersecurity attack surfaces on a rotating Earth.
Rise Above
Technology platform focused on structured personal development and digital self-improvement frameworks.
Security Tooling
Custom Python-based cybersecurity tools for vulnerability discovery, automation pipelines, and exploit research.

Research & Achievements

- Research Paper on Quantum Cryptography Secure Communication
- Patent development in secure communication technologies
- Participant in Smart India Hackathon
- Capture The Flag cybersecurity competitions
- Freelance Web Development projects