



POLITECNICO
MILANO 1863

Mobile Radio Networks Project

User QoE Estimation

Sajad Hamzenejadi
Ashkan Ramezani

Contact: sajad.hamzenejadi@mail.polimi.it

Outline

1. Datasets
2. Algorithms
3. Feature Engineering
4. Feature Analysis
5. Model Deployment
6. Results
7. Comparison
8. Conclusion
9. References

1. Datasets

Dataset Name	Dataset Shape	Description	NaN - Values
Dataset 1	(18970,12)	Original dataset for training	No
Dataset 2	(18970,11)	Generated using dataset 1 during feature engineering	No
Dataset 3	(18970,23)	Dataset 1 and 2 combined	No
Ground_Truth	(18970, 1)	Ground truth containing training targets Class 0 #: 12758 Class 1 #: 6212	No
Test_dataset 1	(4743,12)	Original dataset for testing	No
Test_dataset 2	(4743,11)	Generated using test_dataset 1 during feature engineering	No
Test_dataset 3	(4743,23)	Test_dataset 1 and 2 combined	No
Test_Ground_Truth	(4743,1)	Ground truth containing testing targets Class 0 #: 3221 Class 1 #: 1522	No

2. Algorithms

2.1. Decision Tree: A decision tree is a tree-like model where each internal node represents a feature and a decision based on its value, leading to different branches. At the leaf nodes, the outcome (classification label) is assigned based on the majority class of the training examples that reach that leaf. The tree is built recursively by selecting the best feature and split point at each node to maximize information gain (or minimize impurity) until a stopping criterion is met [1].

2.2. Random Forest: A random forest is an ensemble of decision trees. It builds multiple decision trees using bootstrapped subsets of the training data. Each tree is trained independently with a subset of features. During prediction, each tree "votes" for a class, and the class with the most votes becomes the final prediction. This reduces overfitting and increases predictive accuracy [2].

2.3. XGBoost (Extreme Gradient Boosting): XGBoost is an advanced boosting algorithm. It combines weak learners (simple models) into a strong model. It starts with an initial prediction (usually the mean of the target values) and then builds subsequent trees to correct the errors made by previous trees. It uses gradient descent to optimize the model's weights. Regularization terms are added to control complexity and prevent overfitting [3].

2.4. Grid Search: Grid search is a hyperparameter tuning technique where a predefined grid of hyperparameter values is specified. The algorithm systematically evaluates each combination of values using cross-validation. It searches through the entire grid to find the combination that yields the best performance according to a chosen evaluation metric [4].

2.5. Bayesian Optimization: Bayesian optimization is a smarter way of tuning hyperparameters. It models the unknown function (objective function) that maps hyperparameters to their performance using a probabilistic model (often Gaussian Process). The model estimates the function's behavior and uncertainty. The acquisition function (e.g., Expected Improvement) guides the search by choosing the next set of hyperparameters that is likely to improve the model's performance [5].

3. Feature Engineering: Generating Dataset 2

- 1. Avg_Youtube_Time_UMTS:** This feature is calculated by dividing the cumulative YouTube session time for UMTS by 30 (days) to get the average daily YouTube DL time.
- 2. Avg_Youtube_Volume_UMTS:** Similar to the previous feature, this is the average daily YouTube DL volume for UMTS.
- 3. Avg_Youtube_Time_LTE:** Average daily YouTube DL time for LTE.
- 4. Avg_Youtube_Volume_LTE:** Average daily YouTube DL volume for LTE.
- 5. Service_Availability_Ratio_UMTS:** This ratio is calculated by dividing the cumulative full service time for UMTS by 30 (days) and then dividing it by the sum of cumulative limited service time and cumulative no service time for UMTS (divided by 30).
- 6. Service_Availability_Ratio_LTE:** Similar to the previous feature, this is the service availability ratio for LTE.
- 7. Total_Service_Time_UMTS:** This is the total service time for UMTS, calculated as the sum of cumulative full service time, cumulative limited service time, and cumulative no service time, all divided by 30 (days).

8. Total_Service_Time_LTE: Similar to the previous feature, this is the total service time for LTE.



9. Youtube_Time_Percentage_UMTS: This feature calculates the percentage of time spent on YouTube compared to the total service time for UMTS.

10. Youtube_Time_Percentage_LTE: Similar to the previous feature, this is the YouTube time percentage for LTE.


11. Preferred_Network_Type: This binary feature indicates whether LTE is the preferred network type based on which has a higher total service time (1 for LTE, 0 for UMTS).

4. Feature Analysis


4.1. Relation between user QoE and data distribution: Histogram




Satisfied Users




Dissatisfied Users




Satisfied Users




Dissatisfied Users




Satisfied Users




Dissatisfied Users




Satisfied Users




Dissatisfied Users




Satisfied Users




Dissatisfied Users




Satisfied Users




Dissatisfied Users




Satisfied Users




Dissatisfied Users




Satisfied Users




Dissatisfied Users




Satisfied Users




Dissatisfied Users




Satisfied Users




Dissatisfied Users



Satisfied Users



Dissatisfied Users



Interpretation of Histograms

- As evident from our dataset's histograms, the majority of our features exhibit asymmetric distributions, such as Bimodal or Skewed shapes.
- Only a few features closely resemble a Normal Distribution.
- To effectively model our data, we should prioritize classification techniques that are well-suited for asymmetric data.
- This is our motivation why we used Decision Trees, Random Forests, Gradient Boosting Models, as they are known for their robustness in handling such data distributions.





4. Feature Analysis

4.2. Cumulative distribution function (CDF): The features of dataset 1 are sorted based on the highest gap between satisfied and unsatisfied users in CFD plots.









Feature Name	Gap Value
1. Cumulative_Full_Service_Time_UMTS :	0.1136
2. Cumulative_Lim_Service_Time_UMTS :	0.0852
3. Max_SNR:	0.0683
4. Cumulative_Full_Service_Time_LTE :	0.0507
5. Max_RSRQ :	0.0451
6. Cumulative_Lim_Service_Time_LTE :	0.0443
7. Cumulative_YoutubeSess_LTE_DL_Volume :	0.0257
8. Cumulative_No_Service_Time_UMTS :	0.0225
9. Cumulative_No_Service_Time_LTE :	0.0197
10. Cumulative_YoutubeSess_UMTS_DL_Time :	0.0074
11. Cumulative_YoutubeSess_LTE_DL_Time :	0.0065
12. Cumulative_YoutubeSess_UMTS_DL_Volume :	0.0044

4.2. Relation between user QoE and data distribution - dataset 1: CDF

The CDF plots of dataset 1 are sorted based on the highest gap between satisfied and unsatisfied users (left to right).



4.2. Relation between user QoE and data distribution - dataset 1: CDF




The features of dataset 2 are sorted based on the highest gap between satisfied and unsatisfied users in CFD plots.

Feature Name	Gap Value
1. Total_Service_Time_UMTS :	0.1072
2. Total_Service_Time_LTE :	0.0477
3. Preferred_Network_Type :	0.0326
4. Avg_Youtube_Volume_LTE :	0.0257
5. Youtube_Time_Percentage_LTE :	0.0257
6. Service_Availability_Ratio_LTE :	0.0175
7. Youtube_Time_Percentage_UMTS :	0.0124
8. Avg_Youtube_Time_UMTS :	0.0074
9. Avg_Youtube_Time_LTE :	0.0065
10. Avg_Youtube_Volume_UMTS :	0.0044
11. Service_Availability_Ratio_UMTS :	0.0044


4.2. Relation between user QoE and data distribution - dataset 2: CDF

The CDF plots of dataset 2 are sorted based on the highest gap between satisfied and unsatisfied users (left to right).


CDF for Total_Service_Time_UMTS




CDF for Total_Service_Time_LTE










CDF for Preferred_Network_Type



CDF for Avg_Youtube_Volume_LTE



4.2. Relation between user QoE and data distribution - dataset 2: CDF




The features of dataset 3 are sorted based on the highest gap between satisfied and unsatisfied users in CFD plots.

Feature Name	Gap Value	Feature Name	Gap Value
1. Cumulative_Full_Service_Time_UMTS :	0.1136	15. Service_Availability_Ratio_LTE :	0.0175
2. Total_Service_Time_UMTS :	0.1072	16. Youtube_Time_Percentage_UMTS :	0.0124
3. Cumulative_Lim_Service_Time_UMTS :	0.0852	17. Cumulative_YoutubeSess_UMTS_DL_Time :	0.0074
4. Max_SNR :	0.0683	18. Avg_Youtube_Time_UMTS :	0.0074
5. Cumulative_Full_Service_Time_LTE :	0.0507	19. Cumulative_YoutubeSess_LTE_DL_Time :	0.0065
6. Total_Service_Time_LTE :	0.0477	20. Avg_Youtube_Time_LTE :	0.0065
7. Max_RSRQ :	0.0451	21. Cumulative_YoutubeSess_UMTS_DL_Volume :	0.0044
8. Cumulative_Lim_Service_Time_LTE :	0.0443	22. Avg_Youtube_Volume_UMTS :	0.0044
9. Preferred_Network_Type :	0.0326	23. Service_Availability_Ratio_UMTS :	0.0044
10. Cumulative_YoutubeSess_LTE_DL_Volume :	0.0257		
11. Avg_Youtube_Volume_LTE :	0.0257		
12. Youtube_Time_Percentage_LTE :	0.0257		
13. Cumulative_No_Service_Time_UMTS :	0.0225		
14. Cumulative_No_Service_Time_LTE :	0.0197		


4. Feature Analysis

4.3. XGBoost + Bayesian optimization hyperparameter tuning - Dataset 1




Observation: Across all features, their importance scores fall within the range of 0.06 to 0.10. This indicates that XGBoost recognizes these features as more informative compared to CDF. Interestingly, the features with the highest importance scores in XGBoost show lower significance in CDF, and vice versa.

4.3. XGBoost + Bayesian optimization hyperparameter tuning - Dataset 2



Observation: The same thing as before also happens here. For example, Avg_Youtube_Volume_UMTS is the most important feature in dataset 2 according to XGBoost, while it is the second-to-last feature according to CDF.

4.3. XGBoost + Bayesian optimization hyperparameter tuning - Dataset 3



Observation: As illustrated in the chart, in this scenario, the features of dataset 1 appear to be more informative when compared to dataset 2.

5. Model Deployment

Classifiers and Hyperparameters:

- Decision Tree: Max depth: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
- Random Forest: # of estimators: 20, 40, 50 | Max depth: 10, 20, 30
- XGBoost: # of estimators: 35, 45, 55 | Max depth: 1, 10, 20 | learning rate 0.001, 0.005, 0.01

Cross-Validation: 5 fold

Normalization: Standard scaler

Hyperparameter Tuning: GridSearch



6.1.Training Results

6.1.1. Decision Tree

Dataset 1

Time taken: 5.2 seconds



Best Hyperparameters: {'max_depth': 1}



Dataset 2

Time taken: 5.2 seconds



Best Hyperparameters: {'max_depth': 3}



Dataset 3

Time taken: 10.5 seconds

Best Hyperparameters: {'max_depth': 3}





6.1.2. Random Forest

Dataset 1

Time taken: 1 minutes and 9.8 seconds

Best Hyperparameters:

{'max_depth': 20, 'n_estimators': 50}





Dataset 2

Time taken: 1 minutes and 11.0 seconds

Best Hyperparameters:

{'max_depth': 20, 'n_estimators': 50}





Dataset 3

Time taken: 1 minutes and 31.9 seconds

Best Hyperparameters:

{'max_depth': 20, 'n_estimators': 50}





6.1.3. XGBoost

Dataset 1

Time taken: 5 minutes and 52.2 seconds

Best Hyperparameters:

`{'learning_rate': 0.01, 'max_depth': 10, 'n_estimators': 55}`





Dataset 2

Time taken: 5 minutes and 29.5 seconds

Best Hyperparameters:

`{'learning_rate': 0.01, 'max_depth': 10, 'n_estimators': 55}`





Dataset 3

Time taken: 10 minutes and 2.7 seconds

Best Hyperparameters:

`{'learning_rate': 0.005, 'max_depth': 10, 'n_estimators': 55}`



6.2. Testing Results

6.2.1. Decision Tree

Observations:







- True Negatives:
Dataset 1 > Dataset 2 = Dataset 3

- True Positives:
Dataset 2 = Dataset 3 > Dataset 1

- False Negatives:
Dataset 1 > Dataset 2 = Dataset 3

- False Positives:
Dataset 2 = Dataset 3 > Dataset 1

- AUC Value
Dataset 2 = Dataset 3 > Dataset 1



6.2.2. Random Forest

Observations:







- True Negatives:
Dataset 1 > Dataset 3 > Dataset 2

- True Positives:
Dataset 3 > Dataset 1 > Dataset 2

- False Negatives:
Dataset 2 > Dataset 1 > Dataset 3

- False Positives:
Dataset 2 > Dataset 3 > Dataset 1

- AUC Value
Dataset 1 > Dataset 3 > Dataset 2



6.2.3. XGBoost

Observations:







- True Negatives:
Dataset 2 > Dataset 1 > Dataset 3

- True Positives:
Dataset 3 > Dataset 2 > Dataset 1

- False Negatives:
Dataset 2 > Dataset 1 > Dataset 3

- False Positives:
Dataset 3 > Dataset 1 > Dataset 2

-AUC Value
Dataset 3 > Dataset 1 > Dataset 2



7. Comparison

Algorithm	Dataset	Training AUC	Testing AUC	Time
DT	1	0.54	0.54	5.2 s
	2	0.63	0.62	5.2 s
	3	0.63	0.62	10.5 s
RF	1	1	0.72	9.8 s
	2	1	0.67	11.0 s
	3	1	0.71	31.9 s
XGBoost	1	0.87	0.72	5 m, 52.2 s
	2	0.83	0.68	5 m, 29.5 s
	3	0.87	0.73	10 m, 2.7 s

8. Conclusion

- Given that we are not dealing with expensive-to-evaluate functions in the training process, Grid Search emerges as a swifter and more straightforward approach compared to Bayesian Optimization.
- Regarding feature ranking outcomes from cumulative distribution functions (CDF) and XGBoost, the greater reliability of XGBoost in this task can be attributed to its robustness and adaptability.
- When considering execution time, the order is XGBoost > Random Forest (RF) > Decision Tree (DT).
- In the context of training AUC (Area Under the Curve), RF surpasses XGBoost, followed by DT. In terms of test AUC, XGBoost, and RF perform equally well, outperforming DT.
- Notably, Dataset 3 exhibits the most favorable results among the datasets considered.

9. References

[1] <https://scikit-learn.org/stable/modules/tree.html#>

[2] <https://scikit-learn.org/stable/modules/generated/sklearn.ensemble.RandomForestClassifier.html#>

[3] <https://xgboost.readthedocs.io/en/stable/>

[4] https://scikit-learn.org/stable/modules/grid_search.html#

[5] <https://distill.pub/2020/bayesian-optimization/>