Computer Architecture

Spring 2020

Hamed Farbeh

farbeh@aut.ac.ir

Department of Computer Engineering

Amirkabir University of Technology

# Copyright Notice

Lectures adopted from

- Computer Organization and Design: The Hardware/Software Interface, 5th edition, David A. Patterson, John L. Hennessy, MK pub., 2014
  - Chapter 5: Large and Fast: Exploiting Memory Hierarchy

Associative Caches

- ## Fully associative
  - Allow a given block to go in any cache entry
  - Requires all entries to be searched at once
  - Comparator per entry (expensive)

- ## *n*-way set associative
  - Each set contains *n* entries
  - Block number determines which set
    - (Block number) modulo (#Sets in cache)
  - Search all entries in a given set at once
  - *n* comparators (less expensive)

Associative Cache Example

Spectrum of Associativity

- ## For a cache with 8 entries

One-way set associative (direct mapped)

Block	Tag	Data
0		
1		
2		
3		
4		
5		
6		
7		

Two-way set associative

Set	Tag	Data	Tag	Data
0				
1				
2				
3				

Four-way set associative

Set	Tag	Data	Tag	Data	Tag	Data	Tag	Data
0								
1								

Eight-way set associative (fully associative)

Tag	Data	Tag	Data	Tag	Data	Tag	Data	Tag	Data	Tag	Data	Tag	Data	Tag	Data

Associativity Example

- ## Compare 4-block caches

  - Direct mapped, 2-way set associative, fully associative

  - Block access sequence: 0, 8, 0, 6, 8

- ## Direct mapped

Block address	Cache index	Hit/miss	Cache content after access			
			0	1	2	3
0	0	miss	**Mem[0]**			
8	0	miss	**Mem[8]**			
0	0	miss	**Mem[0]**			
6	2	miss	Mem[0]		**Mem[6]**	
8	0	miss	**Mem[8]**		Mem[6]	

Associativity Example

- ## 2-way set associative

Block address	Cache index	Hit/miss	Cache content after access			
			Set 0		Set 1	
0	0	miss	**Mem[0]**			
8	0	miss	Mem[0]	**Mem[8]**		
0	0	hit	**Mem[0]**	Mem[8]		
6	0	miss	Mem[0]	**Mem[6]**		
8	0	miss	**Mem[8]**	Mem[6]		

- ## Fully associative

Block address		Hit/miss	Cache content after access			
0		miss	**Mem[0]**			
8		miss	Mem[0]	**Mem[8]**		
0		hit	**Mem[0]**	Mem[8]		
6		miss	Mem[0]	Mem[8]	**Mem[6]**	
8		hit	Mem[0]	**Mem[8]**	Mem[6]	

How Much Associativity

- Increased associativity decreases miss rate
  - But with diminishing returns

- Simulation of a system with 64KB D-cache, 16-word blocks, SPEC2000
  - 1-way: 10.3%
  - 2-way: 8.6%
  - 4-way: 8.3%
  - 8-way: 8.1%

Set Associative Cache Organization