Writrating API

1.1.		Base domain name:			
A	A) Pr	Primary: api.domainName/v1/			
I	3) Se	Secondary: domainName/api/v1/			
1.2.		Pa	rts:		
A	A) De	Devices:			
	I	Li	List of devices:		
		a	URL:		
			 ApiBaseDomainName/devices/list/ 		
		b	Methods:		
			• GET		
		c	Permissions:		
			• Everyone has permission to GET data		
	II	Sp	pecific device details:		
		a	URL:		
			• ApiBaseDomainName/devices/ <string:slug>/</string:slug>		
		b	Methods:		
			• GET		
		c	Permissions:		
			• Everyone has permission to GET data		
	III Add devices:				
		a	URL:		
			• ApiBaseDomainName/devices/add/		
		b	Methods:		
			• POST		
		c	Permissions:		
			• Admins		
			• SuperUsers		

IV Edit devices:

1. Version1:

	a	URL:
		• ApiBaseDomainName/devices/ <string:slug>/edit/</string:slug>
	b	Methods:
		• PATCH
	c	Permissions:
		• admins
		• SuperUsers
V	De	lete devices:
	a	URL:
		• ApiBaseDomainName/devices/ <string:slug>/delete/</string:slug>
	b	Methods:
		• DELETE
	c	Permissions:
		• admins
		• SuperUsers
VI	Ch	eck devices:
	a	URL:
		• ApiBaseDomainName/devices/ <string:slug>/check/</string:slug>
	b	Method:
		• PATCH
		• POST
	c	Permissions:
		• Validators
		• SuperUsers
B) Blo	ogs:	
I	Lis	t of blogs:
	a	URL:
		 ApiBaseDomainName/blogs/list/
	b	Method:
		• GET
	c	Permissions:
		• Everyone has permission to GET data

II	Specific blogs details:			
	a URL:			
	 ApiBaseDomainName/blogs/<string:slug>/</string:slug> 			
	b Method:			
	• GET			
	c Permissions:			
	 Everyone has permissions to GET data 			
III	Add blog:			
	a URL:			
	 ApiBaseDomainName/blogs/add/ 			
	b Method:			
	• POST			
	c Permissions:			
	• admins			
	• superUsers			
IV	Edit blog:			
	a URL:			
	 ApiBaseDomainName/blogs/<string:slug>/edit/</string:slug> 			
	b Method:			
	• PATCH			
	c Permissions:			
	• admins			
	• superUsers			
V	Delete blog:			
	a URL:			
	 ApiBaseDomainName/blogs/<string:slug>/delete/</string:slug> 			
	b Method:			
	• DELETE			
	c Permissions:			
	• admins			
	• users			
VI	Check blogs:			

		a	URL:
			• ApiBaseDomainName/blogs/ <string:slug>/check/</string:slug>
		b	Method:
			• PATCH
			• POST
		c	Permissions:
			• validators
			• superusers
C)	Re	viev	vs:
	I	Lis	st of reviews:
		a	URL:
			• ApiBaseDomainName/reviews/list/
		b	Method:
			• GET
		c	Permissions:
			• Everyone has access to GET data
	II	Sp	ecific review's data:
		a	URL:
			• ApiBaseDomainName/reviews/ <string:slug>/</string:slug>
		b	Method:
			• GET
		c	Permissions:
			• Everyone has access to GET data
	III	ado	d review:
		a	URL:
			• ApiBaseDomainName/reviews/add/
		b	Method:
			• POST
		c	Permissions:
			• Admins
			• Superusers
	IV	edi	t review:

a URL:

	 ApiBaseDomainName/reviews/<string:slug>/edit/</string:slug>
b	Method:
	• PATCH
c	Permissions:
	• admins
	• superusers
V de	elete review:
a	URL:
	 ApiBaseDomainName/reviews/<string:slug>/delete/</string:slug>
ь	Method:
	• DELETE
c	Permissions:
	• admins
	• superusers
VI ch	eck review:
a	URL:
	 ApiBaseDomainName/reviews/<string:slug>/check</string:slug>
b	Method:
	• PATCH
	• POST
c	Permissions:
	• validators
	• superusers
D) User I	Interactions:
I Co	ompare devices:
a	URL:
	• ApiBaseDomainName/interactions/Compare/ <string:slug1>/<string:slug2></string:slug2></string:slug1>
b	Method:
	• GET
c	Permissions:
	• Everyone except guest users
II Co	ommenting:
a	URL:

	 ApiBaseDomainName/interactions/comment/
	b Methods:
	• POST
	c Permissions:
	 Everyone except guest users can POST data
III	Reporting system:
	a URL:
	 ApiBaseDomainName/interactions/reports/
	b Method:
	• POST
	• GET
	c Permissions:
	 Everyone except guest users can POST data
	 Only validators and superusers can GET all data
	• Owners can get their response (GET)
IV	List of all devices names:
	a URL:
	 ApiBaseDomainName/interactions/names/
	b Method:
	• GET
	c Permissions:
	 Everyone has access to GET data
E) Us	ers:
I	Profile:
	a URL:
	 ApiBaseDomainName/accounts/profile/<string:username>/</string:username>
	b Methods:
	• GET
	• PATCH
	c Permissions:
	• All logged in users can see profile(GET, and PATCH data)
II	sign-up:
	a URL:

		• ApiBaseDomainName/accounts/sign-up/
	b	Method:
		• POST
	c	Permissions:
		• Everyone can sign-up in website
III	log	çin:
	a	URL:
		• ApiBaseDomainName/accounts/login/
	b	Method:
		• POST
	c	Permissions:
		• Everyone can login to website
IV	log	gout:
	a	URL:
		 ApiBaseDomainName/accounts/logout/
	b	Method:
		• POST
	c	Permissions:
		 Only logged in users can logout website
V	del	ete account:
	a	URL:
		ApiBaseDomainName/accounts/delete-account/
	b	Method:
		• DELETE
	c	Permissions:
		Only logged in users can delete their account
VI	Ch	ange password:
	a	URL:
		ApiBaseDomainName/accounts/change-password/
	b	Method:
		• PATCH
	c	Permissions:
		All logged in users

VII Password recovery:

- a URL:
 - ApiBaseDomainName/accounts/password-recovery/
- b Method:
 - POST
- c Permissions:
 - Everyone can recover their password

VIII Password recovery verification:

- a URL:
 - ApiBaseDomainName/accounts/password-recovery/validation/
- b Method:
 - POST
- c Permissions:
 - Everyone