```
***********************
 1
 2
      Activity 4.05
 3
  *
      1) In the PROC FORMAT statement, add the LIBRARY=
 4
   *
         option to save the formats to the PG2.FORMATS
 5
         catalog.
 6
      2) Run the PROC FORMAT step and verify in the log that
 7
         the two formats were created in a permanent
 8
         location.
 9
      3) Before the PROC PRINT step, add an OPTIONS
10
         statement so that SAS can find the two permanent
11
         formats.
12
             options fmtsearch=(pg2.formats);
13
      4) Run the OPTIONS statement and the PROC PRINT step.
                                                            *;
14
         Are the Gender and Height values formatted?
15
   ********************
16
17
   proc format library=pg2 ;
18
   /* proc format library=pg2.formats; */
19
       value $gender 'F'='Female'
20
                     'M'='Male'
21
                    other='Miscoded';
22
       value hght low-<58 = 'Below Average'</pre>
23
                  58-60
                          = 'Average'
24
                 60<-high = 'Above Average';
25
26 | run;
27
  *add an OPTIONS statement;
28
29 options fmtsearch=(pg2);
  /* options fmtsearch=(pg2.formats); */
30
31
32 proc print data=pg2.class_birthdate noobs;
33
       where Age=12;
34
       var Name Gender Height;
35
       format Gender $gender. Height hght.;
36 | run;
```