







# EVIDENCIAS LABORATORIO 5




## 1. API Productos















## 2. API Estudiantes








### 3. API Libros













## 4. API Empleados
















## 5. API Películas








## 6. API Cursos








## 7. API Vehículos



















## 8. API Tareas








## 9. API Clientes








## 10. API Pedidos



The screenshot shows the Postman interface with the 'GET /api/pedidos' endpoint selected. The response is a JSON array of 4 orders, each with an id, cliente, producto, cantidad, total, and estado. The status bar indicates a 200 OK response.



```
1 [
2   {
3     "id": 1,
4     "cliente": "Ashly Aquino",
5     "producto": "Laptop Lenovo",
6     "cantidad": 1,
7     "total": 5500.0,
8     "estado": "PENDIENTE"
9   },
10  {
11    "id": 2,
12    "cliente": "Carlos López",
13    "producto": "Mouse Logitech",
14    "cantidad": 2,
15    "total": 600.0,
16    "estado": "ENVIADO"
17  },
18  {
19    "id": 3,
20    "cliente": "María Gómez",
21    "producto": "Teclado Mecánico",
22    "cantidad": 1,
23    "total": 450.0,
24    "estado": "ENTREGADO"
25  },
26  {
27    "id": 4,
28    "cliente": "José Ramírez",
29    "producto": "Monitor Samsung",
30    "cantidad": 2,
```



The screenshot shows the Postman interface with the 'GET /api/pedidos/1' endpoint selected. The response is a JSON object representing the first order from the previous list. The status bar indicates a 200 OK response.

```
1 {
2   "id": 1,
3   "cliente": "Ashly Aquino",
4   "producto": "Laptop Lenovo",
5   "cantidad": 1,
6   "total": 5500.0,
7   "estado": "PENDIENTE"
8 }
```









## **ENLACE GITHUB**

[https://github.com/AshlyAquino/LAB\\_V\\_APIIS.git](https://github.com/AshlyAquino/LAB_V_APIIS.git)