

MERN STACK

DAY – 4

Date: June 29, 2026

CSS

CSS is the language we use to style a Web page.

- CSS stands for Cascading Style Sheets
- CSS describes how HTML elements are to be displayed on screen, paper, or in other media
- CSS saves a lot of work. It can control the layout of multiple web pages all at once
- External stylesheets are stored in CSS files

Types of CSS

The three methods of applying CSS were discussed:

1. Inline CSS

- CSS written directly inside the HTML element using the style attribute.
- Used for styling individual elements.

2. Internal CSS

- CSS written inside the <style> tag within the <head> section.
- Used when styling a single webpage.

3. External CSS

- CSS written in a separate .css file and linked to the HTML document using the <link> tag.
- Best practice for large websites because it keeps HTML clean and allows multiple webpages to use the same stylesheet.

CSS Selectors

Different types of selectors were explained and practiced.

Element Selector: The element selector selects HTML elements based on the element name.

Example: div, p

Class Selector: The class selector selects HTML elements with a specific class attribute. To select elements with a specific class, write a period (.) character, followed by the class name.

Example: .a

ID Selector: The id selector uses the id attribute of an HTML element to select a specific element. The id of an element is unique within a page, so the id selector is used to select one unique element. To select an element with a specific id, write a hash (#) character, followed by the id of the element.

Example: #ab

Basic CSS Properties

Several basic styling properties were used to design HTML elements.

These included:

- height
- width
- background-color
- border-radius

Using these properties, different <div> elements were created with customized dimensions, colors, and rounded corners.

CSS Colors

The session included the use of Hexadecimal Color Codes. Examples: #0bcb45 , #4b0bcb

We learned how hexadecimal values provide precise control over colors and are commonly used in web development.

CSS Text Formatting

A paragraph was styled using several text properties.

- Color: defines the text color to be used.
- font-size: defines the text size to be used.
- font-weight: sets the weight (or boldness) of the font.
- text-decoration: used to control the appearance of decorative lines on text.
 - none - Default value. Displays no decoration line
 - underline - The decoration line is displayed under the text
 - overline - The decoration line is displayed over the text
 - line-through - The decoration line is displayed through the text
- text-align: used to set the horizontal alignment of a text.
 - left - Aligns the text to the left
 - right - Aligns the text to the right
 - center - Centers the text
 - justify - Stretches the lines so that each line has equal width
- text-shadow: Adds a shadow effect to the text.

- font-family: defines the font to be used.

These properties demonstrated how typography can improve the readability and appearance of webpages.

CSS Background Properties

A large <div> element was designed with a background image.

- background-image: Added an image as the background.
- background-repeat: Prevented the image from repeating.
- background-size: Used the cover value so that the image completely covered the element.
- background-position: Positioned the image at the center.
- background-attachment: Used the fixed property to create a background that remains fixed while scrolling.

These properties demonstrated different techniques for creating visually attractive webpage backgrounds.

CSS Priority (Cascading)

A comparison between internal and external CSS was performed.

We observed how CSS follows cascading rules and priority:

- Inline CSS has the highest priority.
- Internal CSS overrides external CSS if both target the same property.
- External CSS provides common styling for multiple pages.
- Browser default styles have the lowest priority.

This helped in understanding how conflicting styles are resolved.

OUTPUT:

