CS23336-Introduction to Python Programming

Started on Wednesday, 28 August 2024, 2:12 PM

Completed on Friday, 30 August 2024, 1:00 PM

Time taken 1 day 22 hours **Marks** 10.00/10.00

Grade 100.00 out of 100.00

Question 1

Correct Mark 1.00 out of 1.00 Flag question

Question text

Let's print a chessboard!

Write a program that takes input:

Integer N(represents the rows and columns of a chessboard) and also the starting character of the chessboard

Output Format

Print the chessboard as per the given examples

Sample Input / Output

Input:

W

Output:

WB

BW

Answer:(penalty regime: 0 %)

```
1 a=int(input())
 b=str(input())
 3 - \text{for i in range}(0,a):
 4 -
        for j in range(0,a):
 5 ∞
            if b=='W':
                if(i+j)%2==0:
 7
                   print("W",end='')
 8 =
                else:
 9
                   print("B",end="")
10 -
            else:
11 ∞
                if(i+j)%2==0:
12
                   print("B",end="")
13 =
                   print("W",end="")
14
        print(end="\n")
15
```

Input Expected Got WB BW BW BWB BWB 3 WBW WBW BWB BWB Passed all tests! Correct Marks for this submission: 1.00/1.00. **Question 2** Correct Mark 1.00 out of 1.00 Flag guestion **Question text** Write a program that given an integer 'n', prints the number of integers that are less than or equal to 'n' and co-prime to 'n' Two integers a and b are said to be relatively prime or co-prime if the only positive integer that evenly divides both of them is 1. That is, the only common positive factor of the two numbers is 1. This is equivalent to their greatest common divisor being 1. Input Format: One line containing the value of 'n', where 1 <= n <= 10,000Output Format: One line containing the number of integers that are co-prime to n and less than or equal to 'n' Sample Test Cases Test Case 1 Input 10 Output

Test Case 2

Input

23

Output

22

Test Case 3

Input

11

Output

10

Answer:(penalty regime: 0 %)

Feedback

Input Expected Got

 10
 4
 4

 23
 22
 22

 11
 10
 10

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 3

Correct
Mark 1.00 out of 1.00

Flag question

Question text

An e-commerce company plans to give their customers a special discount for Christmas. They are planning to offer a flat discount. The discount value is calculated as the sum of all the prime digits in the total bill amount.

Write an algorithm to find the discount value for the given total bill amount.

Input

The input consists of an integer order value, representing the total bill amount.

Output

Print an integer representing the discount value for the given total bill amount.

Example Input

578

Output

12

Explanation:

Since 5 and 7 are the prime digits, then sum of 5+7=12

Answer:(penalty regime: 0 %)

```
1 a=input()
2 d=0
3 - for i in a:
4 - if i in '2357':
5 | d=d+int(i)
6 print(d)
```

Feedback

Input Expected Got

```
    578
    12
    12
    456
    5
    5
    7032
    12
    12
```

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 4

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Write python program to print the following pattern based on input size.

Input:

3

Output:

For example:

Input Result

```
1
2 3
4 5 6
7 8 9 10
```

Answer:(penalty regime: 0 %)

Feedback

Input Expected Got

4 5 6

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

7 8 9 10 7 8 9 10

4 5 6

Question 5

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Write a program to find the count of the number of prime numbers in a specified range.

The starting and ending number of the range will be provided as input to the program.

Assumption: 2 <=starting number of the range<= ending number of the range<=7919

Example 1: If the starting and ending number or the range is given as 2 and 20, the program must return 8, because there are 8 prime numbers in the specified range from 2 to 20. namely (2. 3. 5, 7, 11, 13, 17, 19)

Example2: If the starting and ending number of the range is given as 700 and 725, the program must return 3, because there are 3 prime numbers in the specified range from 700 to 725, namely (701, 709, 719)

For example:

Input Result

```
8
20
700
       3
725
```

Answer:(penalty regime: 0 %)

```
1 a=int(input())
2 b=int(input())
3 count=0
4 = for i in range(a,b+1):
5 =
       if i>1:
6
7 -
           for j in range(2,i):
8 -
               if i%j==0:
9
                  c=False
10
                   break;
11 =
           if c:
12
             count+=1
13 print(count)
```

Feedback

Input Expected Got

```
8
                     8
20
700
        3
                     3
725
```

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 6

Correct

Mark 1.00 out of 1.00

Flag question

Question text

Given an integer N, check whether N the given number can be made a perfect square after adding to it.

26						
Output:						
No						
For exampl	For example:					
Input Resi						
24 Yes						
1 a=int(: 2 b=a+1 3 c=int(! 4 = if(c**: 5 pr: 6 = else:	.5)					
Feedback						
Input Expected Got						
24 Yes	Yes					
26 No	No					
Passed all tests!						
Correct Marks for this submission: 1.00/1.00.						
Question 7						

Input Format:

Output Format:

Example Input:

Example Input:

Yes or No.

24

Yes

Output:

Correct

Mark 1.00 out of 1.00 Plag question

Question text

Single integer input.

You are choreographing a circus show with various animals. For one act, you are given two kangaroos on a number line ready to jump in the positive direction.

- •The first kangaroo starts at position x1 and moves at a speed v1 meters per jump.
- •The second kangaroo starts at position x^2 and moves at a speed of v^2 meters per jump and $x^2 > x^2$
- •You have to figure out to get both kangaroos at the same position at the same time as part of the show before k jumps. If it is possible, return YES, otherwise return NO.

Input Format:

x1-position of kangaroo1 v1-Speed of kangaroo1 x2-position of kangaroo2 v2-Speed of kangaroo2 k-jumps

Output Format:

Both kangaroos are at the same position within k jumps, YES, otherwise NO.

For example:

Input Result

```
0
3
4 YES
2
```

Answer:(penalty regime: 0 %)

```
1 x1=int(input())
 2 v1=int(input())
 3 x2=int(input())
 4 v2=int(input())
5 k=int(input())
 6 - if v1!=v2:
        dx=x2-x1
 8
        dv=v2-v1
 9
        j=dx/dv
10 -
        if j \ge 0 and j \le k:
11
           print("NO")
12 -
        else:
13
            print("YES")
```

Feedback

Input Expected Got

```
0 3 4 YES YES 2 6 0 3 2 NO NO 4 8
```

Passed all tests! Correct Marks for this submission: 1.00/1.00. **Question 8** Correct Mark 1.00 out of 1.00 Flag guestion **Question text** An automorphic number is a number whose square ends with the number itself. For example, 5 is an automorphic number because 5*5 = 25. The last digit is 5 which same as the given number. If it is an automorphic number display "Automorphic" else display "Not Automorphic". Input Format: Take a Integer from Keyboard Output Format: Print Automorphic if given number is Automorphic number, otherwise Not Automorphic Example input: 5 Output: Automorphic Example input: 25 Output: Automorphic Example input: 7 Output: Not Automorphic Answer:(penalty regime: 0 %) 1 a=int(input()) 2 b=str(a) 3 c=len(b) 4 e=10**c 5 d=a**2 6 f=d%e 7 - **if**(a==f): 8 print("Automorphic") 9 ∞ else: 10 print("Not Automorphic")

Feedback

Input	Expected	Got
5	Automorphic	Automorphic
625	Automorphic	Automorphic
7	Not Automorphic	Not Automorphic

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 9

Correct
Mark 1.00 out of 1.00

Flag question

Question text

Write a program to find the count of the number of prime numbers in a specified range.

The starting and ending number of the range will be provided as input to the program.

Assumption: 2 <= starting number of the range <= ending number of the range <= 7919

Example1: If the starting and ending number or the range is given as 2 and 20, the program must return 8, because there are 8 prime numbers in the specified range from 2 to 20. namely (2. 3. 5, 7, 11, 13, 17, 19)

Example 2: If the starting and ending number of the range is given as 700 and 725, the program must return 3, because there are 3 prime numbers in the specified range from 700 to 725, namely (701, 709, 719)

For example:

Input Result

```
2
20
8
700
725
3
```

Answer:(penalty regime: 0 %)

```
1 a=int(input())
 2 b=int(input())
3 count=0
 4 = for i in range(a,b+1):
 5 =
       if i>1:
 6
            c=True
 7 -
            for j in range(2,i):
 8 =
                if i%j==0:
 9
                    c=False
10
                    break
11 =
            if c:
12
                count+=1
13 print(count)
```

Input Expected Got 2 20 8 8

700 725 3 3

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Question 10

Correct
Mark 1.00 out of 1.00

Flag question

Question text

Write a program to find the count of non-repeated digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number >= 1 and <= 25000.

Some examples are as below.

If the given number is 292, the program should return 1 because there is only 1 non-repeated digit '9' in this number

If the given number is 1015, the program should return 2 because there are 2 non-repeated digits in this number, '0', and '5'.

If the given number is 108, the program should return 3 because there are 3 non-repeated digits in this number, '1', '0', and '8'.

If the given number is 22, the function should return 0 because there are NO non-repeated digits in this number.

For example:

Input Result

Answer:(penalty regime: 0 %)

Feedback

Input Expected Got

292	1	1
1015	2	2
108	3	3
22	0	O

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

Finish review

Skip Quiz navigation

Quiz navigation

Question 1 This page Question 2 This page Question 3 This page Question 4 This page Question 5 This page Question 6 This page Question 7 This page Question 8 This page Question 9 This page Question 10 This page

Show one page at a time Finish review