Importing libraries

In [1]:
```
import pandas as pd
import numpy as np
from numpy import cov
from scipy.stats import spearmanr
from scipy.stats import pearsonr
```

In [2]:
```
df=pd.read_csv(r"C:\Users\user\Desktop\Ash\Datasets\4_drug200.csv")
df
```

Out[2]:

	Age	Sex	BP	Cholesterol	Na_to_K	Drug
0	23	F	HIGH	HIGH	25.355	drugY
1	47	M	LOW	HIGH	13.093	drugC
2	47	M	LOW	HIGH	10.114	drugC
3	28	F	NORMAL	HIGH	7.798	drugX
4	61	F	LOW	HIGH	18.043	drugY
...	...	...	...	...	...	...
195	56	F	LOW	HIGH	11.567	drugC
196	16	M	LOW	HIGH	12.006	drugC
197	52	M	NORMAL	HIGH	9.894	drugX
198	23	M	NORMAL	NORMAL	14.020	drugX
199	40	F	LOW	NORMAL	11.349	drugX

200 rows × 6 columns

Mean

In [3]:
```
print(df.mean())
```

```
Age        44.315000
Na_to_K    16.084485
dtype: float64
```

Median

In [4]:
```
print(df.median())
```

```
Age        45.0000
Na_to_K    13.9365
dtype: float64
```

Mode

In [5]:
```
print(df.mode())
```

```
    Age  Sex    BP Cholesterol  Na_to_K   Drug
0  47.0    M  HIGH        HIGH   12.006  drugY
1   NaN  NaN   NaN         NaN   18.295    NaN
```

Statistical data

In [6]:
```
df.describe()
```

Out[6]:

	Age	Na_to_K
count	200.000000	200.000000
mean	44.315000	16.084485
std	16.544315	7.223956
min	15.000000	6.269000
25%	31.000000	10.445500
50%	45.000000	13.936500
75%	58.000000	19.380000
max	74.000000	38.247000

Sum

In [7]:
```
print(df.sum())
```

```
Age                                                          8863
Sex            FMMFFFFMMMFFMFFFMMMFMMMFFFMFFMFMMFMMMMFMFFMMFF...
BP             HIGHLOWLOWNORMALLOWNORMALNORMALLOWNORMALLOWLOW...
Cholesterol    HIGHHIGHHIGHHIGHHIGHHIGHHIGHHIGHHIGHNORMALHIGH...
Na_to_K                                                  3216.897
Drug           drugYdrugCdrugCdrugXdrugYdrugXdrugYdrugCdrugYd...
dtype: object
```

Count

In [8]:
```
print(df.count())
```

```
Age            200
Sex            200
BP             200
Cholesterol    200
Na_to_K        200
Drug           200
dtype: int64
```

Min

In [9]:
```
print(df.min())
```

```
Age              15
Sex               F
BP             HIGH
Cholesterol    HIGH
Na_to_K       6.269
Drug          drugA
dtype: object
```

Max

In [10]:
```
print(df.max())
```

```
Age              74
Sex               M
BP           NORMAL
Cholesterol  NORMAL
Na_to_K      38.247
Drug          drugY
dtype: object
```

Covarience

In [12]:
```
cov(df["Age"],df["Na_to_K"])
```

Out[12]:
```
array([[273.71434673,  -7.54375153],
       [ -7.54375153,  52.18553348]])
```

Correaltion

In [13]:
```
pearsonr(df['Age'],df['Na_to_K'])
```

Out[13]:
```
(-0.06311949726772592, 0.3745756399034559)
```

In [14]:
```
spearmanr(df['Age'],df['Na_to_K'])
```

Out[14]:
```
SpearmanrResult(correlation=-0.047273882688479915, pvalue=0.5062200581387418)
```

In [ ]:
```

```