

Importing Libraries

In [1]:

```
1 import numpy as np
2 import pandas as pd
3 import matplotlib.pyplot as plt
4 import seaborn as sns
```

Importing Datasets


In [2]:

```
1 df=pd.read_csv('WEST RAJASTHAN.csv')  
2 df
```

Out[2]:

		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May	Jun-Sep
0	1817		WEST RAJASTHAN	1901	6.7	0.0	1.1	0.0	6.1	3.0	79.0	59.2	1.0	2.1	0.0	0.6	158.9	6.7	7.2	142.2
1	1818		WEST RAJASTHAN	1902	0.0	0.0	0.0	0.5	4.0	49.1	27.0	71.3	41.8	1.8	0.0	0.0	195.6	0.0	4.5	189.2
2	1819		WEST RAJASTHAN	1903	1.7	1.3	5.5	0.0	4.2	2.7	154.8	87.1	49.3	0.1	0.0	0.5	307.0	3.0	9.7	293.8
3	1820		WEST RAJASTHAN	1904	3.8	2.9	16.3	0.7	11.4	14.6	39.8	45.6	21.4	1.4	2.9	7.1	167.9	6.6	28.5	121.4
4	1821		WEST RAJASTHAN	1905	6.3	4.8	0.7	1.3	0.3	4.9	30.1	0.6	64.5	0.0	0.0	0.9	114.4	11.0	2.4	100.1
...	
110	1927		WEST RAJASTHAN	2011	0.0	11.8	1.5	1.5	7.8	24.4	88.5	166.8	116.3	0.1	0.0	0.0	418.7	11.8	10.7	396.1
111	1928		WEST RAJASTHAN	2012	0.5	0.0	0.0	9.5	10.4	5.3	40.4	166.7	92.0	1.9	0.0	0.6	327.3	0.5	19.9	304.3
112	1929		WEST RAJASTHAN	2013	8.6	21.8	4.2	3.1	1.7	37.6	104.5	138.2	58.7	10.1	1.0	0.0	389.4	30.4	8.9	339.0
113	1930		WEST RAJASTHAN	2014	0.8	2.2	4.7	8.4	23.0	13.8	94.3	69.6	84.9	0.5	0.2	0.0	302.4	3.0	36.0	262.6
114	1931		WEST RAJASTHAN	2015	1.4	0.9	30.3	25.2	15.5	53.2	234.6	60.5	35.7	1.1	0.1	0.0	458.4	2.3	71.0	384.0

115 rows × 20 columns



Data Cleaning and Data Preprocessing

```
In [3]: 1 df=df.dropna()  
2 df
```

Out[3]:

		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May	Jun-Sep
0	1817		WEST RAJASTHAN	1901	6.7	0.0	1.1	0.0	6.1	3.0	79.0	59.2	1.0	2.1	0.0	0.6	158.9	6.7	7.2	142.2
1	1818		WEST RAJASTHAN	1902	0.0	0.0	0.0	0.5	4.0	49.1	27.0	71.3	41.8	1.8	0.0	0.0	195.6	0.0	4.5	189.2
2	1819		WEST RAJASTHAN	1903	1.7	1.3	5.5	0.0	4.2	2.7	154.8	87.1	49.3	0.1	0.0	0.5	307.0	3.0	9.7	293.8
3	1820		WEST RAJASTHAN	1904	3.8	2.9	16.3	0.7	11.4	14.6	39.8	45.6	21.4	1.4	2.9	7.1	167.9	6.6	28.5	121.4
4	1821		WEST RAJASTHAN	1905	6.3	4.8	0.7	1.3	0.3	4.9	30.1	0.6	64.5	0.0	0.0	0.9	114.4	11.0	2.4	100.1
...	
110	1927		WEST RAJASTHAN	2011	0.0	11.8	1.5	1.5	7.8	24.4	88.5	166.8	116.3	0.1	0.0	0.0	418.7	11.8	10.7	396.1
111	1928		WEST RAJASTHAN	2012	0.5	0.0	0.0	9.5	10.4	5.3	40.4	166.7	92.0	1.9	0.0	0.6	327.3	0.5	19.9	304.3
112	1929		WEST RAJASTHAN	2013	8.6	21.8	4.2	3.1	1.7	37.6	104.5	138.2	58.7	10.1	1.0	0.0	389.4	30.4	8.9	339.0
113	1930		WEST RAJASTHAN	2014	0.8	2.2	4.7	8.4	23.0	13.8	94.3	69.6	84.9	0.5	0.2	0.0	302.4	3.0	36.0	262.6
114	1931		WEST RAJASTHAN	2015	1.4	0.9	30.3	25.2	15.5	53.2	234.6	60.5	35.7	1.1	0.1	0.0	458.4	2.3	71.0	384.0

115 rows × 20 columns



```
In [4]: 1 df.columns
```

```
Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',  
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',  
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],  
      dtype='object')
```


In [5]: 1 df.info()

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line Chart


```
In [6]: 1 df.plot.line(subplots=True)
```

```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



```
In [7]: 1 df.plot.line()
```


```
Out[7]: <AxesSubplot:>
```



Bar Chart

In [8]: 1 df.plot.bar()


Out[8]: <AxesSubplot:>



Histogram

In [9]: 1 df.plot.hist()


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area Chart

In [10]: 1 df.plot.area()


Out[10]: <AxesSubplot:>



Box Chart

```
In [11]: 1 df.plot.box()
```


```
Out[11]: <AxesSubplot:>
```




Pie Chart

```
In [12]: 1 df.plot.pie(y='ANNUAL')
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```


40
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97



Scatter Plot

```
In [13]: 1 df.plot.scatter(x='SUBDIVISION',y='ANNUAL')
```

Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>



In [14]: 1 df.info()

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

```
In [15]: 1 df.describe()
```


Out[15]:


	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000
mean	1874.000000	1958.000000	3.327826	4.930435	3.986087	3.571304	9.443478	28.637391	95.171304	94.555652
std	33.341666	33.341666	4.551914	7.858800	7.813965	5.916803	10.853168	22.809360	52.625112	66.365986
min	1817.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.400000	2.400000	0.600000
25%	1845.500000	1929.500000	0.350000	0.200000	0.200000	0.400000	1.950000	13.300000	54.350000	46.000000
50%	1874.000000	1958.000000	1.600000	1.300000	1.100000	1.400000	6.100000	21.900000	90.500000	76.100000
75%	1902.500000	1986.500000	4.000000	5.950000	5.200000	3.750000	12.150000	39.650000	126.350000	121.900000
max	1931.000000	2015.000000	21.400000	39.100000	59.000000	36.100000	56.800000	143.200000	234.600000	325.300000

EDA And Visualization

```
In [16]: 1 sns.pairplot(df)
```

```
Out[16]: <seaborn.axisgrid.PairGrid at 0x19437982dc0>
```







```
In [17]: 1 sns.distplot(df['ANNUAL'])
```

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
warnings.warn(msg, FutureWarning)

```
Out[17]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>
```



```
In [18]: 1 sns.heatmap(df.corr())
```

Out[18]: <AxesSubplot:>

