

Importing Libraries

In [1]:

```
1 import numpy as np
2 import pandas as pd
3 import matplotlib.pyplot as plt
4 import seaborn as sns
```

Importing Datasets

In [2]:

```

1 df=pd.read_csv('SOUTH INTERIOR KARNATAKA.csv')
2 df

```

Out[2]:

		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May	June
0	3773		SOUTH INTERIOR KARNATAKA	1902	1.9	0.5	6.7	42.6	97.7	91.7	210.0	82.1	138.4	219.1	44.6	84.9	1020.1	2.4	147.0	5
1	3774		SOUTH INTERIOR KARNATAKA	1903	0.3	0.0	1.1	11.6	125.1	129.7	284.4	155.7	197.1	154.2	186.6	24.1	1269.9	0.3	137.7	7
2	3775		SOUTH INTERIOR KARNATAKA	1904	1.0	0.5	5.2	43.5	144.7	167.9	197.1	73.2	89.6	120.4	2.5	0.3	845.8	1.5	193.3	5
3	3776		SOUTH INTERIOR KARNATAKA	1905	1.7	7.9	14.2	23.6	118.6	95.9	148.4	140.6	43.1	142.8	22.4	0.3	759.4	9.5	156.5	4
4	3777		SOUTH INTERIOR KARNATAKA	1906	14.1	1.5	2.2	4.8	46.1	116.4	211.3	256.3	109.5	173.4	16.5	52.6	1004.5	15.6	53.1	6
...	
109	3882		SOUTH INTERIOR KARNATAKA	2011	2.1	12.4	12.4	80.2	83.5	177.1	202.4	199.5	111.2	144.8	56.7	5.0	1087.4	14.5	176.1	6
110	3883		SOUTH INTERIOR KARNATAKA	2012	4.6	5.5	8.1	99.0	45.6	81.8	144.7	236.5	100.6	62.8	82.6	6.2	877.8	10.1	152.6	5
111	3884		SOUTH INTERIOR KARNATAKA	2013	0.5	10.1	11.7	34.6	95.6	176.2	307.4	151.7	191.8	103.7	24.9	2.4	1110.7	10.6	142.0	8
112	3885		SOUTH INTERIOR KARNATAKA	2014	0.4	2.4	17.7	46.7	130.5	106.8	271.6	254.6	161.6	152.9	20.2	18.7	1184.2	2.8	195.0	7
113	3886		SOUTH INTERIOR KARNATAKA	2015	1.7	0.2	24.4	80.5	125.3	218.7	112.0	136.6	164.5	106.1	138.1	4.4	1112.5	1.9	230.2	6

114 rows × 20 columns



Data Cleaning and Data Preprocessing

In [3]:

```


1 df=df.dropna()
2 df

```

Out[3]:

		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May	June
0	3773		SOUTH INTERIOR KARNATAKA	1902	1.9	0.5	6.7	42.6	97.7	91.7	210.0	82.1	138.4	219.1	44.6	84.9	1020.1	2.4	147.0	5
1	3774		SOUTH INTERIOR KARNATAKA	1903	0.3	0.0	1.1	11.6	125.1	129.7	284.4	155.7	197.1	154.2	186.6	24.1	1269.9	0.3	137.7	7
2	3775		SOUTH INTERIOR KARNATAKA	1904	1.0	0.5	5.2	43.5	144.7	167.9	197.1	73.2	89.6	120.4	2.5	0.3	845.8	1.5	193.3	5
3	3776		SOUTH INTERIOR KARNATAKA	1905	1.7	7.9	14.2	23.6	118.6	95.9	148.4	140.6	43.1	142.8	22.4	0.3	759.4	9.5	156.5	4
4	3777		SOUTH INTERIOR KARNATAKA	1906	14.1	1.5	2.2	4.8	46.1	116.4	211.3	256.3	109.5	173.4	16.5	52.6	1004.5	15.6	53.1	6
...	
109	3882		SOUTH INTERIOR KARNATAKA	2011	2.1	12.4	12.4	80.2	83.5	177.1	202.4	199.5	111.2	144.8	56.7	5.0	1087.4	14.5	176.1	6
110	3883		SOUTH INTERIOR KARNATAKA	2012	4.6	5.5	8.1	99.0	45.6	81.8	144.7	236.5	100.6	62.8	82.6	6.2	877.8	10.1	152.6	5
111	3884		SOUTH INTERIOR KARNATAKA	2013	0.5	10.1	11.7	34.6	95.6	176.2	307.4	151.7	191.8	103.7	24.9	2.4	1110.7	10.6	142.0	8
112	3885		SOUTH INTERIOR KARNATAKA	2014	0.4	2.4	17.7	46.7	130.5	106.8	271.6	254.6	161.6	152.9	20.2	18.7	1184.2	2.8	195.0	7
113	3886		SOUTH INTERIOR KARNATAKA	2015	1.7	0.2	24.4	80.5	125.3	218.7	112.0	136.6	164.5	106.1	138.1	4.4	1112.5	1.9	230.2	6

114 rows × 20 columns



```
In [4]: 1 df.columns
```

```
Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
   'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
   'Mar-May', 'Jun-Sep', 'Oct-Dec'],
  dtype='object')
```


```
In [5]: 1 df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       114 non-null    int64  
 1   SUBDIVISION 114 non-null    object  
 2   YEAR        114 non-null    int64  
 3   JAN         114 non-null    float64 
 4   FEB         114 non-null    float64 
 5   MAR         114 non-null    float64 
 6   APR         114 non-null    float64 
 7   MAY         114 non-null    float64 
 8   JUN         114 non-null    float64 
 9   JUL         114 non-null    float64 
 10  AUG         114 non-null    float64 
 11  SEP         114 non-null    float64 
 12  OCT         114 non-null    float64 
 13  NOV         114 non-null    float64 
 14  DEC         114 non-null    float64 
 15  ANNUAL      114 non-null    float64 
 16  Jan-Feb     114 non-null    float64 
 17  Mar-May     114 non-null    float64 
 18  Jun-Sep     114 non-null    float64 
 19  Oct-Dec     114 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

Line Chart


```
In [6]: 1 df.plot.line(subplots=True)
```

```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



In [7]: 1 df.plot.line()


Out[7]: <AxesSubplot:>



Bar Chart

In [8]: 1 df.plot.bar()


Out[8]: <AxesSubplot:>



Histogram

In [9]: 1 df.plot.hist()


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area Chart

In [10]: 1 df.plot.area()


Out[10]: <AxesSubplot:>



Box Chart

```
In [11]: 1 df.plot.box()
```

```
Out[11]: <AxesSubplot:>
```




Pie Chart

```
In [12]: 1 df.plot.pie(y='ANNUAL')
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```





40
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97



Scatter Plot

```
In [13]: 1 df.plot.scatter(x='SUBDIVISION',y='ANNUAL')
```

```
Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



In [14]: 1 df.info()

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       114 non-null    int64  
 1   SUBDIVISION 114 non-null    object  
 2   YEAR        114 non-null    int64  
 3   JAN         114 non-null    float64 
 4   FEB         114 non-null    float64 
 5   MAR         114 non-null    float64 
 6   APR         114 non-null    float64 
 7   MAY         114 non-null    float64 
 8   JUN         114 non-null    float64 
 9   JUL         114 non-null    float64 
 10  AUG         114 non-null    float64 
 11  SEP         114 non-null    float64 
 12  OCT         114 non-null    float64 
 13  NOV         114 non-null    float64 
 14  DEC         114 non-null    float64 
 15  ANNUAL      114 non-null    float64 
 16  Jan-Feb     114 non-null    float64 
 17  Mar-May     114 non-null    float64 
 18  Jun-Sep     114 non-null    float64 
 19  Oct-Dec     114 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

```
In [15]: 1 df.describe()
```


Out[15]:


	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	
count	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000
mean	3829.500000	1958.500000	2.911404	3.921053	9.542105	42.364912	91.946491	141.728070	231.546491	174.809649	137.2
std	33.052988	33.052988	4.826380	7.130757	14.004215	22.139941	38.352356	46.142621	71.766484	57.108052	50.8
min	3773.000000	1902.000000	0.000000	0.000000	0.000000	4.800000	9.600000	64.000000	47.500000	67.500000	27.7
25%	3801.250000	1930.250000	0.100000	0.100000	2.300000	25.425000	62.975000	107.225000	188.525000	136.725000	105.2
50%	3829.500000	1958.500000	0.800000	1.150000	5.200000	40.050000	90.350000	136.100000	227.200000	171.700000	137.7
75%	3857.750000	1986.750000	4.075000	4.500000	12.875000	51.500000	114.625000	174.875000	268.400000	216.200000	176.0
max	3886.000000	2015.000000	24.400000	44.300000	108.900000	127.700000	190.500000	269.400000	492.700000	305.400000	275.6

EDA And Visualization

```
In [16]: 1 sns.pairplot(df)
```

```
Out[16]: <seaborn.axisgrid.PairGrid at 0x1df5a26fc40>
```







```
In [17]: 1 sns.distplot(df['ANNUAL'])
```

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
warnings.warn(msg, FutureWarning)

```
Out[17]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>
```



```
In [18]: 1 sns.heatmap(df.corr())
```

```
Out[18]: <AxesSubplot:>
```

