

Importing Libraries

In [1]:

```
1 import numpy as np
2 import pandas as pd
3 import matplotlib.pyplot as plt
4 import seaborn as sns
```

Importing Datasets

In [2]:

```
1 df=pd.read_csv('RAYALSEEMA.csv')
2 df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May
0	3313	RAYALSEEMA	1902	10.0	0.2	1.7	11.0	36.8	73.6	41.3	148.3	181.7	188.5	88.9	36.4	818.4	10.1	49.6
1	3314	RAYALSEEMA	1903	30.0	0.1	0.0	3.6	80.5	67.5	127.5	140.6	219.7	95.3	289.4	84.0	1138.2	30.1	84.1
2	3315	RAYALSEEMA	1904	14.8	0.0	1.7	7.1	58.8	39.8	75.1	19.4	84.7	111.5	4.4	16.1	433.4	14.8	67.6
3	3316	RAYALSEEMA	1905	6.5	6.8	17.0	18.3	44.2	66.1	50.9	219.3	36.5	180.2	55.4	2.0	703.4	13.3	79.6
4	3317	RAYALSEEMA	1906	115.3	7.2	6.8	2.1	9.6	84.1	127.9	154.4	130.4	107.7	35.0	132.2	912.6	122.4	18.5
...	
109	3422	RAYALSEEMA	2011	0.8	12.1	0.0	34.6	33.0	44.5	128.9	163.6	71.2	107.5	106.9	35.1	738.0	12.8	67.6
110	3423	RAYALSEEMA	2012	2.7	0.0	2.5	32.7	38.8	47.0	139.7	120.0	69.5	113.7	86.6	61.9	715.0	2.7	74.0
111	3424	RAYALSEEMA	2013	1.3	30.6	11.5	26.8	38.9	73.8	95.7	110.3	163.2	169.3	38.6	2.6	762.6	31.9	77.3
112	3425	RAYALSEEMA	2014	0.2	0.7	12.5	5.1	46.7	66.3	68.7	115.1	81.4	104.6	37.8	12.8	551.8	0.9	64.2
113	3426	RAYALSEEMA	2015	1.9	0.0	13.4	73.4	39.7	73.0	43.1	123.6	136.3	106.7	383.8	52.2	1047.1	1.9	126.4

114 rows × 20 columns

Data Cleaning and Data Preprocessing

```
In [3]: 1 df=df.dropna()  
2 df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May
0	3313	RAYALSEEMA	1902	10.0	0.2	1.7	11.0	36.8	73.6	41.3	148.3	181.7	188.5	88.9	36.4	818.4	10.1	49.6
1	3314	RAYALSEEMA	1903	30.0	0.1	0.0	3.6	80.5	67.5	127.5	140.6	219.7	95.3	289.4	84.0	1138.2	30.1	84.1
2	3315	RAYALSEEMA	1904	14.8	0.0	1.7	7.1	58.8	39.8	75.1	19.4	84.7	111.5	4.4	16.1	433.4	14.8	67.6
3	3316	RAYALSEEMA	1905	6.5	6.8	17.0	18.3	44.2	66.1	50.9	219.3	36.5	180.2	55.4	2.0	703.4	13.3	79.6
4	3317	RAYALSEEMA	1906	115.3	7.2	6.8	2.1	9.6	84.1	127.9	154.4	130.4	107.7	35.0	132.2	912.6	122.4	18.5
...
109	3422	RAYALSEEMA	2011	0.8	12.1	0.0	34.6	33.0	44.5	128.9	163.6	71.2	107.5	106.9	35.1	738.0	12.8	67.6
110	3423	RAYALSEEMA	2012	2.7	0.0	2.5	32.7	38.8	47.0	139.7	120.0	69.5	113.7	86.6	61.9	715.0	2.7	74.0
111	3424	RAYALSEEMA	2013	1.3	30.6	11.5	26.8	38.9	73.8	95.7	110.3	163.2	169.3	38.6	2.6	762.6	31.9	77.3
112	3425	RAYALSEEMA	2014	0.2	0.7	12.5	5.1	46.7	66.3	68.7	115.1	81.4	104.6	37.8	12.8	551.8	0.9	64.2
113	3426	RAYALSEEMA	2015	1.9	0.0	13.4	73.4	39.7	73.0	43.1	123.6	136.3	106.7	383.8	52.2	1047.1	1.9	126.4

114 rows × 20 columns



```
In [4]: 1 df.columns
```

```
Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',  
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',  
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],  
      dtype='object')
```


In [5]: 1 df.info()

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       114 non-null    int64  
 1   SUBDIVISION 114 non-null    object  
 2   YEAR        114 non-null    int64  
 3   JAN         114 non-null    float64 
 4   FEB         114 non-null    float64 
 5   MAR         114 non-null    float64 
 6   APR         114 non-null    float64 
 7   MAY         114 non-null    float64 
 8   JUN         114 non-null    float64 
 9   JUL         114 non-null    float64 
 10  AUG         114 non-null    float64 
 11  SEP         114 non-null    float64 
 12  OCT         114 non-null    float64 
 13  NOV         114 non-null    float64 
 14  DEC         114 non-null    float64 
 15  ANNUAL      114 non-null    float64 
 16  Jan-Feb     114 non-null    float64 
 17  Mar-May     114 non-null    float64 
 18  Jun-Sep     114 non-null    float64 
 19  Oct-Dec     114 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

Line Chart


```
In [6]: 1 df.plot.line(subplots=True)
```

```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



In [7]: 1 df.plot.line()


Out[7]: <AxesSubplot:>



Bar Chart

In [8]: 1 df.plot.bar()


Out[8]: <AxesSubplot:>



Histogram

In [9]: 1 df.plot.hist()


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area Chart

In [10]: 1 df.plot.area()


Out[10]: <AxesSubplot:>



Box Chart

```
In [11]: 1 df.plot.box()
```


```
Out[11]: <AxesSubplot:>
```




Pie Chart

```
In [12]: 1 df.plot.pie(y='ANNUAL')
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```


40
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97



Scatter Plot

```
In [13]: 1 df.plot.scatter(x='SUBDIVISION',y='ANNUAL')
```

```
Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



In [14]: 1 df.info()

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       114 non-null    int64  
 1   SUBDIVISION 114 non-null    object  
 2   YEAR        114 non-null    int64  
 3   JAN         114 non-null    float64 
 4   FEB         114 non-null    float64 
 5   MAR         114 non-null    float64 
 6   APR         114 non-null    float64 
 7   MAY         114 non-null    float64 
 8   JUN         114 non-null    float64 
 9   JUL         114 non-null    float64 
 10  AUG         114 non-null    float64 
 11  SEP         114 non-null    float64 
 12  OCT         114 non-null    float64 
 13  NOV         114 non-null    float64 
 14  DEC         114 non-null    float64 
 15  ANNUAL      114 non-null    float64 
 16  Jan-Feb     114 non-null    float64 
 17  Mar-May     114 non-null    float64 
 18  Jun-Sep     114 non-null    float64 
 19  Oct-Dec     114 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

```
In [15]: 1 df.describe()
```


Out[15]:


	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG
count	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.0
mean	3369.500000	1958.500000	9.892982	5.289474	8.147368	19.876316	50.577193	64.845614	96.280702	107.925439
std	33.052988	33.052988	19.204248	10.921452	13.750959	17.638014	37.719296	34.219373	45.831724	56.047830
min	3313.000000	1902.000000	0.000000	0.000000	0.000000	0.700000	4.100000	23.500000	24.400000	13.600000
25%	3341.250000	1930.250000	0.200000	0.000000	0.400000	8.175000	29.075000	44.825000	65.625000	70.350000
50%	3369.500000	1958.500000	1.900000	0.950000	4.050000	12.550000	41.450000	57.650000	87.650000	99.300000
75%	3397.750000	1986.750000	9.950000	5.425000	10.875000	27.475000	55.225000	75.150000	124.900000	140.500000
max	3426.000000	2015.000000	115.300000	81.000000	86.900000	93.500000	239.800000	270.700000	245.200000	290.100000
										272.5

EDA And Visualization

```
In [16]: 1 sns.pairplot(df)
```

```
Out[16]: <seaborn.axisgrid.PairGrid at 0x1d81a0a8a30>
```







```
In [17]: 1 sns.distplot(df['ANNUAL'])
```

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
warnings.warn(msg, FutureWarning)

```
Out[17]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>
```



```
In [18]: 1 sns.heatmap(df.corr())
```

```
Out[18]: <AxesSubplot:>
```

