

Importing Libraries

In [1]:

```
1 import numpy as np
2 import pandas as pd
3 import matplotlib.pyplot as plt
4 import seaborn as sns
```

Importing Datasets

In [2]:

```
1 df=pd.read_csv('SUB HIMALAYAN WEST BENGAL SIKKIM.csv')
2 df
```

Out[2]:

		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May
0	437		SUB HIMALAYAN WEST BENGAL & SIKKIM	1901	26.5	14.8	14.1	29.2	195.5	488.4	524.8	501.1	242.7	55.5	17.9	2.6	2113.2	41.3	238.9
1	438		SUB HIMALAYAN WEST BENGAL & SIKKIM	1902	1.2	0.7	87.1	126.1	271.3	539.2	671.0	603.8	799.9	74.4	5.6	0.0	3180.4	1.9	484.6
2	439		SUB HIMALAYAN WEST BENGAL & SIKKIM	1903	5.5	8.7	19.6	18.6	163.6	541.2	431.5	708.8	365.2	141.3	0.3	0.0	2404.5	14.3	201.9
3	440		SUB HIMALAYAN WEST BENGAL & SIKKIM	1904	3.4	29.2	0.9	124.3	333.6	274.2	500.4	468.5	260.6	164.8	8.9	1.1	2169.9	32.5	458.8
4	441		SUB HIMALAYAN WEST BENGAL & SIKKIM	1905	12.0	31.2	51.9	104.4	290.6	524.8	523.1	1036.6	321.1	87.9	2.7	18.7	3005.0	43.2	447.0
...	
110	547		SUB HIMALAYAN WEST BENGAL & SIKKIM	2011	8.5	19.9	71.2	135.0	247.8	419.8	612.3	470.3	356.3	46.7	26.7	4.3	2418.7	28.4	453.9
111	548		SUB HIMALAYAN WEST BENGAL & SIKKIM	2012	15.3	13.9	45.5	159.8	202.4	604.2	684.5	332.7	434.7	119.4	12.5	7.4	2632.2	29.2	407.7

		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May
112	549		SUB HIMALAYAN WEST BENGAL & SIKKIM	2013	3.0	23.6	32.1	114.7	296.5	404.9	588.4	416.3	308.0	199.8	16.1	2.7	2406.1	26.7	443.4
113	550		SUB HIMALAYAN WEST BENGAL & SIKKIM	2014	0.2	26.6	37.7	47.9	308.6	543.2	384.6	563.3	371.5	31.2	5.3	2.4	2322.6	26.9	394.2
114	551		SUB HIMALAYAN WEST BENGAL & SIKKIM	2015	15.7	15.0	64.8	149.0	304.6	508.2	393.3	626.6	354.9	53.6	23.8	9.0	2518.6	30.7	518.5

115 rows × 20 columns

Data Cleaning and Data Preprocessing

In [3]:

```
1 df=df.dropna()  
2 df
```

Out[3]:

		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May
0	437		SUB HIMALAYAN WEST BENGAL & SIKKIM	1901	26.5	14.8	14.1	29.2	195.5	488.4	524.8	501.1	242.7	55.5	17.9	2.6	2113.2	41.3	238.9
1	438		SUB HIMALAYAN WEST BENGAL & SIKKIM	1902	1.2	0.7	87.1	126.1	271.3	539.2	671.0	603.8	799.9	74.4	5.6	0.0	3180.4	1.9	484.6
2	439		SUB HIMALAYAN WEST BENGAL & SIKKIM	1903	5.5	8.7	19.6	18.6	163.6	541.2	431.5	708.8	365.2	141.3	0.3	0.0	2404.5	14.3	201.9
3	440		SUB HIMALAYAN WEST BENGAL & SIKKIM	1904	3.4	29.2	0.9	124.3	333.6	274.2	500.4	468.5	260.6	164.8	8.9	1.1	2169.9	32.5	458.8
4	441		SUB HIMALAYAN WEST BENGAL & SIKKIM	1905	12.0	31.2	51.9	104.4	290.6	524.8	523.1	1036.6	321.1	87.9	2.7	18.7	3005.0	43.2	447.0
...	
110	547		SUB HIMALAYAN WEST BENGAL & SIKKIM	2011	8.5	19.9	71.2	135.0	247.8	419.8	612.3	470.3	356.3	46.7	26.7	4.3	2418.7	28.4	453.9
111	548		SUB HIMALAYAN WEST BENGAL & SIKKIM	2012	15.3	13.9	45.5	159.8	202.4	604.2	684.5	332.7	434.7	119.4	12.5	7.4	2632.2	29.2	407.7

		index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May
112	549		SUB HIMALAYAN WEST BENGAL & SIKKIM	2013	3.0	23.6	32.1	114.7	296.5	404.9	588.4	416.3	308.0	199.8	16.1	2.7	2406.1	26.7	443.4
113	550		SUB HIMALAYAN WEST BENGAL & SIKKIM	2014	0.2	26.6	37.7	47.9	308.6	543.2	384.6	563.3	371.5	31.2	5.3	2.4	2322.6	26.9	394.2
114	551		SUB HIMALAYAN WEST BENGAL & SIKKIM	2015	15.7	15.0	64.8	149.0	304.6	508.2	393.3	626.6	354.9	53.6	23.8	9.0	2518.6	30.7	518.5

115 rows × 20 columns

In [4]: 1 df.columns

Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY', 'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb', 'Mar-May', 'Jun-Sep', 'Oct-Dec'],
dtype='object')


In [5]: 1 df.info()

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line Chart


```
In [6]: 1 df.plot.line(subplots=True)
```

```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



In [7]: 1 df.plot.line()


Out[7]: <AxesSubplot:>



Bar Chart

In [8]: 1 df.plot.bar()


Out[8]: <AxesSubplot:>



Histogram

In [9]: 1 df.plot.hist()


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area Chart

In [10]: 1 df.plot.area()


Out[10]: <AxesSubplot:>



Box Chart

```
In [11]: 1 df.plot.box()
```


```
Out[11]: <AxesSubplot:>
```




Pie Chart

```
In [12]: 1 df.plot.pie(y='ANNUAL')
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```


40
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97



Scatter Plot

```
In [13]: 1 df.plot.scatter(x='SUBDIVISION',y='ANNUAL')
```

```
Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



In [14]: 1 df.info()

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

```
In [15]: 1 df.describe()
```


Out[15]:


	index	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115
mean	494.000000	1958.000000	14.083478	22.974783	43.135652	110.681739	269.143478	537.881739	646.402609	520.763478	421
std	33.341666	33.341666	17.066089	19.583787	30.851319	55.688697	69.790921	134.120594	164.860146	163.642166	113
min	437.000000	1901.000000	0.000000	0.100000	0.000000	4.800000	142.000000	261.700000	340.900000	228.100000	174
25%	465.500000	1929.500000	2.250000	8.650000	15.100000	71.300000	217.100000	447.400000	520.600000	408.550000	341
50%	494.000000	1958.000000	9.400000	19.600000	42.600000	110.900000	269.400000	527.800000	657.700000	500.900000	408
75%	522.500000	1986.500000	19.550000	33.400000	63.650000	144.850000	311.100000	611.200000	752.350000	609.700000	483
max	551.000000	2015.000000	103.000000	109.900000	132.100000	281.800000	503.100000	896.000000	1064.600000	1036.600000	799

EDA And Visualization

```
In [16]: 1 sns.pairplot(df)
```

```
Out[16]: <seaborn.axisgrid.PairGrid at 0x18229044d90>
```







```
In [17]: 1 sns.distplot(df['ANNUAL'])
```

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
warnings.warn(msg, FutureWarning)

```
Out[17]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>
```



```
In [18]: 1 sns.heatmap(df.corr())
```

```
Out[18]: <AxesSubplot:>
```

