Cucumber Report

| *Start : Apr 12, 10:25:10.061 am*	*End : Apr 12, 10:26:35.012 am*	*Duration : 1 m 24.951 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 7 SKIPPED - 0	PASSED - 22 FAILED - 7 SKIPPED - 35

Features: 1

Scenarios: 7

Steps: 64

Pass %: 0 %

Pass %: 0 %

Pass %: 34 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Files Add Custom Folder and Uploading Files in it	1 m 24.951 s	7	0	7	0	64	22	7	35

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@pdf	1	0	1	0	1	0	1	0
@feature	7	0	7	0	1	0	1	0
@docx	1	0	1	0	1	0	1	0
@txt	1	0	1	0	1	0	1	0
@xlsx	1	0	1	0	1	0	1	0
@png	1	0	1	0	1	0	1	0
@jpg	1	0	1	0	1	0	1	0
@mp4	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Files Add Custom Folder and Uploading Files in it	7	0	7	0	1 m 24.951 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Files Add Custom Folder and Uploading Files in it	Add a Custom Folder and Upload PDF Files of Small, Medium and Large init	10	8	1	1	1 m 15.444 s
2	Files Add Custom Folder and Uploading Files in it	Add a Custom Folder and Upload DOCX Files of Small, Medium and Large init	9	0	1	8	0.470 s
3	Files Add Custom Folder and Uploading Files in it	Add a Custom Folder and Upload TXT Files of Small, Medium and Large init	9	7	1	1	3.755 s
4	Files Add Custom Folder and Uploading Files in it	Add a Custom Folder and Upload XLSX Files of Small, Medium and Large init	9	0	1	8	0.364 s
5	Files Add Custom Folder and Uploading Files in it	Add a Custom Folder and Upload PNG Files of Small, Medium and Large init	9	7	1	1	3.618 s
6	Files Add Custom Folder and Uploading Files in it	Add a Custom Folder and Upload JPG Files of Small, Medium and Large init	9	0	1	8	0.414 s
7	Files Add Custom Folder and Uploading Files in it	Add a Custom Folder and Upload MP4 Files of Small, Medium and Large init	9	0	1	8	0.431 s

Files Add Custom Folder and Uploading Files in it

FAILED	DURATION - 1 m 24.951 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0	7	Steps Total - 64 Pass - 22 Fail - 7 Skip - 35	64
/ 10:25:10.061 am // 10:26:35.012 am /					

Add a Custom Folder and Upload PDF Files of Small, Medium and Large init

FAILED	DURATION - 1 m 15.444 s		Steps Total - 10 Pass - 8 Fail - 1 Skip - 1	10
/ 10:25:10.063 am // 10:26:25.507 am /				
Files Add Custom Folder and Uploading Files in it				
@pdf @feature				

#	Step / Hook Details	Status	Duration
1	Given User is already logged in to application	PASSED	58.048 s
	username | password ashokmarch12@yopmail.com | Password@123		
2	Given the User clicks on Family Access Files	PASSED	9.439 s
3	When the User clicks on Add Folder	PASSED	0.357 s
4	And the User enters the folder name into Folder name field	PASSED	0.239 s
5	And the User clicks on the Add button	PASSED	0.273 s
6	Then the User should see a success popup with the message "added successfully"	PASSED	1.581 s
7	And the User clicks on close user guide	PASSED	0.257 s
8	And the User verifies the added custom folder	PASSED	0.572 s
9	And the User clicks and opens the folder	FAILED	0.038 s
	org.openqa.selenium.ElementNotInteractableException: Element <p class="mb-0 file_length"> could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [395b56da-d902-4d30-8e3c-e07c25f9a38c, clickElement {id=d4706f83-26b5-44c7-a1b1-60b6bb8e97a6}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:36714, moz:geckodriverVersion: 0.34.0,		

#	Step / Hook Details	Status	Duration

	moz:headless: false, moz:platformVersion: 10.0, moz:processID: 2244, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:36714/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (395b56da-d902-4d30-8e3c-e07c25f9a38c)] -> xpath: //p[@class='mb-0 file_length' and text()='TqpE1MR_Ashok']] Session ID: 395b56da-d902-4d30-8e3c-e07c25f9a38c
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at com.Pages.AddCustomFolder.clickOnAddedFolder(AddCustomFolder.java:108)
	  at parallel.AddCustomFolderSteps.the_user_clicks_and_opens_the_folder(AddCustomFolderSteps.java:84)
	  at ?.the User clicks and opens the folder(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:18)
	* Not displayable characters are replaced by '?'.		

10	And User uploads PDF file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.096 s
	_A_d_d__a__C_u_s_t_o_m__F_o_l_d_e_r__a_n_d__U_p_l_o_a_d__P_D_F__F_i_l_e_s__o_f__S_m_a_l_l_,__M_e_d_i_u_m__a_n_d__L_a_r_g_e__i_n_i_t_ 		

Add a Custom Folder and Upload DOCX Files of Small, Medium and Large init

FAILED	DURATION - 0.470 s

/ 10:26:25.690 am // 10:26:26.160 am /

Files Add Custom Folder and Uploading Files in it

@feature @docx

Steps

Total - 9

Pass - 0

Fail - 1

Skip - 8

#	Step / Hook Details	Status	Duration
1	Given the User clicks on Family Access Files	FAILED	0.375 s

	org.openqa.selenium.ElementNotInteractableException: Element <a class="home_btn"> could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org. openqa.selenium.firefox.FirefoxDriver Command: [395b56da-d902-4d30-8e3c-e07c25f9a38c, clickElement {id=6cedeba9-9d1b-44aa-bf14-cb46a11d4dbf}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:36714, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 2244, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:36714/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (395b56da-d902-4d30-8e3c-e07c25f9a38c)] -> xpath: //a[text()='Files']] Session ID: 395b56da-d902-4d30-8e3c-e07c25f9a38c
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at com.Pages.AddCustomFolder.clickOnFamilyAccessFiles(AddCustomFolder.java:57)
	    at parallel.AddCustomFolderSteps.the_user_clicks_on_family_access_files(AddCustomFolderSteps.java:38)
	    at ?.the User clicks on Family Access Files(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:24)
	* Not displayable characters are replaced by '?'.		

2	When the User clicks on Add Folder	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	And the User enters the folder name into Folder name field	SKIPPED	0.001 s
4	And the User clicks on the Add button	SKIPPED	0.000 s
5	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
6	And the User clicks on close user guide	SKIPPED	0.001 s
7	And the User verifies the added custom folder	SKIPPED	0.001 s
8	And the User clicks and opens the folder	SKIPPED	0.000 s
9	And User uploads DOCX file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _A d d _ a _ C u s t o m _ F o l d e r _ a n d _ U p l o a d _ D O C X _ F i l e s _ o f _ S m a l l ,_ M e d i u m _ a n d _L a r g e _ i n i t_	PASSED	0.083 s

Add a Custom Folder and Upload TXT Files of Small, Medium and Large init

FAILED	DURATION - 3.755 s		Steps	
/ 10:26:26.230 am // 10:26:29.985 am /			Total - 9	
Files Add Custom Folder and Uploading Files in it			Pass - 7 Fail - 1	
@txt @feature			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given the User clicks on Family Access Files	PASSED	0.571 s
2	When the User clicks on Add Folder	PASSED	0.264 s
3	And the User enters the folder name into Folder name field	PASSED	0.138 s
4	And the User clicks on the Add button	PASSED	0.289 s
5	Then the User should see a success popup with the message "added successfully"	PASSED	1.589 s
6	And the User clicks on close user guide	PASSED	0.242 s
7	And the User verifies the added custom folder	PASSED	0.561 s

#	Step / Hook Details	Status	Duration
8	And the User clicks and opens the folder	FAILED	0.033 s

	org.openqa.selenium.ElementNotInteractableException: Element <p class="mb-0 file_length"> could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [395b56da-d902-4d30-8e3c-e07c25f9a38c, clickElement {id=b76ba8aa-7381-4505-a57d-8ef3779e96d4}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:36714, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 2244, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:36714/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (395b56da-d902-4d30-8e3c-e07c25f9a38c)] -> xpath: //p[@class='mb-0 file_length' and text()='xY3zLni_Ashok']] Session ID: 395b56da-d902-4d30-8e3c-e07c25f9a38c
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	   at com.Pages.AddCustomFolder.clickOnAddedFolder(AddCustomFolder.java:108)
	   at parallel.AddCustomFolderSteps.the_user_clicks_and_opens_the_folder(AddCustomFolderSteps.java:84)
	   at ?.the User clicks and opens the folder(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:44)
	* Not displayable characters are replaced by '?'.		

9	And User uploads TXT file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.057 s
	_A_d_d__a__C_u_s_t_o_m__F_o_l_d_e_r__a_n_d__U_p_l_o_a_d__T_X_T__F_i_l_e_s__o_f__S_m_a_l_l,__M_e_d_i_u_m__a_n_d__L_a_r_g_e__i_n_i_t 		

Add a Custom Folder and Upload XLSX Files of Small, Medium and Large init

FAILED	DURATION - 0.364 s

/ 10:26:30.037 am // 10:26:30.401 am /

Files Add Custom Folder and Uploading Files in it

@xlsx @feature

Steps
Total - 9
Pass - 0
Fail - 1
Skip - 8

9

#	Step / Hook Details	Status	Duration
1	Given the User clicks on Family Access Files	FAILED	0.296 s

	org.openqa.selenium.ElementNotInteractableException: Element <a class="home_btn"> could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org. openqa.selenium.firefox.FirefoxDriver Command: [395b56da-d902-4d30-8e3c-e07c25f9a38c, clickElement {id=6cedeba9-9d1b-44aa-bf14-cb46a11d4dbf}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:36714, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 2244, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:36714/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (395b56da-d902-4d30-8e3c-e07c25f9a38c)] -> xpath: //a[text()='Files']] Session ID: 395b56da-d902-4d30-8e3c-e07c25f9a38c
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at com.Pages.AddCustomFolder.clickOnFamilyAccessFiles(AddCustomFolder.java:57)
	  at parallel.AddCustomFolderSteps.the_user_clicks_on_family_access_files(AddCustomFolderSteps.java:38)
	  at ?.the User clicks on Family Access Files(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:50)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When the User clicks on Add Folder	SKIPPED	0.000 s
3	And the User enters the folder name into Folder name field	SKIPPED	0.001 s
4	And the User clicks on the Add button	SKIPPED	0.000 s
5	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
6	And the User clicks on close user guide	SKIPPED	0.000 s
7	And the User verifies the added custom folder	SKIPPED	0.000 s
8	And the User clicks and opens the folder	SKIPPED	0.000 s
9	And User uploads XLSX file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _Add_a_Custom_Folder_and_Upload_XLSX_Files_of_Small,_Medium_and_Large_init_	PASSED	0.062 s

## Add a Custom Folder and Upload PNG Files of Small, Medium and Large init

FAILED	DURATION - 3.618 s
/ 10:26:30.485 am // 10:26:34.103 am /	
Files Add Custom Folder and Uploading Files in it	
@png @feature	

Steps
Total - 9
Pass - 7
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given the User clicks on Family Access Files	PASSED	0.534 s
2	When the User clicks on Add Folder	PASSED	0.271 s
3	And the User enters the folder name into Folder name field	PASSED	0.057 s
4	And the User clicks on the Add button	PASSED	0.252 s
5	Then the User should see a success popup with the message "added successfully"	PASSED	1.577 s

#	Step / Hook Details	Status	Duration
6	And the User clicks on close user guide	PASSED	0.243 s
7	And the User verifies the added custom folder	PASSED	0.577 s
8	And the User clicks and opens the folder	FAILED	0.040 s

	org.openqa.selenium.ElementNotInteractableException: Element <p class="mb-0 file_length"> could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [395b56da-d902-4d30-8e3c-e07c25f9a38c, clickElement {id=35dc2294-9fa6-4c76-9e76-fe607f206862}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:36714, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 2244, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:36714/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (395b56da-d902-4d30-8e3c-e07c25f9a38c)] -> xpath: //p[@class='mb-0 file_length' and text()='jQIxh7_Ashok']] Session ID: 395b56da-d902-4d30-8e3c-e07c25f9a38c
	
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at com.Pages.AddCustomFolder.clickOnAddedFolder(AddCustomFolder.java:108)
	  at parallel.AddCustomFolderSteps.the_user_clicks_and_opens_the_folder(AddCustomFolderSteps.java:84)
	  at ?.the User clicks and opens the folder(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:70)
	* Not displayable characters are replaced by '?'.		

9	And User uploads PNG file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _A_d_d__a__C_u_s_t_o_m__F_o_l_d_e_r__a_n_d__U_p_l_o_a_d__P_N_G__F_i_l_e_s__o_f__S_m_a_l_l,__M_e_d_i_u_m__a_n_d__L_a_r_g_e__i_n_i_t_	PASSED	0.062 s

#	Step / Hook Details	Status	Duration

Add a Custom Folder and Upload JPG Files of Small, Medium and Large init

FAILED	DURATION - 0.414 s		Steps	
/ 10:26:34.133 am // 10:26:34.547 am /			Total - 9	
Files Add Custom Folder and Uploading Files in it			Pass - 0	
			Fail - 1	
@jpg @feature			Skip - 8	

#	Step / Hook Details	Status	Duration
1	Given the User clicks on Family Access Files	FAILED	0.345 s
	org.openqa.selenium.ElementNotInteractableException: Element <a class="home_btn"> could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org. openqa.selenium.firefox.FirefoxDriver Command: [395b56da-d902-4d30-8e3c-e07c25f9a38c, clickElement {id=6cedeba9-9d1b-44aa-bf14-cb46a11d4dbf}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:36714, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 2244, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:36714/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (395b56da-d902-4d30-8e3c-e07c25f9a38c)] -> xpath: //a[text()='Files']] Session ID: 395b56da-d902-4d30-8e3c-e07c25f9a38c 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) 　　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnFamilyAccessFiles(AddCustomFolder.java:57) at parallel.AddCustomFolderSteps.the_user_clicks_on_family_access_files(AddCustomFolderSteps.java:38) at ?.the User clicks on Family Access Files(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:76) * Not displayable characters are replaced by '?'.		
2	When the User clicks on Add Folder	SKIPPED	0.000 s
3	And the User enters the folder name into Folder name field	SKIPPED	0.000 s
4	And the User clicks on the Add button	SKIPPED	0.001 s
5	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
6	And the User clicks on close user guide	SKIPPED	0.000 s
7	And the User verifies the added custom folder	SKIPPED	0.001 s
8	And the User clicks and opens the folder	SKIPPED	0.000 s
9	And User uploads JPG file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.065 s
	_A_d_d__a__C_u_s_t_o_m__F_o_l_d_e_r__a_n_d__U_p_l_o_a_d__J_P_G__F_i_l_e_s__o_f__S_m_a_l_l_,__M_e_d_i_u_m__a_n_d__L_a_r_g_e__i_n_i_t 		

Add a Custom Folder and Upload MP4 Files of Small, Medium and Large init

FAILED	*DURATION - 0.431 s*		Steps
/ 10:26:34.581 am // 10:26:35.012 am /			Total - 9
			Pass - 0
Files Add Custom Folder and Uploading Files in it			Fail - 1
			Skip - 8
@mp4 @feature			

#	Step / Hook Details	Status	Duration
1	Given the User clicks on Family Access Files	FAILED	0.342 s

	org.openqa.selenium.ElementNotInteractableException: Element <a class="home_btn"> could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org. openqa.selenium.firefox.FirefoxDriver Command: [395b56da-d902-4d30-8e3c-e07c25f9a38c, clickElement {id=6cedeba9-9d1b-44aa-bf14-cb46a11d4dbf}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:36714, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 2244, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:36714/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (395b56da-d902-4d30-8e3c-e07c25f9a38c)] -> xpath: //a[text()='Files']] Session ID: 395b56da-d902-4d30-8e3c-e07c25f9a38c
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at com.Pages.AddCustomFolder.clickOnFamilyAccessFiles(AddCustomFolder.java:57)
	  at parallel.AddCustomFolderSteps.the_user_clicks_on_family_access_files(AddCustomFolderSteps.java:38)
	  at ?.the User clicks on Family Access Files(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:89)
	* Not displayable characters are replaced by '?'.		

2	When the User clicks on Add Folder	SKIPPED	0.001 s
3	And the User enters the folder name into Folder name field	SKIPPED	0.000 s
4	And the User clicks on the Add button	SKIPPED	0.000 s
5	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
6	And the User clicks on close user guide	SKIPPED	0.001 s
7	And the User verifies the added custom folder	SKIPPED	0.000 s
8	And the User clicks and opens the folder	SKIPPED	0.001 s
9	And User uploads MP4 file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.083 s

#	Step / Hook Details	Status	Duration
	_A_d_d_ _a_ _C_u_s_t_o_m_ _F_o_l_d_e_r_ _a_n_d_ _U_p_l_o_a_d_ _M_P_4_ _F_i_l_e_s_ _o_f_ _S_m_a_l_l_,_ _M_e_d_i_u_m_ _a_n_d_ _L_a_r_g_e_ _i_n_i_t_		