Cucumber Report

| Start : Mar 23, 9:03:50.009 pm	End : Mar 23, 9:03:50.055 pm	Duration : 0.046 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 13
1	1	14

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Calendar Event Creation with Recurring and Reminder Options	*0.046 s*	*1*	*0*	*1*	*0*	*14*	*0*	*1*	*13*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@feature	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Calendar Event Creation with Recurring and Reminder Options	1	0	1	0	0.046 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Calendar Event Creation with Recurring and Reminder Options	User Creates Monthly Recurring Calendar Event with Reminder	14	0	1	13	0.040 s

Calendar Event Creation with Recurring and Reminder Options

FAILED	DURATION - 0.046 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 9:03:50.009 pm // 9:03:50.055 pm /		Pass - 0	1	Pass - 0	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	

User Creates Monthly Recurring Calendar Event with Reminder

FAILED	DURATION - 0.040 s		Steps	
/ 9:03:50.015 pm // 9:03:50.055 pm /			Total - 14	
Calendar Event Creation with Recurring and Reminder Options			Pass - 0	14
			Fail - 1	
@feature			Skip - 13	

#	Step / Hook Details	Status	Duration
1	Given User is already logged in to application	FAILED	0.019 s

username	password
ashokmarch12@yopmail.com	Password@123

io.cucumber.core.exception.CucumberException: Failed to instantiate class parallel.AccountsPageSteps
   at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
   at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)
   at io.cucumber.core.runner.TestStep.run(TestStep.java:57)
   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
   at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)

#	Step / Hook Details	Status	Duration
	at io.cumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at io.cumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 45 more Caused by: java.lang.IllegalArgumentException: Input must be set		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.internal.Require.nonNull(Require.java:60) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:93) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:74) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:43) at com.qa.Utils.WebDriverWaits.<init>(WebDriverWaits.java:20) at com.Pages.LoginPage.<init>(LoginPage.java:28) at parallel.AccountsPageSteps.<init>(AccountsPageSteps.java:26)		
2	When the user is on the Calendar page	SKIPPED	0.000 s
3	When the user clicks on New Event	SKIPPED	0.000 s
4	And User enters "Event001" into EventTitle	SKIPPED	0.000 s
5	And selects the start date on the calendar	SKIPPED	0.000 s
6	And User sets the start time to "01:00"	SKIPPED	0.000 s
7	And User sets the end time to "14:00"	SKIPPED	0.000 s
8	And chooses to set a recurring event	SKIPPED	0.001 s
9	And User sets the recurrence to Monthly	SKIPPED	0.002 s
10	And selects the End date on the calendar	SKIPPED	0.001 s
11	And assigns the event to family member	SKIPPED	0.000 s
12	And enters someText into the description	SKIPPED	0.000 s
13	And clicks on save	SKIPPED	0.000 s
14	Then the user should see the message "Your event has been created"	SKIPPED	0.001 s