

Cucumber Report

28-Mar-2024, 2:06:45 pm

Start : Mar 28, 2:03:32.057 pm

End : Mar 28, 2:06:45.060 pm

Duration : 3 m 13.003 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 1



FAILED - 6

SKIPPED - 0

PASSED - 10


FAILED - 6

SKIPPED - 54




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>File Management Feature</u>	3 m 13.003 s	7	1	6	0	70	10	6	54

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@pdf	1	1	0	0	1	0	1	0
@feature	7	1	6	0	1	0	1	0
@docx	1	0	1	0	1	0	1	0
@txt	1	0	1	0	1	0	1	0
@xlsx	1	0	1	0	1	0	1	0
@png	1	0	1	0	1	0	1	0
@jpg	1	0	1	0	1	0	1	0
@mp4	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>File Management Feature</u>	7	1	6	0	3 m 13.003 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload PDF Files of Small, Medium and Large init</u>	10	10	0	0	45.984 s
2	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload DOCX Files of Small, Medium and Large init</u>	10	0	1	9	25.175 s
3	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload TXT Files of Small, Medium and Large init</u>	10	0	1	9	24.131 s
4	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload XLSX Files of Small, Medium and Large init</u>	10	0	1	9	23.957 s
5	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload PNG Files of Small, Medium and Large init</u>	10	0	1	9	24.432 s
6	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload JPG Files of Small, Medium and Large init</u>	10	0	1	9	24.242 s
7	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload MP4 Files of Small, Medium and Large init</u>	10	0	1	9	24.713 s

File Management Feature



FAILED	DURATION - 3 m 13.003 s	Scenarios Total - 7 Pass - 1 Fail - 6 Skip - 0		Steps Total - 70 Pass - 10 Fail - 6 Skip - 54	
/ 2:03:32.057 pm // 2:06:45.060 pm /					

Add a Custom Folder and Upload PDF Files of Small, Medium and Large init


<div>PASSED</div>	<div>DURATION - 45.984 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:03:32.059 pm // 2:04:18.043 pm /</div>				
<div>File Management Feature</div>				
<div>@pdf @feature</div>				

#	Step / Hook Details		Status	Duration
1	Given User is already logged in to application		PASSED	9.775 s
	username	password		
	ashokmarch12@yopmail.com	Password@123		
2	Given the User clicks on Family Access Files		PASSED	8.403 s
3	When the User clicks on Add Folder		PASSED	0.085 s
4	And the User enters the folder name into Folder name field		PASSED	0.640 s
5	And the User clicks on the Add button		PASSED	0.088 s
6	Then the User should see a success popup with the message "added successfully"		PASSED	2.183 s
7	And the User clicks on close user guide		PASSED	0.069 s
8	And the User verifies the added custom folder		PASSED	0.622 s
9	And the User clicks and opens the folder		PASSED	4.249 s
10	And User uploads PDF file into the that specific folder		PASSED	18.152 s



Add a Custom Folder and Upload DOCX Files of Small, Medium and Large init

<div>FAILED</div> <div>DURATION - 25.175 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 2:04:18.227 pm // 2:04:43.402 pm /				
File Management Feature				
@feature @docx				


#	Step / Hook Details	Status	Duration				
1	Given User is already logged in to application	FAILED	24.925 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table>			username	password	ashokmarch12@yopmail.com	Password@123
	username			password			
ashokmarch12@yopmail.com	Password@123						
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //input[@id='login-email'] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54856}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54856/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cab9913735aa9c00c298a580d14d6ad at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at com.qa.Utills.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:36) at com.Pages.LoginPage.doLogin(LoginPage.java:78) at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:41) at ?.User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:5) * Not displayable characters are replaced by '?'. 							
2	Given the User clicks on Family Access Files	SKIPPED	0.002 s				
3	When the User clicks on Add Folder	SKIPPED	0.002 s				
4	And the User enters the folder name into Folder name field	SKIPPED	0.001 s				
5	And the User clicks on the Add button	SKIPPED	0.001 s				
6	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.001 s				
7	And the User clicks on close user guide	SKIPPED	0.000 s				
8	And the User verifies the added custom folder	SKIPPED	0.001 s				

#	Step / Hook Details	Status	Duration
9	And the User clicks and opens the folder	SKIPPED	0.001 s
10	And User uploads DOCX file into the that specific folder	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.234 s
	<u>Add a Custom Folder and Upload DOCX Files of Small, Medium and Large init</u>		
			



Add a Custom Folder and Upload TXT Files of Small, Medium and Large init


FAILED	DURATION - 24.131 s		Steps Total - 10 Pass - 0 Fail - 1 Skip - 9	
/ 2:04:43.455 pm // 2:05:07.586 pm /				
File Management Feature				
@txt @feature				

#	Step / Hook Details	Status	Duration				
1	<div>Given User is already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table> <div>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //input[@id='login-email'] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54856}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54856/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cab9913735aa9c00c298a580d14d6ad at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)</div>	username	password	ashokmarch12@yopmail.com	Password@123	FAILED	23.928 s
username	password						
ashokmarch12@yopmail.com	Password@123						



#	Step / Hook Details	Status	Duration
	at com.qa.Utills.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:36) at com.Pages.LoginPage.doLogin(LoginPage.java:78) at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:41) at ?.User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:5) * Not displayable characters are replaced by '?'.		
2	Given the User clicks on Family Access Files	SKIPPED	0.001 s
3	When the User clicks on Add Folder	SKIPPED	0.001 s
4	And the User enters the folder name into Folder name field	SKIPPED	0.000 s
5	And the User clicks on the Add button	SKIPPED	0.000 s
6	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
7	And the User clicks on close user guide	SKIPPED	0.000 s
8	And the User verifies the added custom folder	SKIPPED	0.001 s
9	And the User clicks and opens the folder	SKIPPED	0.000 s
10	And User uploads TXT file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.188 s
	<u>Add_a_Custom_Folder_and_Upload_TXT_Files_of_Small_Medium_and_Large_init</u>		
			

Add a Custom Folder and Upload XLSX Files of Small, Medium and Large init


FAILED DURATION - 23.957 s / 2:05:07.619 pm // 2:05:31.576 pm / File Management Feature @xlsx @feature		Steps Total - 10 Pass - 0 Fail - 1 Skip - 9	
---	--	---	---

#	Step / Hook Details	Status	Duration				
1	<div>Given User is already logged in to application</div> <div><table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table></div> <div>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //input[@id='login-email'] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\Ashok\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54856}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54856/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cab9913735aa9c00c298a580d14d6ad at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at com.qa.Utills.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:36) at com.Pages.LoginPage.doLogin(LoginPage.java:78) at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:41) at ?.User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:5) * Not displayable characters are replaced by '?'. </div>	username	password	ashokmarch12@yopmail.com	Password@123	FAILED	23.743 s
username	password						
ashokmarch12@yopmail.com	Password@123						
2	Given the User clicks on Family Access Files	SKIPPED	0.001 s				
3	When the User clicks on Add Folder	SKIPPED	0.000 s				
4	And the User enters the folder name into Folder name field	SKIPPED	0.001 s				
5	And the User clicks on the Add button	SKIPPED	0.000 s				
6	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s				
7	And the User clicks on close user guide	SKIPPED	0.000 s				
8	And the User verifies the added custom folder	SKIPPED	0.001 s				
9	And the User clicks and opens the folder	SKIPPED	0.002 s				
10	And User uploads XLSX file into the that specific folder	SKIPPED	0.001 s				
	<div>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</div> <div>Add_a_Custom_Folder_and_Upload_XLSX_Files_of_Small_Medium_and_Large_init</div> <div></div>	PASSED	0.195 s				



Add a Custom Folder and Upload PNG Files of Small, Medium and Large init

<div><div>FAILED</div><div>DURATION - 24.432 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 10</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 9</div></div> <div></div>
/ 2:05:31.634 pm // 2:05:56.066 pm /			
File Management Feature			
@png @feature			


#	Step / Hook Details	Status	Duration				
1	Given User is already logged in to application	FAILED	24.250 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table>			username	password	ashokmarch12@yopmail.com	Password@123
	username			password			
ashokmarch12@yopmail.com	Password@123						
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //input[@id='login-email'] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\Ashok\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54856}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54856/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cab9913735aa9c00c298a580d14d6ad at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at com.qa.Utils.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:36) at com.Pages.LoginPage.doLogin(LoginPage.java:78) at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:41) at ?.User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:5) * Not displayable characters are replaced by '?'. 							
2	Given the User clicks on Family Access Files	SKIPPED	0.001 s				
3	When the User clicks on Add Folder	SKIPPED	0.001 s				
4	And the User enters the folder name into Folder name field	SKIPPED	0.002 s				
5	And the User clicks on the Add button	SKIPPED	0.001 s				
6	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.001 s				
7	And the User clicks on close user guide	SKIPPED	0.002 s				

#	Step / Hook Details	Status	Duration
8	And the User verifies the added custom folder	SKIPPED	0.000 s
9	And the User clicks and opens the folder	SKIPPED	0.000 s
10	And User uploads PNG file into the that specific folder	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.165 s
	<u>Add_a_Custom_Folder_and_Upload_PNG_Files_of_Small_Medium_and_Large_init</u>		
			



Add a Custom Folder and Upload JPG Files of Small, Medium and Large init


<div>FAILED</div> <div>DURATION - 24.242 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 2:05:56.091 pm // 2:06:20.333 pm /				
File Management Feature				
@jpg @feature				

#	Step / Hook Details	Status	Duration				
1	<div>Given User is already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table> <div>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //input[@id='login-email'] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\Ashok\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54856}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54856/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cab9913735aa9c00c298a580d14d6ad at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)</div>	username	password	ashokmarch12@yopmail.com	Password@123	FAILED	24.072 s
username	password						
ashokmarch12@yopmail.com	Password@123						

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at com.qa.Utils.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:36) at com.Pages.LoginPage.doLogin(LoginPage.java:78) at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:41) at ?.User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:5) * Not displayable characters are replaced by '?'.		
2	Given the User clicks on Family Access Files	SKIPPED	0.001 s
3	When the User clicks on Add Folder	SKIPPED	0.000 s
4	And the User enters the folder name into Folder name field	SKIPPED	0.000 s
5	And the User clicks on the Add button	SKIPPED	0.000 s
6	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.001 s
7	And the User clicks on close user guide	SKIPPED	0.000 s
8	And the User verifies the added custom folder	SKIPPED	0.000 s
9	And the User clicks and opens the folder	SKIPPED	0.000 s
10	And User uploads JPG file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.166 s
	<u>Add_a_Custom_Folder_and_Upload_JPG_Files_of_Small,_Medium_and_Large_init</u>		
			

Add a Custom Folder and Upload MP4 Files of Small, Medium and Large init

FAILED DURATION - 24.713 s / 2:06:20.347 pm // 2:06:45.060 pm / File Management Feature @mp4 @feature		Steps Total - 10 Pass - 0 Fail - 1 Skip - 9	
--	--	---	---

#	Step / Hook Details	Status	Duration				
1	<div>Given User is already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table> <div>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //input[@id='login-email'] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.86, chrome: {chromedriverVersion: 123.0.6312.86 (9b72c47a0536..., userDataDir: C:\Users\Ashok\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54856}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54856/devtoo..., se:cdpVersion: 123.0.6312.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cab9913735aa9c00c298a580d14d6ad at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at com.qa.Utills.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:36) at com.Pages.LoginPage.doLogin(LoginPage.java:78) at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:41) at ?.User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:5) * Not displayable characters are replaced by '?'. </div>	username	password	ashokmarch12@yopmail.com	Password@123	FAILED	24.567 s
username	password						
ashokmarch12@yopmail.com	Password@123						
2	Given the User clicks on Family Access Files	SKIPPED	0.000 s				
3	When the User clicks on Add Folder	SKIPPED	0.000 s				
4	And the User enters the folder name into Folder name field	SKIPPED	0.000 s				
5	And the User clicks on the Add button	SKIPPED	0.000 s				
6	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s				
7	And the User clicks on close user guide	SKIPPED	0.000 s				
8	And the User verifies the added custom folder	SKIPPED	0.000 s				
9	And the User clicks and opens the folder	SKIPPED	0.000 s				
10	And User uploads MP4 file into the that specific folder	SKIPPED	0.000 s				
	<div>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</div> <div>Add_a_Custom_Folder_and_Upload_MP4_Files_of_Small_Medium_and_Large_init</div> <div></div>	PASSED	0.143 s				