

# Cucumber Report

10-Apr-2024, 11:30:43 am

Start : Apr 10, 11:29:36.932 am

End : Apr 10, 11:30:42.501 am

Duration : 1 m 5.569 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 6  
SKIPPED - 0

PASSED - 15  
FAILED - 6  
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>PersonalVault General Legal Information of Uploading Different file types</u>	1 m 5.569 s	6	0	6	0	27	15	6	6

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@tag0	1	0	1	0	1	0	1	0
@tag1	1	0	1	0	1	0	1	0
@tag2	1	0	1	0	1	0	1	0
@tag3	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>PersonalVault General Legal Information of Uploading Different file types</u>	6	0	6	0	1 m 5.569 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>PersonalVault General Legal Information of Uploading Different file *</u>	<u>General Legal upload PNG file upload</u>	7	5	1	1	44.758 s
2	<u>PersonalVault General Legal Information of Uploading Different file *</u>	<u>General Legal upload PDF file upload</u>	4	2	1	1	4.268 s
3	<u>PersonalVault General Legal Information of Uploading Different file *</u>	<u>General Legal upload JPG file upload</u>	4	2	1	1	4.123 s
4	<u>PersonalVault General Legal Information of Uploading Different file *</u>	<u>General Legal upload XLSX file upload</u>	4	2	1	1	3.886 s
5	<u>PersonalVault General Legal Information of Uploading Different file *</u>	<u>General Legal upload JPEG file upload</u>	4	2	1	1	3.951 s
6	<u>PersonalVault General Legal Information of Uploading Different file *</u>	<u>General Legal upload TXT file upload</u>	4	2	1	1	4.160 s

\* The feature name and/or scenario name has been cropped to fit in the available space.


## PersonalVault General Legal Information of Uploading Different file types

<b>FAILED</b>	<b>DURATION - 1 m 5.569 s</b>	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 27 Pass - 15 Fail - 6 Skip - 6	
/ 11:29:36.932 am // 11:30:42.501 am /					

## General Legal upload PNG file upload

<div>FAILED</div> <div>DURATION - 44.758 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 11:29:36.936 am // 11:30:21.694 am /</div>				
<div>PersonalVault General Legal Information of Uploading Different file types</div>				
<div>@tag0</div>				

#	Step / Hook Details		Status	Duration
1	Given User is already logged in to application		PASSED	10.363 s
	username	password		
	ashokmarch12@yopmail.com	Password@123		
2	When User clicks on personal vault		PASSED	6.617 s
3	And User navigates to smstome website		PASSED	13.010 s
4	When user clicks on general legal information		PASSED	6.518 s
5	And user clicks on add option		PASSED	0.325 s
6	And user clicks on upload file		FAILED	3.227 s
	org.openqa.selenium.ElementNotInteractableException: Element <strong class="secondary_blue"> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c8e5b247-5ea6-4185-aa01-23b2b667b4a5, sendKeysToElement {id=5268b736-3f5f-4393-a5e1-e301c09189ec, value=[Ljava.lang.CharSequence;@73041b7d]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:7974, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14716, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:7974/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element:			


#	Step / Hook Details	Status	Duration
	<p>[[FirefoxDriver: firefox on windows (c8e5b247-5ea6-4185-aa01-23b2b667b4a5)] -&gt; xpath: //strong[@class='secondary_blue']] Session ID: c8e5b247-5ea6-4185-aa01-23b2b667b4a5</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at com.Pages.GeneralLegalPage_PersonalVault.uploadfile(GeneralLegalPage_PersonalVault.java:78) at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file1(GeneralLegalPage_PersonalVaultSteps.java:54) at ?.user clicks on upload file(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:20) * Not displayable characters are replaced by '?'. </pre>		
7	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.002 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.172 s
	<p><u>GeneralLegal_upload_PNG_file_upload</u></p> 		

## General Legal upload PDF file upload



<div>FAILED</div> <div>DURATION - 4.268 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.467</td></tr><tr><td>2</td><td>0.386</td></tr><tr><td>3</td><td>3.289</td></tr></tbody></table></div>	Step	Duration (s)	1	0.467	2	0.386	3	3.289	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div> <div></div>
Step	Duration (s)										
1	0.467										
2	0.386										
3	3.289										
/ 11:30:21.839 am // 11:30:26.107 am /											
PersonalVault General Legal Information of Uploading Different file types											
@tag1											

#	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.467 s
2	And user clicks on add option	PASSED	0.386 s
3	And user clicks on upload file1 <pre>org.openqa.selenium.ElementNotInteractableException: Element &lt;span&gt; is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c8e5b247-5ea6-4185-aa01-23b2b667b4a5, sendKeysToElement {id=c1274628-defa-4115-b391-2739f6e046e2, value=[Ljava.lang.CharSequence;@1775c4e7]} Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:7974, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14716, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:7974/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c8e5b247-5ea6-4185-aa01-23b2b667b4a5)] -&gt; xpath: //span[text()='Upload a file']] Session ID: c8e5b247-5ea6-4185-aa01-23b2b667b4a5     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)     at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)     at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)     at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:65)     at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40)     at ?.user clicks on upload file1(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/</pre>	FAILED	3.289 s




#	Step / Hook Details	Status	Duration
	GeneralLegalPage_PersonalVault.feature:31) * Not displayable characters are replaced by '?'. 4 Then User should see the "Uploaded Successfully" Message		
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <u>GeneralLegal_upload_PDF_file_upload</u>	SKIPPED	0.002 s
		PASSED	0.109 s



## General Legal upload JPG file upload

FAILED	DURATION - 4.123 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 11:30:26.222 am // 11:30:30.345 am /				
PersonalVault General Legal Information of Uploading Different file types				
@tag2				


#	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.418 s
2	And user clicks on add option	PASSED	0.291 s
3	And user clicks on upload file2 org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c8e5b247-5ea6-4185-aa01-23b2b667b4a5, sendKeysToElement {id=1b02c635-3893-4178-a045-1f5106e1a64e, value=[Ljava.lang.CharSequence;@174721c4}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:7974, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14716, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:7974/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c8e5b247-5ea6-4185-aa01-23b2b667b4a5)] -> xpath: //span[text()='Upload a file']] Session ID: c8e5b247-5ea6-4185-aa01-23b2b667b4a5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)	FAILED	3.317 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:65) at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40) at ?.user clicks on upload file2(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:41) * Not displayable characters are replaced by '?'. </pre>		
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.088 s
	<u>General Legal upload J_P_G_file_upload</u>		
			



## General Legal upload XLSX file upload

FAILED		DURATION - 3.886 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>		
/ 11:30:30.423 am // 11:30:34.309 am /							
PersonalVault General Legal Information of Uploading Different file types							
@tag3							


#	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.450 s
2	And user clicks on add option	PASSED	0.232 s
3	And user clicks on upload file2	FAILED	3.093 s
	<p>org.openqa.selenium.ElementNotInteractableException: Element &lt;span&gt; is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c8e5b247-5ea6-4185-aa01-23b2b667b4a5, sendKeysToElement {id=6e503e52-eece-432e-91da-2503b03195d7, value=[Ljava.lang.CharSequence;@59498d94]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:7974, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14716, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:7974/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c8e5b247-5ea6-4185-aa01-23b2b667b4a5)] -&gt; xpath: //span[text()='Upload a file']] Session ID: c8e5b247-5ea6-4185-aa01-23b2b667b4a5</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:65) at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40) at ?.user clicks on upload file2(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:50) * Not displayable characters are replaced by '?'. </pre>		
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.104 s
	<u>G_e_n_e_r_a_l_L_e_g_a_l_u_p_l_o_a_d_X_L_S_X_f_i_l_e_u_p_l_o_a_d</u>		

#	Step / Hook Details	Status	Duration
			



## General Legal upload JPEG file upload

<div><div>FAILED</div><div>DURATION - 3.951 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 2</div><div>Fail - 1</div><div>Skip - 1</div></div>	<div></div>
/ 11:30:34.338 am // 11:30:38.289 am /				
PersonalVault General Legal Information of Uploading Different file types				

#	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.416 s
2	And user clicks on add option	PASSED	0.250 s
3	And user clicks on upload file4	FAILED	3.136 s
	<pre>org.openqa.selenium.ElementNotInteractableException: Element &lt;span&gt; is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c8e5b247-5ea6-4185-aa01-23b2b667b4a5, sendKeysToElement {id=b1b675be-1169-4f2e-b250-2f9e030293d1, value=[Ljava.lang.CharSequence;@3a38f122]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:7974, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14716, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:7974/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c8e5b247-5ea6-4185-aa01-23b2b667b4a5)] -&gt; xpath: //span[text()='Upload a file']] Session ID: c8e5b247-5ea6-4185-aa01-23b2b667b4a5     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:65) at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40) at ?.user clicks on upload file4(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:60) * Not displayable characters are replaced by '?'. </pre>		
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.142 s
	<u>GeneralLegal_upload_JPEG_file_upload</u>		
			

## General Legal upload TXT file upload

FAILED		DURATION - 4.160 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:30:38.341 am // 11:30:42.501 am /						
PersonalVault General Legal Information of Uploading Different file types						

#	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.462 s
2	And user clicks on add option	PASSED	0.380 s
3	And user clicks on upload file5	FAILED	3.231 s
	org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision:		

#	Step / Hook Details	Status	Duration
	<p>'9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c8e5b247-5ea6-4185-aa01-23b2b667b4a5, sendKeysToElement {id=d7e3b023-9f22-4d8b-84d6-25e1332f2130, value=[Ljava.lang.CharSequence;@531ec978}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:7974, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14716, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:7974/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c8e5b247-5ea6-4185-aa01-23b2b667b4a5)] -&gt; xpath: //span[text()='Upload a file']] Session ID: c8e5b247-5ea6-4185-aa01-23b2b667b4a5</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)  at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:65)  at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40)  at ?.user clicks on upload file5(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:71)  * Not displayable characters are replaced by '?'. </p>		
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.083 s
	<u>GeneralLegal_upload_TXT_file_upload</u> 