Cucumber Report

| *Start : Apr 03, 12:37:28.235 pm*	*End : Apr 03, 12:39:27.756 pm*	*Duration : 1 m 59.521 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 5 SKIPPED - 0	PASSED - 14 FAILED - 5 SKIPPED - 83

Features: 1

Scenarios: 5

Steps: 102

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 13 %

| Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
login page feature	*1 m 59.521 s*	5	0	5	0	102	14	5	83

#	Feature Name	T	P	F	S	Duration
1	login page feature	5	0	5	0	1 m 59.521 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	login page feature	Disaster planning in Emergency prep	18	10	1	7	35.616 s
2	login page feature	Supply kit	21	1	1	19	20.699 s
3	login page feature	Meeting Places	21	1	1	19	21.033 s
4	login page feature	Home Evacuation	21	1	1	19	20.947 s
5	login page feature	Commuter Plan	21	1	1	19	20.937 s

login page feature

| FAILED	DURATION - 1 m 59.521 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0	5	Steps Total - 102 Pass - 14 Fail - 5 Skip - 83	102
/ 12:37:28.235 pm // 12:39:27.756 pm /					

Disaster planning in Emergency prep

FAILED	DURATION - 35.616 s		Steps Total - 18 Pass - 10 Fail - 1 Skip - 7	18
/ 12:37:28.240 pm // 12:38:03.856 pm /				
login page feature				

| #	Step / Hook Details	Status	Duration
1	Given User is already logged in to application	PASSED	10.539 s
	username: ashokmarch12@yopmail.com — password: Password@123		
2	When user click on emergency prep	PASSED	7.310 s
3	Then user clicks on the Disaster planning	PASSED	3.016 s
4	And user clicks on add option	PASSED	0.278 s
5	And user clicks on upload file1	PASSED	1.364 s
6	Then User should see the "Uploaded Successfully" Message	PASSED	2.671 s
7	And user clicks on add option	PASSED	0.265 s
8	And user clicks on upload file2	PASSED	1.109 s
9	Then User should see the "Uploaded Successfully" Message	PASSED	2.182 s
10	And user clicks on add option	PASSED	0.299 s
11	And user clicks on upload file3	FAILED	0.108 s
	org.openqa.selenium.InvalidArgumentException: File not found: Security-at-Family-Central-v2 (1).pdf Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.		

#	Step / Hook Details	Status	Duration

	firefox.FirefoxDriver Command: [24449f96-493b-485f-b3a5-ac78ef7ad695, sendKeysToElement {id=d17dbd11-a821-4894-a989-a71d543d61b2, value=[Ljava.lang.CharSequence;@41b64020}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.1, moz:accessibilityChecks: false, moz:buildID: 20240321230221, moz:debuggerAddress: 127.0.0.1:4699, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 12660, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:4699/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (24449f96-493b-485f-b3a5-ac78ef7ad695)] -> xpath: //input[@id='file-upload']] Session ID: 24449f96-493b-485f-b3a5-ac78ef7ad695
	
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)
	  at com.Pages.GeneralLegalPage_PersonalVault.uploadfile(GeneralLegalPage_PersonalVault.java:46)
	  at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:38)
	  at ?.user clicks on upload file3(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:30)
	* Not displayable characters are replaced by '?'.		

12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
13	And user clicks on add option	SKIPPED	0.002 s
14	And user clicks on upload file4	SKIPPED	0.001 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
16	And user clicks on add option	SKIPPED	0.001 s
17	And user clicks on upload file5	SKIPPED	0.002 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.236 s
	_D_i_s_a_s_t_e_r__p_l_a_n_n_i_n_g__i_n__E_m_e_r_g_e_n_c_y__p_r_e_p_		

#	Step / Hook Details	Status	Duration

## Supply kit

| FAILED	DURATION - 20.699 s		Steps	
/ 12:38:04.014 pm // 12:38:24.713 pm /			Total - 21 Pass - 1 Fail - 1 Skip - 19	21
login page feature				

#	Step / Hook Details	Status	Duration
1	When user click on emergency prep	PASSED	0.571 s
2	Then user clicks on the Disaster planning	FAILED	20.013 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //p[contains(text(),'Disaster Planning')] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.1, moz:accessibilityChecks: false, moz:buildID: 20240321230221, moz:debuggerAddress: 127.0.0.1:4699, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 12660, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:4699/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 24449f96-493b-485f-b3a5-ac78ef7ad695
	   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)
	   at com.Pages.Disasterplanningpage.disasterplanning(Disasterplanningpage.java:44)
	   at parallel.Emergencyprep_DisasterPlanningSteps.user_clicks_on_the_disaster_planning(Emergencyprep_DisasterPlanningSteps.java:22)
	   at ?.user clicks on the Disaster planning(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:50)
	* Not displayable characters are replaced by '?'.		

3	And user clicks on the supply kit	SKIPPED	0.001 s
4	And user clicks on add option	SKIPPED	0.000 s
5	And user clicks on upload file	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
6	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.000 s
7	And user clicks on add option	SKIPPED	0.000 s
8	And user clicks on upload file1	SKIPPED	0.000 s
9	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
10	And user clicks on add option	SKIPPED	0.001 s
11	And user clicks on upload file2	SKIPPED	0.000 s
12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
13	And user clicks on add option	SKIPPED	0.000 s
14	And user clicks on upload file3	SKIPPED	0.001 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
16	And user clicks on add option	SKIPPED	0.001 s
17	And user clicks on upload file4	SKIPPED	0.000 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
19	And user clicks on add option	SKIPPED	0.000 s
20	And user clicks on upload file5	SKIPPED	0.000 s
21	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.095 s
	_S_u_p_p_l_y_ _k_i_t_		

Meeting Places

| FAILED	DURATION - 21.033 s
/ 12:38:24.768 pm // 12:38:45.801 pm /	
login page feature	

Steps

Total - 21

Pass - 1

Fail - 1

Skip - 19

21

#	Step / Hook Details	Status	Duration
1	When user click on emergency prep	PASSED	0.534 s
2	Then user clicks on the Disaster planning	FAILED	20.350 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //p[contains(text(),'Disaster Planning')] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.1, moz:accessibilityChecks: false, moz:buildID: 20240321230221, moz:debuggerAddress: 127.0.0.1:4699, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 12660, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:4699/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 24449f96-493b-485f-b3a5-ac78ef7ad695
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)
	    at com.Pages.Disasterplanningpage.disasterplanning(Disasterplanningpage.java:44)
	    at parallel.Emergencyprep_DisasterPlanningSteps.user_clicks_on_the_disaster_planning(Emergencyprep_DisasterPlanningSteps.java:22)
	    at ?.user clicks on the Disaster planning(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:93)
	* Not displayable characters are replaced by '?'.		

3	And user clicks on the Meeting Places	SKIPPED	0.000 s
4	And user clicks on add option	SKIPPED	0.000 s
5	And user clicks on upload file	SKIPPED	0.000 s
6	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.001 s
7	And user clicks on add option	SKIPPED	0.001 s
8	And user clicks on upload file1	SKIPPED	0.001 s
9	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
10	And user clicks on add option	SKIPPED	0.000 s
11	And user clicks on upload file2	SKIPPED	0.000 s
12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
13	And user clicks on add option	SKIPPED	0.000 s
14	And user clicks on upload file3	SKIPPED	0.001 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
16	And user clicks on add option	SKIPPED	0.000 s
17	And user clicks on upload file4	SKIPPED	0.000 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
19	And user clicks on add option	SKIPPED	0.000 s
20	And user clicks on upload file5	SKIPPED	0.000 s
21	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s

| #	Step / Hook Details	Status	Duration
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.128 s
	_M_e_e_t_i_n_g_ _P_l_a_c_e_s_ 		

Home Evacuation

| FAILED	DURATION - 20.947 s
/ 12:38:45.838 pm // 12:39:06.785 pm /	
login page feature	

Steps
Total - 21
Pass - 1
Fail - 1
Skip - 19

 21

#	Step / Hook Details	Status	Duration
1	When user click on emergency prep	PASSED	0.519 s
2	Then user clicks on the Disaster planning	FAILED	20.324 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //p[contains(text(),'Disaster Planning')] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.1, moz:accessibilityChecks: false, moz:buildID: 20240321230221, moz:debuggerAddress: 127.0.0.1:4699, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 12660, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:4699/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 24449f96-493b-485f-b3a5-ac78ef7ad695
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)
	    at com.Pages.Disasterplanningpage.disasterplanning(Disasterplanningpage.java:44)
	    at parallel.Emergencyprep_DisasterPlanningSteps.user_clicks_on_the_disaster_planning(Emergencyprep_DisasterPlanningSteps.java:22)
	    at ?.user clicks on the Disaster planning(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:138)
	 * Not displayable characters are replaced by '?'.		

3	And user clicks on the HomeEvacuation	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
4	And user clicks on add option	SKIPPED	0.001 s
5	And user clicks on upload file	SKIPPED	0.001 s
6	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.000 s
7	And user clicks on add option	SKIPPED	0.001 s
8	And user clicks on upload file1	SKIPPED	0.001 s
9	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
10	And user clicks on add option	SKIPPED	0.002 s
11	And user clicks on upload file2	SKIPPED	0.001 s
12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
13	And user clicks on add option	SKIPPED	0.000 s
14	And user clicks on upload file3	SKIPPED	0.000 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
16	And user clicks on add option	SKIPPED	0.000 s
17	And user clicks on upload file4	SKIPPED	0.000 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
19	And user clicks on add option	SKIPPED	0.000 s
20	And user clicks on upload file5	SKIPPED	0.000 s
21	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _H_o_m_e__E_v_a_c_u_a_t_i_o_n_	PASSED	0.083 s

Commuter Plan

FAILED	DURATION - 20.937 s
/ 12:39:06.819 pm // 12:39:27.756 pm /	
login page feature	

Steps
Total - 21
Pass - 1
Fail - 1
Skip - 19

21

#	Step / Hook Details	Status	Duration
1	When user click on emergency prep	PASSED	0.528 s
2	Then user clicks on the Disaster planning	FAILED	20.305 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //p[contains(text(),'Disaster Planning')] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.1, moz:accessibilityChecks: false, moz:buildID: 20240321230221, moz:debuggerAddress: 127.0.0.1:4699, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 12660, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:4699/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 24449f96-493b-485f-b3a5-ac78ef7ad695
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)
	    at com.Pages.Disasterplanningpage.disasterplanning(Disasterplanningpage.java:44)
	    at parallel.Emergencyprep_DisasterPlanningSteps.user_clicks_on_the_disaster_planning(Emergencyprep_DisasterPlanningSteps.java:22)
	    at ?.user clicks on the Disaster planning(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:182)
	* Not displayable characters are replaced by '?'.		

3	And user clicks on the Commuterplan	SKIPPED	0.001 s
4	And user clicks on add option	SKIPPED	0.001 s
5	And user clicks on upload file	SKIPPED	0.001 s
6	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.000 s
7	And user clicks on add option	SKIPPED	0.000 s
8	And user clicks on upload file1	SKIPPED	0.001 s
9	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
10	And user clicks on add option	SKIPPED	0.000 s
11	And user clicks on upload file2	SKIPPED	0.000 s
12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
13	And user clicks on add option	SKIPPED	0.000 s
14	And user clicks on upload file3	SKIPPED	0.000 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
16	And user clicks on add option	SKIPPED	0.000 s
17	And user clicks on upload file4	SKIPPED	0.001 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
19	And user clicks on add option	SKIPPED	0.000 s
20	And user clicks on upload file5	SKIPPED	0.000 s
21	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.002 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _C_o_m_m_u_t_e_r_ _P_l_a_n_ 	PASSED	0.081 s