Cucumber Report

| *Start : Apr 10, 11:36:34.529 am*	*End : Apr 10, 11:37:37.062 am*	*Duration : 1 m 2.533 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 15 FAILED - 6 SKIPPED - 6

1

6

27

Pass %

0 %

0 %

55 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
PersonalVault General Legal Information of Uploading Different file types	*1 m 2.533 s*	6	0	6	0	27	15	6	6

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag0	1	0	1	0	1	0	1	0
@tag1	1	0	1	0	1	0	1	0
@tag2	1	0	1	0	1	0	1	0
@tag3	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	PersonalVault General Legal Information of Uploading Different file types	6	0	6	0	1 m 2.533 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	PersonalVault General Legal Information of Uploading Different file *	General Legal upload PNG file upload	7	5	1	1	43.637 s
2	PersonalVault General Legal Information of Uploading Different file *	General Legal upload PDF file upload	4	2	1	1	3.782 s
3	PersonalVault General Legal Information of Uploading Different file *	General Legal upload JPG file upload	4	2	1	1	3.775 s
4	PersonalVault General Legal Information of Uploading Different file *	General Legal upload XLSX file upload	4	2	1	1	3.719 s
5	PersonalVault General Legal Information of Uploading Different file *	General Legal upload JPEG file upload	4	2	1	1	3.675 s
6	PersonalVault General Legal Information of Uploading Different file *	General Legal upload TXT file upload	4	2	1	1	3.703 s

The feature name and/or scenario name has been cropped to fit in the available space.

PersonalVault General Legal Information of Uploading Different file types

FAILED	DURATION - 1 m 2.533 s	Scenarios		Steps	
/ 11:36:34.529 am // 11:37:37.062 am /		Total - 6 Pass - 0 Fail - 6 Skip - 0	6	Total - 27 Pass - 15 Fail - 6 Skip - 6	27

General Legal upload PNG file upload

FAILED	DURATION - 43.637 s		Steps	
/ 11:36:34.531 am // 11:37:18.168 am /			Total - 7	
PersonalVault General Legal Information of Uploading Different file types			Pass - 5 Fail - 1 Skip - 1	7
@tag0				

| #	Step / Hook Details	Status	Duration
1	Given User is already logged in to application	PASSED	10.582 s
	username: ashokmarch12@yopmail.com / password: Password@123		
2	When User clicks on personal vault	PASSED	6.721 s
3	And User navigates to smstome website	PASSED	13.257 s
4	When user clicks on general legal information	PASSED	4.664 s
5	And user clicks on add option	PASSED	0.303 s
6	And user clicks on upload file	FAILED	3.039 s
	org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9, sendKeysToElement {id=b782675b-6bad-4465-9deb-ac0173155c8b, value=[Ljava.lang.CharSequence;@5b000fe6}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:45553, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14576, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:45553/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (fc3a1ada-ef2a-44af-		

#	Step / Hook Details	Status	Duration

	87f8-1f6f7ccf7fb9)] -> xpath: //span[text()='Upload a file']] Session ID: fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)
	  at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:66)
	  at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:63)
	  at ?.user clicks on upload file(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:20)
	* Not displayable characters are replaced by '?'.		

7	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _G_e_n_e_r_a_l__L_e_g_a_l__u_p_l_o_a_d__P_N_G__f_i_l_e__u_p_l_o_a_d_ 	PASSED	0.096 s

General Legal upload PDF file upload

FAILED	DURATION - 3.782 s		Steps	
/ 11:37:18.257 am // 11:37:22.039 am /			Total - 4	
PersonalVault General Legal Information of Uploading Different file types			Pass - 2 Fail - 1 Skip - 1	
@tag1				

#	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.379 s
2	And user clicks on add option	PASSED	0.252 s
3	And user clicks on upload file1	FAILED	3.061 s

	org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9, sendKeysToElement {id=95da08e2-b627-4e01-be33-9bd5c3eb304c, value=[Ljava.lang.CharSequence;@38f981b6}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:45553, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14576, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:45553/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9)] -> xpath: //span[text()='Upload a file']] Session ID: fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)
	  at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:66)
	  at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40)
	  at ?.user clicks on upload file1(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/ GeneralLegalPage_PersonalVault.feature:31)
	* Not displayable characters are replaced by '?'.		

4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _ G e n e r a l _ L e g a l _ u p l o a d _ P D F _ f i l e _ u p l o a d _ 	PASSED	0.082 s

General Legal upload JPG file upload

| FAILED	DURATION - 3.775 s
/ 11:37:22.107 am // 11:37:25.882 am /	
PersonalVault General Legal Information of Uploading Different file types	
@tag2	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

4

#	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.367 s
2	And user clicks on add option	PASSED	0.251 s
3	And user clicks on upload file2	FAILED	3.074 s

org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9, sendKeysToElement {id=44f6ae44-6ff3-464d-9650-d1e4d45de722, value=[Ljava.lang.CharSequence;@348137e8}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:45553, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14576, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:45553/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9)] -> xpath: //span[text()='Upload a file']] Session ID: fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)
  at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:66)
  at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40)

| #	Step / Hook Details	Status	Duration
	at ?.user clicks on upload file2(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:41) * Not displayable characters are replaced by '?'.		
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _G_e_n_e_r_a_l_ _L_e_g_a_l_ _u_p_l_o_a_d_ _J_P_G_ _f_i_l_e_ _u_p_l_o_a_d_ 	PASSED	0.077 s

General Legal upload XLSX file upload

FAILED	DURATION - 3.719 s		Steps
/ 11:37:25.913 am // 11:37:29.632 am /			Total - 4
PersonalVault General Legal Information of Uploading Different file types			Pass - 2 Fail - 1
@tag3			Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.332 s
2	And user clicks on add option	PASSED	0.242 s
3	And user clicks on upload file2	FAILED	3.075 s
	org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9, sendKeysToElement {id=a80cab2e-fbc3-4eac-b1a0-451926079395, value=[Ljava.lang.CharSequence;@7c90b7b7}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:45553, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14576, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:45553/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9)] -> xpath: //span[text()='Upload a file']] Session ID: fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:66) at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40) at ?.user clicks on upload file2(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:50) * Not displayable characters are replaced by '?'.		
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _G_e_n_e_r_a_l_ _L_e_g_a_l_ _u_p_l_o_a_d_ _X_L_S_X_ _f_i_l_e_ _u_p_l_o_a_d_ 	PASSED	0.067 s

General Legal upload JPEG file upload

FAILED	DURATION - 3.675 s		Steps
/ 11:37:29.664 am // 11:37:33.339 am /			Total - 4
PersonalVault General Legal Information of Uploading Different file types			Pass - 2 Fail - 1 Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.335 s
2	And user clicks on add option	PASSED	0.224 s
3	And user clicks on upload file4	FAILED	3.039 s

	org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9, sendKeysToElement {id=a5dc6fab-0605-4221-b2be-664b23e27c99, value=[Ljava.lang.CharSequence;@2519026b]} Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:45553, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14576, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:45553/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9)] -> xpath: //span[text()='Upload a file']] Session ID: fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)
	  at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:66)
	  at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40)
	  at ?.user clicks on upload file4(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:60)
	* Not displayable characters are replaced by '?'.		

4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.074 s
	_General_Legal_upload_JPEG_file_upload_ 		

General Legal upload TXT file upload

FAILED	DURATION - 3.703 s
/ 11:37:33.359 am // 11:37:37.062 am /	
PersonalVault General Legal Information of Uploading Different file types	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.343 s
2	And user clicks on add option	PASSED	0.243 s
3	And user clicks on upload file5	FAILED	3.037 s

org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9, sendKeysToElement {id=401c034f-364a-44a4-bbcd-474061457020, value=[Ljava.lang.CharSequence;@3d2f3dcb}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:45553, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 14576, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:45553/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9)] -> xpath: //span[text()='Upload a file']] Session ID: fc3a1ada-ef2a-44af-87f8-1f6f7ccf7fb9

   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
   at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)
   at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:66)
   at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40)

#	Step / Hook Details	Status	Duration
	at ?.user clicks on upload file5(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:71) * Not displayable characters are replaced by '?'.		
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _G_e_n_e_r_a_l__L_e_g_a_l__u_p_l_o_a_d__T_X_T__f_i_l_e__u_p_l_o_a_d_ 	PASSED	0.076 s