

Cucumber Report

23-Mar-2024, 9:04:35 pm

Start : Mar 23, 9:04:35.098 pm

End : Mar 23, 9:04:35.140 pm

Duration : 0.042 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 13




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Calendar Event Creation with Recurring and Reminder Options</u>	0.042 s	1	0	1	0	14	0	1	13

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@feature	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Calendar Event Creation with Recurring and Reminder Options</u>	1	0	1	0	0.042 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Calendar Event Creation with Recurring and Reminder Options</u>	<u>User Creates Monthly Recurring Calendar Event with Reminder</u>	14	0	1	13	0.034 s

Calendar Event Creation with Recurring and Reminder Options

FAILED	DURATION - 0.042 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 0 Fail - 1 Skip - 13	
/ 9:04:35.098 pm // 9:04:35.140 pm /					

User Creates Monthly Recurring Calendar Event with Reminder

<div>FAILED</div> <div>DURATION - 0.034 s</div>		<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 13</div>	<div></div>
/ 9:04:35.106 pm // 9:04:35.140 pm /				
Calendar Event Creation with Recurring and Reminder Options				
@feature				

#	Step / Hook Details	Status	Duration				
1	Given User is already logged in to application	FAILED	0.015 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table>			username	password	ashokmarch12@yopmail.com	Password@123
	username			password			
ashokmarch12@yopmail.com	Password@123						
io.cucumber.core.exception.CucumberException: Failed to instantiate class parallel.AccountsPageSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)							

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:848)</p> <p>at org.testng.TestRunner.run(TestRunner.java:621)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:336)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)</p> <p>at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)</p> <p>at org.testng.TestNG.runSuites(TestNG.java:1114)</p> <p>at org.testng.TestNG.run(TestNG.java:1082)</p> <p>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)</p> <p>at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)</p> <p>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)</p> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)</p> <p>... 45 more Caused by: java.lang.IllegalArgumentException: Input must be set</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.internal.Require.nonNull(Require.java:60) at org.openqa.selenium.support.ui.FluentWait.<init>(FluentWait.java:93) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:74) at org.openqa.selenium.support.ui.WebDriverWait.<init>(WebDriverWait.java:43) at com.qa.Utills.WebDriverWaits.<init>(WebDriverWaits.java:20) at com.Pages.LoginPage.<init>(LoginPage.java:28) at parallel.AccountsPageSteps.<init>(AccountsPageSteps.java:26)		
2	When the user is on the Calendar page	SKIPPED	0.000 s
3	When the user clicks on New Event	SKIPPED	0.000 s
4	And User enters "Event001" into EventTitle	SKIPPED	0.000 s
5	And selects the start date on the calendar	SKIPPED	0.000 s
6	And User sets the start time to "01:00"	SKIPPED	0.000 s
7	And User sets the end time to "14:00"	SKIPPED	0.000 s
8	And chooses to set a recurring event	SKIPPED	0.000 s
9	And User sets the recurrence to Monthly	SKIPPED	0.002 s
10	And selects the End date on the calendar	SKIPPED	0.000 s
11	And assigns the event to family member	SKIPPED	0.001 s
12	And enters someText into the description	SKIPPED	0.000 s
13	And clicks on save	SKIPPED	0.000 s
14	Then the user should see the message "Your event has been created"	SKIPPED	0.000 s